

STATISTICS - HEALTH AND DISEASES

Cancer Incidence in Sweden 1996



SVERIGES OFFICIELLA STATISTIK
OFFICIAL STATISTICS OF SWEDEN

Statistics - Health and Diseases
Cancer Incidence in Sweden 1996
The National Board of Health and Welfare
CENTRE FOR EPIDEMIOLOGY

OFFICIAL STATISTICS OF SWEDEN

For information: *Lotti Barlow*
The Cancer Registry, Centre for Epidemiology
Telephone: +46-8-783 30 00

Published : 29 December 1998

Please note that there have been changes from the printed edition in:

Table G	Change of headline
Table H	Change of headline
Table 5	Column 12 and column 14 have been changed
Table 6	Column R4, R5, 12, 1280, 14 and 1480 have been changed

ISSN 1401-0224
ISBN 91-7201-322-2
Artikelnr 1998-42-008

Printed in Sweden by Norstedts Tryckeri AB, Stockholm

Preface

The Swedish Cancer Registry was established in 1958. Since 1991, it is part of the Centre for Epidemiology (EpC). In this publication the National Board of Health and Welfare presents its 38th report on the incidence of cancer in Sweden. It comprises the material for 1996 and a description of trends covering the period of 1960-1996.

Compared to the 1992 and previous reports, data on second and multiple primary tumors are added, and some changes in the names of the tables and the order of the figures have been made. Furthermore, a comment is made on certain discrepancies between the registration of cancer in the Cancer Registry and the Cause of Death Registry and their impact on the reliability of the incidence figures.

In accordance with an agreement between the five Nordic Cancer Registries, and the regional registries in Sweden, site and histopathology ("morphology") of the tumors has been coded in the ICD-O-2/ICD-10 systems of topography and morphology as of January 1st 1993. With these systems, a more detailed information is obtained (especially with regard to the morphology) than was previously possible with the ICD-7/WHO/HS/CANC/24.1 coding principles; further, the coding systems in the Cancer Registry will in the future be comparable with ICD-10 when used in its clinical context.

In the present publication, ICD-O-2/ICD-10 figures for coding site have been translated to comply with earlier ICD-7 praxis, and are presented in the main tables according to this praxis. **Table W1** and **Table W2** show that, for all practical purposes, such a translation is feasible.

Stockholm 1998

Kerstin Wigzell
Director General
National Board of Health and Welfare

Måns Rosén
Professor and Head
Centre for Epidemiology
National Board of Health and Welfare

Professional Staff of The Cancer Registry

Anders Ericson, Deputy Head of Division

Medical consultative staff:

Jan Ericsson, MD

Torgil Möller, MD

Statistical and administrative staff:

Lotti Barlow

Eva Lundquist

Raouf Ladjemi

Mats Talbäck

Gunn-Marie Tranberg

For information:

Lotti Barlow

The Swedish Cancer Registry
Centre for Epidemiology
The National Board of Health and Welfare

S-106 30 STOCKHOLM

SWEDEN

Telephone: 08 - 783 30 00
Fax: 08 - 783 33 27
E-mail : *lotti.barlow@sos.se*

Contents

	Page
1 Material	7
2 Information available in the Cancer Registry	8
3 Reporting procedures and controls of the material	9
4 Validity of the data	10
5 Statistical terms	12
6 The population of Sweden	13
7 Total cancer incidence 1996	15
8 Trends in the cancer incidence	21
9 Coding according to ICD-O-2/ICD-10, and translation to earlier ICD versions: Table W1 Translation of site codes from ICD-O-2/ICD-10 to ICD-7 and ICD-9 Table W2 Translation of site codes from ICD-O-2/ICD-10 to ICD-7 and ICD-9, including relevant morphology codes	104 105 112

FIGURES

Figure A	Comparison between different methods of calculating incidence rates per 100 000, by sex. 1960-1996	15
Figure B	The ten most frequent specified cancer sites, by sex	16
Figure C	Age-specific incidence rates per 100 000. All sites, by sex	16
Figure D	Grouped cancer sites, by sex	17
Figure E	All sites. New cases. 1960-1996	23
Figure F1	All sites. Age standardized. 1960-1996	23
Figures F2- F27	Age standardized cancer incidence rates per 100 000, by site and sex. 1960 - 1996	24

TABLES

Table A1	Main cancer sites <i>in not autopsied cases</i> in the Cause of Death Registry 1996 but not in the Cancer Registry 1958-1996	11
Table A2	Main cancer sites <i>in autopsied cases</i> in the Cause of Death Registry 1996 but not in the Cancer Registry 1958-1996	11
Table B	Selected population data for Sweden 1996	13
Table C	The mean population of Sweden 1996, by sex and age	13
Table D	The mean population of Sweden 1996, by sex and domicile	14
Table E	Total numbers and total rates per 100 000, by sex	15
Table F	Percentage distribution of the new cases of cancer, by site and sex	18
Table G	Number of tumors considered not to be infiltrating and metastasizing, but	19

included in the total cancer incidence, by diagnosis and sex

Table H	Number of benign tumors and precancerous lesions registered, but <i>not included</i> in the total cancer incidence, by diagnosis and sex	19
Table I	Estimates of the annual trend of selected sites, 1977-1996 and 1987-1996	20
Table 1	Number of new cases, by site, sex and age at diagnosis	29
Table 2	Number of new cases, by site, sex and county	43
Table 3A	Number of new cases, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg	47
Table 3B	Number of new cases found incidentally at autopsy, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg	51
Table 3C	Number of second and multiple primaries, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg	55
Table 4	Rates per 100 000, by site, sex and age at diagnosis and rates age adjusted to the 1970 census and the world standard population	59
Table 5	Rates per 100 000 age standardized to the 1970 census, by site, sex and county	73
Table 6	Rates per 100 000 age standardized to the 1970 census, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg	77
Table 7	Rates per 100 000 age adjusted to the world standard population, by site, sex and year of diagnosis 1976-1996	81
Table 8	Percentage of cytologically or histologically verified cases, by site, sex and age at diagnosis	85
Table 9	Percentage of cases found incidentally at autopsy, by site, sex and age at diagnosis	89
Table 10	Percentage of cases found incidentally at autopsy, by site, sex and county, and the municipalities of Stockholm, Malmö and Göteborg	93

APPENDICES

Appendix 1	Major exceptions from the codes in the 7th WHO revision (WHO/HS/CANC/24.1 Code for Anatomical Location)	97
Appendix 2	Definitions of statistical terms	98
Appendix 3	Form used for clinical report	101
Appendix 4	Form used for cytology/pathology report	102
Appendix 5	Map of Sweden	103

1 Material

According to Regulations by the National Board of Health and Welfare (SOSFS(M) 1984:32) all physicians in hospitals and other establishments for medical treatment under public or private administration in Sweden must report all cases of cancer ("Clinical report", on Form A cf. Appendix 3) to the Cancer Registry. Furthermore, pathologists and cytologists separately report every cancer diagnosis on surgically removed tissues, biopsies, cytological specimens and autopsies (including forensic necropsies) ("Pathology report", Form B cf. Appendix 4) to the Registry. Thus, the majority of cases are notified twice, in separate reports.

The registration of new cancer reports and the major check-up and correction work is performed by six regional cancer registries covering the whole country. These registries are associated with the oncological centre in each medical region of Sweden (Stockholm-Gotland, Uppsala-Örebro, Linköping, Lund-Malmö, Göteborg and Umeå). The regionalization implies a close contact between the registry and the reporting physician which in turn alleviates the task of correcting and checking the material. The regional registries send annual information about the newly registered cases and corrections concerning those previously reported to the National Cancer Registry.

The present publication comprises statistics on cases of cancer diagnosed in **1996**.

The following diseases are to be reported to the National Cancer Registry.

- A All definitely malignant neoplasms (e.g. carcinoma, sarcoma, malignant lymphoma, leukemia and malignant teratoma).
- B Carcinoid tumors of digestive and other organs, granulosa cell tumors of the ovary, thymomas, adamantinomas and chordomas.
- C Histologically benign tumors of the central nervous system and meninges, transitional cell papillomas of the urinary tract, all hormonally active tumors of the endocrine glands (except the thyroid) and the entero-chromaffin and neuroendocrine systems.
- D Precancerous lesions of lip, mouth, larynx, bronchus, trachea, cervix uteri, skin, vulva and vagina, gastro-intestinal polyps with suspected malignancy, "bronchial adenomas", atypical epithelial proliferations of the breast (carcinoma in situ type) and adenoma phyllodes, precancerous endometrial lesions, hydatidiform moles of placental tissue, and ovarian cystadenomas of borderline type.

Diseases mentioned under A - C are included in the total cancer incidence (Tables F, G, I and 1-11), although a number of the tumors listed under C are considered not to be "infiltrating and metastasizing" (Table G).

The benign tumors and precancerous lesions mentioned under D are listed in Table H.

Basal cell carcinoma (basalioma) have not been registered.

If a person has more than one primary tumor, each tumor is registered separately. This also applies for tumors appearing in the same parenchymal organ, provided the neoplastic tissues and histogenetic properties differ among the tumors (for instance, if one neoplasm

is a carcinoma and another a sarcoma). Each new primary tumor in the skin, intestine and urinary tract is registered.

Information from death certificates is available to the Registry, supplying date and cause of death. The death certificates up to **January 1, 1997** have been merged with the files of the Cancer Registry. Cancer diagnoses based on death certificates only are not registered. This information, though, can be obtained from other sources.

The persons in the Cancer Registry have also been followed up regarding to emigration drew Statistics Sweden.

2 Information available in the Cancer Registry

2.1 *Data in cancer reports*

- Unique personal identification number composed of 8 digits based on century, year, month and day of birth, supplemented with the so-called registration number (3 digits) and a check digit
- Sex
- Name
- Domicile (county, municipality, parish)
- Hospital
- Hospital department
- Hospital-record, number and year
- Pathology/cytology department
- Specimen number, and year when specimen was taken
- Site of tumor. The Registry has ever since 1958 and still, mainly followed a code based on the 7th WHO revision (WHO/HS/CANC/24.1 Code for Anatomical Location). For exceptions cf. Appendix 1. For the years 1987-1992, the ICD-9 coding system have been used and 1993-w the ICD-O-2/ ICD-10
- Tumor serial number
- Malignancy (yes/no)
- Histological type (WHO/HS/CANC/24.1 Histology Code) and from 1993 according to SNOMED
- Basis of diagnosis:
 - 1 Clinical diagnosis only
 - 2 X-ray
 - 3 Histological examination of surgical or biopsy material (patho-anatomic diagnosis, "PAD")
 - 4 Autopsy with histopathological examination of surgical or biopsy material
 - 5 Cytological diagnosis
 - 6 Gross examination at surgery
 - 7 Autopsy without histopathological examination
- Date of diagnosis (century, year, month, day)
- Death from cancer (yes/no)
- Diagnosis made incidentally at autopsy (yes/no)

2.2 *Data from death certificates*

- Date of death (century, year, month, day)
- Cause of death. Main underlying cause, according to:

ICD-6	1958-1960,
ICD-7	1961-1968,
ICD-8	1969-1986,
ICD-9	1987-w
- Contributing cause of death, if cancer.

3 Reporting procedures and controls of the material

The reports are registered continuously at the regional cancer registries. Usually, the pathology/cytology (B) report arrives first, followed by the clinical (A) report. Whenever reports arrive separately, they are registered with a flag to show that one report is lacking. If the missing report does not arrive within three to nine months, a reminder is sent out. In 20-30 per cent of the cases, reports have to be traced according to this scheme. If the missing report does not arrive, the required information can be taken from the hospital case record, if available. If this source of information is also lacking, registration is done on the basis of the information that is available on the A or B report at hand. The percentage of cases with such an incomplete registration is less than two per cent.

A small number of cases (annually some hundred) are reported too late to be included in the publication. These cases are added to the registry whenever they arrive.

An estimation of the drop-out rate of cancers can be done by comparing the Cancer Registry data with the Cause of Death Registry (see next chapter).

The material passes through the following controls:

- the identification number is checked against the register covering the total population of Sweden
- duplicates are subject to special checking
- the validity and logical contents of the codes are checked when the material is processed.

4 Validity of the data

Approximately 97 % of the cases are morphologically verified. The reliability of the diagnosis may vary with the hospital, department and/or physician concerned; this may add to a geographical variability, though the structure of the country's public health system is homogeneous. The availability of facilities for pathological diagnosis likewise varies. The reliability of the diagnosis also varies with age and type of disease.

The figures on incidence from the Cancer Registry include data on cases of cancer found incidentally at autopsy. The contribution from this additional source varies with site and type of tumor. Variations in the incidence of a particular type of tumor in a certain geographical region may partly be due to differences in frequency and thoroughness of the autopsy examination and the histologic examination of the autopsy specimens. Cancer of bronchus/lung, pancreas, colon, liver and prostate are often overlooked at clinical examinations but are found incidentally at autopsy. **Table 3B** gives the number of all cases found incidentally at autopsy by site, sex and medical region.

The Swedish Cancer Registry does not use information on cancers based on death certificates only, the reason being that the data on the death certificates in many instances are uncertain - especially regarding old persons - as shown in a separate analysis (1).

In **1996**, there were **2040** persons in the Cause of Death Registry with cancer stated as underlying cause of death which were not on file in the Cancer Registry. The most common cancer sites were - as noted previously - bronchus/lung, pancreas, colon, liver and prostate. The distribution by sex, age, and autopsy is shown in **Table A1** and **Table A2**. The figures show that most of the cases are 75 years of age or older and not autopsied.

REFERENCE

1. *Britta Mattsson*, Cancer Registration in Sweden, academic thesis, Karolinska Institute, Stockholm 1984

Table A1: Main cancer sites *in not autopsied* cases in the Cause of Death Registry 1996, but not in the Cancer Registry 1958-1996

ICD-9	Site	Sex	All ages	Age at death		
				0-49	50-74	75+
151	Stomach	M	26	.	6	20
		F	23	1	3	19
153	Colon	M	52	.	14	38
		F	43	.	7	36
155	Liver	M	57	2	18	37
		F	57	.	6	51
156	Gall bladder and biliary passages	M	28	.	7	21
		F	63	.	16	47
157	Pancreas	M	119	.	45	74
		F	148	.	35	113
162	Bronchus and Lung	M	171	5	47	119
		F	117	1	40	76
174	Breast	F	51	6	10	35
185	Prostate	M	109	.	22	87
189	Urinary organs	M	61	1	19	41
		F	59	.	25	34
191	Brain	M	45	8	21	16
		F	37	.	17	20
200-208	Lymphoma and leukemia	M	105	8	40	57
		F	97	2	21	74
140-208	Other or unspecified sites	M	189	4	44	141
		F	290	4	42	244
140-208	Total	M	962	28	283	651
		F	985	14	222	749

Table A2: Main cancer sites *in autopsied* cases in the Cause of Death Registry 1996, but not in the Cancer Registry 1958-1996

ICD-9	Site	Sex	All ages	Age at death		
				0-49	50-74	75+
151	Stomach	M	1	.	.	1
		F	1	.	.	1
153	Colon	M	2	.	2	.
		F	3	.	.	3
155	Liver	M	5	.	3	2
		F	4	.	2	2
156	Gall bladder and biliary passages	M	1	.	1	.
		F	3	.	2	1
157	Pancreas	M	4	.	2	2
		F	7	.	2	5
162	Bronchus and Lung	M	14	.	9	5
		F	3	.	2	1
174	Breast	F
185	Prostate	M	6	.	2	4
189	Urinary organs	M	1	1	.	.
		F	8	.	5	3
191	Brain	M	2	1	1	.
		F	1	.	1	.
200-208	Lymphoma and leukemia	M	9	1	3	5
		F	9	1	6	2
140-208	Other or unspecified sites	M	9	.	5	4
		F	8	.	5	3
140-208	Total	M	54	3	28	23
		F	39	1	20	18

5 Statistical terms

Age. The age of the patient at the date of diagnosis.

Crude incidence rate. The total number of cases divided by the corresponding mean population per 100 000. Rates for males and females are calculated separately.

Age specific incidence rate. Number of cases for each five year age-group per 100 000 of the mean population, in that age-group. Rates for males and females are calculated separately.

Age standardized incidence rate. In **Tables E, I and 4 - 6**, the figures have been adjusted for age to a Swedish standard population (the 1970 census). In order to facilitate international comparisons, the incidence rates have also been adjusted to the world standard population (**Tables E, 4 and 7**). In the latter table the sites 204-209 (leukemia, polycythæmia vera and myelofibrosis) are aggregated. The standard populations and more details on definitions of statistical terms are given in Appendix 2.

Trend. The trends over time are caculated from the age adjusted figures on tumor rates in the 18 different age groups. In **Table I** the trend figures for both **the last 10 and 20** years are presented. The time series of age standardized rates plotted in **Figures F1-F23** cover the whole period **from 1960 to 1996**.

Comparisons between trends covering different time periods should be made with caution since diagnostic methods may vary, and coding practices change. Furthermore, in the trend periods shown in the present publication, the age structure of the population, the autopsy frequency (recent figure 20 per cent, compared to 50 per cent in the seventies), and type and forms of screening activities vary.

6 The population of Sweden

The life expectancy at birth in Sweden for 1996 was **75.9** years for males and **81.2** for females. Some demographic data for the population are given in **Tables B - D**.

Table B: Selected population data for Sweden 1996

	<i>Males</i>	<i>Females</i>	<i>Total</i>
Mean population	4 367 894	4 473 104	8 840 998
Number of live births	48 660	46 637	95 297
Number of late foetal deaths (still births)	174	156	330
Number of deaths	47 118	47 015	94 133
Number of deaths from cancer	11 054	10 258	21 312
Crude death rates*	10.8	10.5	10.7
Infant mortality rates**	4.2	3.7	4.0

* Number of deaths per 1 000 of the mean population

** Number of deaths during the first year of life per 1 000 live births

Source: *Statistics Sweden*

Table C: The mean population of Sweden 1996 by sex and age

<i>Age</i>	<i>Males</i>	<i>%</i>	<i>Females</i>	<i>%</i>	<i>Total</i>	<i>%</i>
0-4	290 548	3,3	276 357	3,1	566 905	6,4
5-9	302 924	3,4	287 375	3,3	590 299	6,7
10-14	260 249	2,9	245 942	2,8	506 191	5,7
15-19	258 785	2,9	246 327	2,8	505 112	5,7
20-24	291 968	3,3	280 942	3,2	572 910	6,5
25-29	314 040	3,6	300 921	3,4	614 961	7,0
30-34	328 354	3,7	310 485	3,5	638 839	7,2
35-39	298 850	3,4	285 928	3,2	584 778	6,6
40-44	299 287	3,4	289 076	3,3	588 363	6,7
45-49	324 921	3,7	316 469	3,6	641 390	7,3
50-54	316 251	3,6	304 672	3,4	620 922	7,0
55-59	233 026	2,6	231 500	2,6	464 526	5,3
60-64	196 099	2,2	206 392	2,3	402 491	4,6
65-69	186 536	2,1	210 447	2,4	396 983	4,5
70-74	178 195	2,0	215 298	2,4	393 492	4,5
75-79	142 424	1,6	192 653	2,2	335 077	3,8
80-84	89 073	1,0	144 660	1,6	233 732	2,6
85 +	56 367	0,6	127 665	1,4	184 031	2,1
85-89	42679	0,5	87507,5	1,0	130186,5	1,5
90-94	11805	0,1	32927	0,4	44732	0,5
95+	1882,5	0,0	7230	0,1	9112,5	0,1
All ages	4 367 894	49,4	4 473 104	50,6	8 840 998	100,0

Source: *Statistics Sweden*

Table D: The mean population of Sweden 1996 by sex and domicile

<i>Code</i>		<i>Males</i>	<i>%</i>	<i>Females</i>	<i>%</i>	<i>Total</i>	<i>%</i>
	Sweden	4 367 894	49,4	4 473 104	50,6	8 840 998	100,0
<i>County (län)</i>							
01	Stockholms län	845 044	9,6	890 000	10,1	1 735 043	19,6
03	Uppsala län	142 020	1,6	146 794	1,7	288 814	3,3
04	Södermanlands län	127 951	1,4	130 091	1,5	258 042	2,9
05	Östergötlands län	207 265	2,3	208 786	2,4	416 051	4,7
06	Jönköpings län	154 596	1,7	157 630	1,8	312 226	3,5
07	Kronobergs län	90 156	1,0	89 861	1,0	180 016	2,0
08	Kalmar län	120 515	1,4	122 120	1,4	242 634	2,7
09	Gotlands län	28 732	0,3	29 314	0,3	58 046	0,7
10	Blekinge län	76 123	0,9	76 232	0,9	152 355	1,7
11	Kristianstads län	145 516	1,6	148 640	1,7	294 156	3,3
12	Malmöhus län	399 723	4,5	419 171	4,7	818 894	9,3
13	Hallands län	134 016	1,5	135 684	1,5	269 699	3,1
14	Göteborgs och Bohus län	380 883	4,3	392 124	4,4	773 007	8,7
15	Älvborgs län	223 461	2,5	225 339	2,5	448 799	5,1
16	Skaraborgs län	139 007	1,6	139 880	1,6	278 887	3,2
17	Värmlands län	140 380	1,6	142 700	1,6	283 079	3,2
18	Örebro län	135 918	1,5	140 218	1,6	276 136	3,1
19	Västmanlands län	129 909	1,5	130 636	1,5	260 544	2,9
20	Kopparbergs län	143 934	1,6	145 130	1,6	289 064	3,3
21	Gävleborgs län	142 982	1,6	144 668	1,6	287 649	3,3
22	Västernorrlands län	128 197	1,5	129 242	1,5	257 439	2,9
23	Jämtlands län	67 677	0,8	67 396	0,8	135 073	1,5
24	Västerbottens län	129 631	1,5	130 553	1,5	260 184	2,9
25	Norrbottens län	134 266	1,5	130 900	1,5	265 166	3,0
<i>Municipality</i>							
0180	Stockholm	339 940	3,8	374 851	4,2	714 791	8,1
1280	Malmö	117 905	1,3	128 949	1,5	246 853	2,8
1480	Göteborg	220 467	2,5	231 136	2,6	451 603	5,1
<i>Medical region</i>							
R1	Stockholm-Gotland	873 775	9,9	919 314	10,4	1 793 089	20,3
R2	Uppsala-Örebro	963 092	10,9	980 236	11,1	1 943 327	22,0
R3	Linköping	482 375	5,5	488 536	5,5	970 910	11,0
R4	Lund-Malmö	769 642	8,7	793 283	9,0	1 562 925	17,7
R5	Göteborg	819 241	9,3	833 646	9,4	1 652 887	18,7
R6	Umeå	459 770	5,2	458 091	5,2	917 860	10,4

Source: *Statistics Sweden*

7 Total cancer incidence 1996

The incidence is based on a total of **42 839 cancers** reported to the Swedish Cancer Registry in **1996**; **1 134** cases of them were found incidentally at autopsy.

The number of **persons** with cancer diagnosed for the first time in **1996** was **37 011** (18 462 males and 18 549 females); thus, **5 828** cancers were diagnosed in persons with two or more primaries. The distribution of all reported cancers is given by sex in **Table E** below.


Table E: Cancer Incidence in Sweden 1996
Total numbers and total rates per 100 000, by sex

	Sex	New cases	Rates per 100 000		
			Crude rate	Sweden*	World**
All tumors	M	21 326	488.2	463.9	265.1
	F	21 513	480.9	397.7	256.0
	M+F	42 839			
Number of persons (first primaries)	M	18 462	422.7	405.1	235.5
	F	18 549	414.3	347.1	226.3
	M+F	37 011			
Second primaries	M	2 864	65.6	58.7	29.6
	F	2 964	66.3	50.6	29.2
	M+F	5 828			
Tumors found incidentally at autopsy	M	683	15.6	13.7	6.9
	F	451	10.1	6.1	3.1
	M+F	1 134			

*Age adjusted to the 1970 census in Sweden


**Age adjusted to the World population

Figure A: Cancer Incidence in Sweden 1960-1996
Comparison between different methods of calculating incidence rates per 100 000, by sex




The percentage distribution of the ten most frequent forms of cancer is given in **Figure B** below. The cases cover **75.3** per cent of all male cancer. The corresponding figure for females is **68.6** per cent.

Figure B: Cancer Incidence in Sweden 1996
The ten most frequent specified cancer sites, by sex




The age-specific incidence rates for all cancer are shown in **Figure C**. The graph illustrates that cancer mainly is a disease of the older age groups. In the age groups from 25-29 to 55-59 years, the incidence is higher among females, mostly because of the dominance of breast and genital cancer.

Figure C: Cancer Incidence in Sweden 1996
Age-specific incidence rates per 100 000. All sites, by sex



In **Figure D**, some closely related cancer sites have been grouped and presented by sex. The distribution by individual site and sex (with minor exceptions), is shown in **Table F**.

Figure D: Cancer Incidence in Sweden 1996
Grouped cancer sites, by sex



Cancer Incidence in Sweden 1996

Table F: Percentage distribution of the new cases of cancer by site and sex

ICD-7	Site	Males	%	Females	%	Total	%
140-209	ALL SITES	21326	100,0	21513	100,0	42839	100,0
140	LIP	140	0,7	60	0,3	200	0,5
141	TONGUE	90	0,4	65	0,3	155	0,4
142	SALIVARY GLANDS	39	0,2	35	0,2	74	0,2
143	FLOOR OF MOUTH	40	0,2	16	0,1	56	0,1
144	MOUTH, OTHER PARTS AND UNSPECIFIED	70	0,3	74	0,3	144	0,3
145	MESOPHARYNX	73	0,3	29	0,1	102	0,2
146	NASOPHARYNX	23	0,1	16	0,1	39	0,1
147	HYPOPHARYNX	55	0,3	10	0,0	65	0,2
148	PHARYNX, PART UNSPECIFIED	1	0,0	-	-	1	0,0
150	OESOPHAGUS	258	1,2	98	0,5	356	0,8
151	STOMACH	750	3,5	492	2,3	1242	2,9
152	SMALL INTESTINE	115	0,5	81	0,4	196	0,5
153	COLON	1514	7,1	1648	7,7	3162	7,4
154	RECTUM AND ANUS	1007	4,7	844	3,9	1851	4,3
155	BILIARY PASSAGES AND LIVER, PRIMARY	421	2,0	486	2,3	907	2,1
155.0	LIVER, PRIMARY	252	1,2	167	0,8	419	1,0
156	LIVER, NOT SPECIFIED AS PRIMARY	83	0,4	80	0,4	163	0,4
157	PANCREAS	488	2,3	515	2,4	1003	2,3
158	PERITONEUM	2	0,0	6	0,0	8	0,0
160	NOSE AND NASAL SINUSES	32	0,2	26	0,1	58	0,1
161	LARYNX	175	0,8	20	0,1	195	0,5
162	TRACHEA, BRONCHUS, LUNG AND PLEURA, PRIMARY	1712	8,0	1073	5,0	2785	6,5
162.1	BRONCHUS AND LUNG, PRIMARY	1611	7,6	1063	4,9	2674	6,2
163	LUNG, NOT SPECIFIED AS PRIMARY	55	0,3	52	0,2	107	0,2
164	MEDIASTINUM	3	0,0	2	0,0	5	0,0
170	BREAST	38	0,2	5843	27,2	5881	13,7
171	CERVIX UTERI	.	.	442	2,1	442	1,0
172	CORPUS UTERI	.	.	1221	5,7	1221	2,9
173	CHORIONEPITHELIOMA OF UTERUS	.	.	5	0,0	5	0,0
174	UTERUS, PART UNSPECIFIED	.	.	113	0,5	113	0,3
175	OVARY, TUBE AND BROAD LIGAMENT	.	.	916	4,3	916	2,1
176	OTHER FEMALE GENITAL ORGANS	.	.	236	1,1	236	0,6
177	PROSTATE	5795	27,2	.	.	5795	13,5
178	TESTIS	205	1,0	.	.	205	0,5
179	OTHER MALE GENITAL ORGANS	65	0,3	.	.	65	0,2
180	KIDNEY	604	2,8	440	2,0	1044	2,4
180.0	RENAL PARENCHYMA	504	2,4	346	1,6	850	2,0
181	URINARY ORGANS	1523	7,1	558	2,6	2081	4,9
190	MALIGNANT MELANOMA OF SKIN	750	3,5	763	3,5	1513	3,5
191	SKIN (MELANOMA EXCLUDED)	1473	6,9	996	4,6	2469	5,8
192	EYE	62	0,3	57	0,3	119	0,3
193	NERVOUS SYSTEM	565	2,6	687	3,2	1252	2,9
194	THYROID GLAND	81	0,4	212	1,0	293	0,7
195	ENDOCRINE GLANDS	246	1,2	592	2,8	838	2,0
196	BONE	39	0,2	34	0,2	73	0,2
197	CONNECTIVE TISSUE, MUSCLE	152	0,7	141	0,7	293	0,7
199	OTHER AND UNSPECIFIED SITES	747	3,5	1004	4,7	1751	4,1
200	MALIGNANT NON-HODGKIN LYMPHOMA	750	3,5	594	2,8	1344	3,1
201	HODGKINS DISEASE	99	0,5	93	0,4	192	0,4
202	RETICULOSIS AND RELATED FORMS	70	0,3	22	0,1	92	0,2
203	MULTIPLE MYELOMA PLASMOCYTOMA	289	1,4	263	1,2	552	1,3
204	LYMPHATIC LEUKEMIA	305	1,4	226	1,1	531	1,2
205	MYELOID LEUKEMIA	209	1,0	194	0,9	403	0,9
206	MONOCYTIC LEUKEMIA	10	0,0	4	0,0	14	0,0
207	OTHER AND UNSPECIFIED LEUKEMIA	22	0,1	23	0,1	45	0,1
208	POLYCYTHAEMIA VERA	42	0,2	51	0,2	93	0,2
209	MYELOFIBROSIS	39	0,2	55	0,3	94	0,2
200-202,209	MALIGNANT LYMPHOMA	958	4,5	764	3,6	1722	8,0
204-207	LEUKEMIA	546	2,6	447	2,1	993	4,6

Table G: Cancer Incidence in Sweden 1996

Number of tumors considered not to be infiltrating and metastasizing, but included in the total cancer incidence, by diagnosis and sex

<i>Site / histopathologic diagnosis</i>	<i>Males</i>	<i>Females</i>	<i>Total</i>
PAPILLOMA, URINARY TRACT	4	1	5
ANGIOSARCOMA OF KAPOSI	26	4	30
HISTOLOGICALLY BENIGN TUMORS OF THE CENTRAL NERVOUS SYSTEM	332	468	800
HISTOLOGICALLY BENIGN TUMORS OFENDOCRINE GLANDS (EXCLUDING THYROID ADENOMA)	225	562	787
LOW GRADE FIBROSARCOMA (INCLUDING DERMATOFIBRO-SARCOMA PROTUBERANS)	12	9	21

Table H: Cancer Incidence in Sweden 1996

Number of benign tumors and precancerous lesions registered, but not included in the total cancer incidence, by diagnosis and sex

<i>Site / histopathologic diagnosis</i>	<i>Males</i>	<i>Females</i>	<i>Total</i>
PRECANCEROUS LESIONS OF LIP AND MOUTH	45	43	88
PRECANCEROUS LESIONS OF LARYNX, TRACHEA AND BRONCHUS	27	11	38
PRECANCEROUS EPITHELIAL LESIONS OF SKIN	1369	1707	3076
MALIGNANT MELANOMA IN SITU OF THE SKIN	231	289	520
PRECANCEROUS LESIONS OF VULVA AND VAGINA		125	125
GASTRO-INTESTINAL POLYP WITH PRECANCEROUS CHANGE	512	449	961
PRECANCEROUS CHANGE OF BREAST AND ADENOMA PHYLLODES	2	561	563
CARCINOMA IN SITU ("STAGE 0") OF UTERINE CERVIX (SQUAMOUS CELL TYPE)	.	2886	2886
HYDATIDIFORM MOLE	.	93	93
PRECANCEROUS ENDOMETRIAL CHANGE	.	55	55
OVARIAN CYSTADENOMA WITH BORDERLINE MALIGNANCY	.	176	176
PRELEUKEMIA	101	119	220

CANCER INCIDENCE IN SWEDEN 1996

Table I : Estimates of the annual trend of selected sites, 1977-1996 and 1987-1996

ICD-7	SITE	SEX	ANNUAL CHANGE IN PERCENT FOR TREND PERIOD OF THE LATEST		RATES AGE ADJUSTED TO THE 1970 CENSUS, PER 100,000		
			20 Years	10 Years	1977	1987	1996
			M	F	M	F	M
140-209	ALL SITES (AGE STANDARDISED)		.6 *	.2	416.8	462.6	463.9
		M	.6 *	.2	416.8	462.6	463.9
		F	.7 *	.5 *	354.6	383.7	397.7
140	LIP	M	-3.2 *	-2.4	4.4	3.6	2.9
		F	3.6 *	4.0 *	.4	.6	1.0
150	OESOPHAGUS	M	-.1	-.4	5.3	5.7	5.8
		F	.5	-.3	1.9	1.6	1.5
151	STOMACH	M	-3.5 *	-4.0 *	29.2	21.8	15.7
		F	-3.7 *	-4.0 *	14.7	10.1	7.6
153	COLON	M	.5 *	.5	30.2	31.6	32.3
		F	.1	-.2	26.8	29.0	27.0
154	RECTUM	M	.5 *	.5	20.7	22.0	22.1
		F	.6 *	.4	12.1	14.3	14.5
155	BILIARY PASSAGES AND LIVER PRIMARY	M	-1.8 *	-3.1 *	11.7	11.4	9.1
		F	-2.6 *	-4.9 *	13.2	11.7	7.9
155.0	LIVER, PRIMARY	M	-1.6 *	-2.0	6.7	5.9	5.5
		F	-1.5 *	-2.3	3.3	3.1	2.7
157	PANCREAS	M	-2.2 *	-2.9 *	15.6	14.2	11.0
		F	-1.0 *	-2.6 *	10.9	11.8	8.6
161	LARYNX	M	-1.4 *	-2.1	5.0	3.9	4.0
162.1	BRONCHUS AND LUNG PRIMARY	M	-.8 *	-1.7 *	44.4	43.7	36.9
		F	3.8 *	3.3 *	10.2	17.3	21.5
170	BREAST	F	1.3 *	1.2	93.7	100.4	115.4
171	CERVIX UTERI	F	-2.1 *	-1.4	13.8	10.5	8.8
172	CORPUS UTERI	F	.7 *	1.8 *	20.8	20.0	24.3
175	OVARY, TUBE AND BROAD LIGAMENT	F	-1.1 *	-1.6 *	22.8	22.6	18.3
177	PROSTATE	M	1.8 *	1.7 *	90.7	109.8	124.1
178	TESTIS	M	2.5 *	.8	3.5	4.5	4.5
180.0	RENAL PARENCHYMA	M	-2.0 *	-1.1	15.3	13.6	11.4
		F	-1.5 *	-1.7	8.6	8.1	6.2
181	URINARY ORGANS (EXCLUDING KIDNEY)	M	1.2 *	-.1	28.4	34.6	32.9
		F	.9 *	.1	7.6	9.1	9.3
190	MALIGNANT MELANOMA OF SKIN	M	3.5 *	1.5	9.5	14.5	16.7
		F	2.3 *	1.5	10.2	13.6	15.0
191	SKIN (MELANOMA EXCLUDED)	M	4.0 *	3.1 *	14.8	22.5	29.6
		F	4.1 *	3.3 *	6.7	10.2	13.9
193	NERVOUS SYSTEM	M	.7	-1.0	11.9	14.8	13.0
		F	.8 *	-.1	11.8	14.6	14.4
194	THYROID GLAND	M	-1.9 *	-1.3	2.6	1.9	1.8
		F	-1.5 *	-.8	5.3	4.9	4.3
200	MALIGNANT NON-HODGKINS LYMPHOMA	M	2.4 *	.7	10.9	15.1	16.4
		F	2.6 *	-.1	7.0	11.0	10.4
201	HODGKINS DISEASE	M	-1.8 *	-2.3	3.5	2.8	2.3
		F	-.7	.4	1.9	2.0	2.1
203	MULTIPLE MYELOMA, PLASMOCYTOMA	M	.4	-1.0	5.4	6.8	6.3
		F	-.1	-.4	4.4	4.5	4.6
204-209	LEUKEMIA, POLYCYTHAEMIA VERA	M	-.6	.1	13	14	14
		F	-.3	1.4	9	9	10
140-209	ALL SITES (NUMBER OF CASES)	M	1.4 *	.8 *	16488	20080	21326
		F	1.4 *	1.0 *	16485	19709	21513

* Implies that the trend is considered to be strictly increasing or decreasing at the 98%

8 Trends in the cancer incidence

Factors that affect trends include changes in coding practices, age structure of the population at risk, and the autopsy frequency, as well as the introduction of screening activities and improvements in diagnostic practices. For this reason, conclusions may be difficult to draw from trend figures covering long time periods. In the presentation of the trends, we have chosen to give figures both for a 20-year period and the latest decade (**Table I**). The effect of this measure becomes apparent in several sites, for instance men in ICD-7 site 193, central nervous system (see **Table I** and **Figure 22**). Thus, the 20-year trend shows an annual increase of 0.7 per cent, while the trend of the latest decade is an annual decrease of 1.0 per cent.

The annual number of cancer cases in Sweden has increased constantly during the period of **1960-1996**, as can be seen in **Figure E**. The average annual increase is **2.1** per cent for both men and women. Almost half of this increase is explained by the continuous change in age structure of the population. This is seen in the graphs in **Figure A** (page 15) where the crude rates are compared with age standardized ones. When the number of cancer cases is considered over the period **1977-1996**, the average annual increase is **1.4** per cent both for men and women.

In **Table I**, concerning the years **1977-1996**, the average annual changes in time trends are calculated according to an exponential model (the end of **Appendix 2**) with the age standardized incidence rates as point estimates. Changes in trend are given for the whole period, and for the latest 10-year period separately.

The average annual increase in the age standardized rates for all cancer is **0.6** per cent for men and **0.7** for women during the complete period. The figure for the period **1987-1996** is **0.2** for males and **0.5** for females.

An increase in the trend for the years 1977-1996 is seen e. g. for the following sites

- **malignant melanoma of skin.** Seen over a 20-year period, this is one of the most rapidly increasing malignant tumors in Sweden. For men, the average increase per year is **3.5** per cent and for women slightly less (**2.3** per cent). The increase is less prominent during the last 10-year period.
- **non-melanoma skin cancer** (mainly squamous carcinomas). An average annual increase of **4.0** per cent is observed for men and **4.1** for women. This is for men the most rapidly increasing malignant tumor during the latest 10-year period studied (**3.1** per cent for men and **3.3** per cent for women).
- **bronchus and lung, primary.** Women show a rather strong average increase per year, **3.8** per cent, while the previously noted increasing trend in males has now turned to a decrease of **0.8** per cent calculated for the whole period. The decrease is more pronounced if only the latest period studied is taken into account. The gap between the incidence curves for both sexes is, however, still considerable.
- **breast cancer in women.** The annual increase is **1.3** per cent for the whole period but **1.2** per cent if only the latest 10-year period is considered.
- **prostate.** This is the most common cancer site in men with an average annual increase of **1.8** per cent. For the last 10-year period the increase is slightly less (**1.7** per cent).

- **urinary tract (excluding kidney).** The figure for the whole period for men is increasing by **1.2** per cent a year, while the corresponding figure for women is **0.9** per cent.
- **malignant non-Hodgkin's lymphoma.** The average annual increase for the whole period is **2.4** per cent for men and **2.6** per cent for women. These figures are partly "balanced" by a decrease in Hodgkin's lymphoma.

The calculations of the annual changes in trends and the graphs in **Figures F6** and **F7** show that the previous trends towards an increase in the incidence of cancer in the biliary passages and primary liver cancer (in both males and females) have been broken during the 1980s and early 1990s. This also applies for cancer of the ovary (**Figure F17**) and for cancers of pancreas (**Figure F9**), and lung (**Figure F2**) in males.


A decrease in trend is observed e. g. for Hodgkin's disease, cancer of lip in men, and for cancers of

- **cervix uteri.** The age standardized rate has decreased with **2.1** per cent a year for the 20-year period. This is evidently, in great measure, an effect of screening activities. The incidence may be levelling out at a rate of approximately 10 per 100 000.
- **stomach.** There is a remarkable decrease in incidence for both men and women during the whole period (**3.5** per cent for men and **3.7** per cent for women annually). Corresponding figures for the last 10-year period is **4.0** for both men and women.

The rates in the incidence of cancer in various sites during the period **1960 - 1996** are plotted and presented in **Figures F1 - F27**. For many sites, the number of cases are few and random variations play an important role for the configuration of the graphs.

Please note that different scales are used among the figures. The rates are age standardized according to the population at the 1970 census.

Figur E. ALL SITES. New cases



Figur F1. ALL SITES. Age standardized




Figure F2: BRONCHUS AND LUNG, primary
(icd-7: 162.1)




Figure F3: OESOPHAGUS (icd-7: 150)




Figure F4: STOMACH (icd-7: 151)




Figure F5: COLON (icd-7: 153)




Figure F6: BILIARY PASSAGES AND LIVER, primary
(icd-7: 155)




Figure F7: LIVER, primary (icd-7: 155.0)




Figure F8: RECTUM AND ANUS (icd-7: 154)




Figure F9: PANCREAS (icd-7: 157)




Figure F10: PROSTATE (icd-7: 177)




Figure F11: TESTIS (icd-7: 178)




Figure F12: LARYNX (icd-7: 161)




Figure F13: LIP (icd-7: 140)




Figure F14: BREAST (icd-7: 170)




Figure F15: CERVIX UTERI (icd-7: 171)




Figure F16: CORPUS UTERI (icd-7: 172)




Figure F17: OVARY, TUBE AND BROAD LIGAMENT
(icd-7: 175)




Figure F18: KIDNEY, RENAL PARENCHYMA
(icd-7: 180.0)




Figure F19: URINARY ORGANS, excl. Kidney
(icd-7: 181)




Figure F20: MALIGNANT MELANOMA OF SKIN
(icd-7: 190)




Figure F21: SKIN, excl. Melanoma
(icd-7: 191)




Figure F22: NERVOUS SYSTEM (icd-7: 193)




Figure F23: THYROID GLAND (icd-7: 194)




Figure F24: MALIGNANT NON-HODGKIN'S LYMPHOMA
(icd-7: 200)




Figure F25: HODGKIN'S DISEASE (icd-7: 201)




Figure 26: MULTIPLE MYELOMA PLASMACYTOMA
(icd-7: 203)





Figure F27: LEUKEMIA (icd-7: 204-209)



CANCER INCIDENCE IN SWEDEN 1996

PART 1 (14)

Table 1 : Number of new cases by site, sex and age at diagnosis

CANCER INCIDENCE IN SWEDEN 1996

PART 2 (14)

Table 1 : Number of new cases by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS																	
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
142.9	GLAND UNSPECIFIED	M	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-
143	FLOOR OF MOUTH	M	40	-	-	-	-	-	-	-	-	-	2	5	8	7	3	4	7	1	3
		F	16	-	-	-	-	-	-	-	-	1	1	4	2	1	4	1	2	-	-
144	MOUTH, OTHER PARTS AND UNSPECIFIED	M	70	-	-	-	-	-	1	-	1	1	1	8	2	9	10	14	10	8	5
		F	74	-	-	-	-	-	-	-	2	3	1	4	1	5	12	12	15	7	12
145	MESOPHARYNX	M	73	-	-	-	-	-	1	1	2	3	4	16	10	9	16	3	3	3	2
		F	29	-	-	-	-	-	-	-	-	-	2	4	3	3	7	6	-	2	2
145.0	TONSIL	M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
145.7	OTHER SPECIFIED PARTS OF MESOPHARYNX	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
145.8	MULTIPLE PARTS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145.9	PART UNSPECIFIED	M	70	-	-	-	-	-	1	1	2	3	4	15	9	8	16	3	3	3	2
		F	27	-	-	-	-	-	-	-	-	-	1	4	2	3	7	6	-	2	2
146	NASOPHARYNX	M	23	-	-	-	-	-	-	-	1	5	1	2	2	2	7	-	4	-	1
		F	16	1	-	-	-	-	1	-	-	2	2	1	-	-	1	2	2	2	2
147	HYPOPHARYNX	M	55	-	-	-	-	-	1	-	-	1	1	3	10	10	4	10	9	5	1
		F	10	-	-	-	-	-	1	-	-	-	-	1	1	1	3	1	2	-	-
148	PHARYNX, PART UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150	OESOPHAGUS	M	258	-	-	-	-	-	-	2	2	7	18	28	37	33	40	47	26	18	18
		F	98	-	-	-	-	-	-	-	2	1	4	4	6	11	12	22	18	18	18
150.0	OESOPHAGUS, SPECIFIED PART	M	112	-	-	-	-	-	-	2	-	3	10	7	15	17	19	19	11	9	9
		F	37	-	-	-	-	-	-	-	-	1	2	1	2	5	5	7	6	8	8
150.8	MULTIPLE PARTS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150.9	PART UNSPECIFIED	M	145	-	-	-	-	-	-	-	2	4	8	21	22	16	21	27	15	15	9
		F	61	-	-	-	-	-	-	-	2	-	2	3	4	6	4	7	15	12	10
151	STOMACH	M	750	-	-	-	-	1	1	1	4	3	11	9	36	39	62	67	159	142	135
		F	492	-	-	-	-	1	1	1	3	4	6	17	24	17	25	41	69	98	104

CANCER INCIDENCE IN SWEDEN 1996

PART 3 (14)

Table 1 : Number of new cases by site, sex and age at diagnosis

CANCER INCIDENCE IN SWEDEN 1996

PART 4 (14)

Table 1 : Number of new cases by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS															
			ALL AGES	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79
153.9	PART UNSPECIFIED	M	224	-	-	-	-	1	1	-	1	4	10	4	15	22	20	37	54
		F	248	-	-	-	-	-	-	-	2	2	4	11	17	21	27	33	48
154	RECTUM AND ANUS	M	1007	-	-	-	2	1	-	4	6	12	26	44	76	92	155	186	208
		F	844	-	-	-	-	1	1	2	4	13	23	33	47	76	117	138	144
154.0	MUCOSAL PART	M	978	-	-	-	2	1	-	3	5	11	26	42	75	89	150	183	200
		F	776	-	-	-	-	1	1	2	4	12	19	26	39	71	113	130	134
154.1	SQUAMOUS PART	M	29	-	-	-	-	-	-	1	1	1	-	2	1	3	5	3	4
		F	66	-	-	-	-	-	-	-	-	1	4	7	8	5	4	7	10
154.8	MULTIPLE PARTS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
155	BILIARY PASSAGES AND LIVER, PRIMARY	M	421	2	-	-	1	1	1	-	2	4	5	23	27	35	58	82	89
		F	486	-	-	-	-	-	-	2	1	3	8	18	22	33	60	83	99
155.0	LIVER, PRIMARY	M	252	2	-	-	1	1	1	-	1	3	2	11	13	24	33	47	59
		F	167	-	-	-	-	-	-	1	1	2	3	7	5	9	20	33	37
155.1	GALL BLADDER	M	56	-	-	-	-	-	-	-	-	-	2	4	4	10	13	11	6
		F	192	-	-	-	-	-	-	1	-	1	3	7	7	16	18	32	44
155.2	EXTRAHEPATIC BILE DUCTS	M	40	-	-	-	-	-	-	-	-	-	2	-	3	1	7	9	6
		F	37	-	-	-	-	-	-	-	-	-	1	3	2	1	4	4	7
155.3	AMPULLA OF VATER	M	40	-	-	-	-	-	-	-	1	-	-	7	4	3	2	9	8
		F	22	-	-	-	-	-	-	-	-	-	-	1	3	3	3	4	3
155.8	MULTIPLE PARTS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
155.9	UNSPECIFIED BILE PASSAGES	M	32	-	-	-	-	-	-	-	-	1	1	3	3	3	6	4	5
		F	67	-	-	-	-	-	-	-	-	1	-	5	4	15	10	12	10
156	LIVER, NOT SPECIFIED AS PRIMARY	M	83	-	-	-	-	-	-	-	-	1	1	5	4	7	14	18	14
		F	80	-	-	-	-	-	-	-	-	1	-	-	7	6	5	21	12
157	PANCREAS	M	488	-	-	-	-	-	1	6	3	14	35	41	64	75	89	78	54
		F	515	-	-	-	1	-	2	1	2	3	5	19	24	43	70	90	83
158	PERITONEUM	M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
		F	6	1	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-
160	NOSE AND NASAL SINUSES	M	32	-	-	-	-	-	1	-	-	1	-	1	4	2	4	9	5
		F	26	-	-	-	-	-	1	-	-	1	-	2	-	1	2	6	4

CANCER INCIDENCE IN SWEDEN 1996

PART 5 (14)

Table 1 : Number of new cases by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS																		
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
160.0	NOSE (INTERNAL) AND NASAL CAVITIES	M	20	-	-	-	-	-	-	-	-	-	-	2	-	1	2	9	5	1	-	
		F	16	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	3	3	3	
160.1	EUSTACHIAN TUBE AND MIDDLE EAR	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
160.2	MAXILLARY SINUS	M	5	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	1	
		F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	
160.7	OTHER SPECIFIED SINUS	M	5	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	1	-	
		F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	
160.8	MULTIPLE PARTS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
160.9	PART UNSPECIFIED	M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	
		F	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	
161	LARYNX	M	175	-	-	-	-	-	1	-	1	2	4	19	19	24	30	29	25	14	7	
		F	20	-	-	-	-	-	-	-	1	-	3	-	2	3	5	1	3	2	-	
162	TRACHEA, BRONCHUS, LUNG AND PLEURA, PRIMARY	M	1712	-	-	-	-	1	-	1	5	12	34	101	134	214	320	367	313	155	55	
		F	1073	-	1	-	-	-	1	2	3	23	56	96	118	119	181	200	166	67	40	
162.0	TRACHEA	M	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
162.1	BRONCHUS AND LUNG, PRIMARY	M	1611	-	-	-	-	1	-	1	5	11	34	88	123	203	305	348	297	146	49	
		F	1063	-	1	-	-	-	1	2	3	23	54	96	118	118	180	199	164	66	38	
162.2	PLEURA	M	97	-	-	-	-	-	-	-	-	-	-	13	10	10	15	19	15	9	6	
		F	10	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	2	1	2	
163	LUNG, NOT SPECIFIED AS PRIMARY	M	55	-	-	-	-	-	-	-	-	1	1	3	3	5	4	9	13	5	11	
		F	52	-	-	-	-	-	-	-	-	1	1	3	3	6	3	9	11	9	6	
164	MEDIASTINUM	M	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	
170	BREAST	M	38	-	-	-	-	-	-	19	69	157	1	2	3	3	1	3	7	8	3	
		F	5843	-	-	-	-	-	19	69	157	275	572	755	588	611	704	584	564	533	412	
170.1	RIGHT	M	17	-	-	-	-	-	-	9	30	67	131	267	384	289	297	1	3	4	2	
		F	2713	-	-	-	-	-	-	9	31	78	127	278	350	278	291	351	247	230	239	193
170.2	LEFT	M	20	-	-	-	-	-	-	8	31	78	127	278	350	278	291	351	321	313	274	205
		F	2905	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	274	-	-	

CANCER INCIDENCE IN SWEDEN 1996

PART 6 (14)

Table 1 : Number of new cases by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS																	
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79		
170.7	MULTIPLE PARTS, RIGHT BREAST	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	91	-	-	-	-	-	1	2	5	9	15	6	5	7	13	5	10	7	6
170.8	MULTIPLE PARTS, LEFT BREAST	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	103	-	-	-	-	-	1	6	7	8	12	10	12	10	10	10	5	9	3
170.9	SIDE UNKNOWN	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
		F	31	-	-	-	-	-	-	-	-	-	-	5	4	6	-	1	6	4	5
171	CERVIX UTERI	F	442	-	-	-	1	6	25	42	40	57	44	44	25	17	26	45	27	30	13
172	CORPUS UTERI	F	1221	-	-	-	-	-	1	1	6	9	40	113	144	143	195	216	178	120	55
173	CHORIONEPITHELIOMA OF UTERUS	F	5	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-
174	UTERUS, PART UNSPECIFIED	F	113	-	-	-	-	-	-	1	2	3	7	13	11	14	11	12	21	12	6
175	OVARY, TUBE AND BROAD LIGAMENT	F	916	-	2	3	3	9	5	14	21	27	60	100	92	97	110	137	123	77	36
175.0	OVARY	F	870	-	2	3	3	9	5	14	21	26	56	92	87	95	105	131	115	72	34
175.1	FALLOPIAN TUBE	F	41	-	-	-	-	-	-	-	-	-	4	8	5	2	4	5	7	5	1
175.8	MULTIPLE PARTS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
175.9	PART UNSPECIFIED	F	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-
176	OTHER FEMALE GENITAL ORGANS	F	236	-	-	-	-	-	2	5	1	3	10	15	13	9	19	40	43	26	50
176.0	VULVA	F	135	-	-	-	-	-	-	3	1	-	8	8	7	4	7	23	23	19	32
176.1	VAGINA	F	54	-	-	-	-	-	1	-	-	1	1	3	4	4	5	11	9	4	11
176.7	OTHER SPECIFIED PARTS	F	41	-	-	-	-	-	1	2	-	2	1	3	2	1	7	4	9	3	6
176.8	MULTIPLE PARTS	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
176.9	PART UNSPECIFIED	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1
177	PROSTATE	M	5795	-	-	-	-	-	-	2	1	25	82	225	461	880	1328	1285	991	515	
178	TESTIS	M	205	-	-	-	9	19	40	43	33	21	14	7	9	4	2	2	-	-	2
179	OTHER MALE GENITAL ORGANS	M	65	-	-	-	-	-	1	-	2	3	4	5	3	3	5	14	9	12	4
179.0	PENIS	M	62	-	-	-	-	-	1	-	2	3	4	5	3	3	4	12	9	12	4
179.1	SCROTUM	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	

CANCER INCIDENCE IN SWEDEN 1996

PART 7 (14)

Table 1 : Number of new cases by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS																	
			ALL AGES	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
179.7	OTHER SPECIFIED PART	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
179.8	MULTIPLE PARTS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
179.9	PART UNSPECIFIED	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180	KIDNEY	M	604	4	-	-	-	1	1	2	4	6	29	57	44	68	88	107	114	57	22
		F	440	8	-	-	-	-	1	2	2	6	14	30	25	38	51	72	102	48	41
180.0	RENAL PARENCHYMA	M	504	4	-	-	-	-	1	2	4	5	28	45	41	57	77	88	96	42	14
		F	346	8	-	-	-	-	1	2	2	5	12	27	20	29	39	55	79	36	31
180.1	RENAL PELVIS	M	48	-	-	-	-	1	-	-	-	1	1	6	1	6	4	13	7	4	4
		F	49	-	-	-	-	-	-	-	-	-	-	2	4	6	8	12	10	6	1
180.9	PART UNSPECIFIED	M	52	-	-	-	-	-	-	-	-	-	-	6	2	5	7	6	11	11	4
		F	45	-	-	-	-	-	-	-	-	1	2	1	1	3	4	5	13	6	9
181	URINARY ORGANS (EXCL.KIDNEY)	M	1523	-	-	-	-	1	-	3	6	13	40	91	88	136	211	287	295	217	135
		F	558	-	-	-	-	1	2	2	1	6	15	28	31	34	69	93	103	91	82
181.0	URINARY BLADDER	M	1460	-	-	-	-	1	-	3	6	13	40	85	84	129	199	278	281	209	132
		F	520	-	-	-	-	1	2	2	1	6	14	26	29	31	63	82	96	88	79
181.1	URETER	M	37	-	-	-	-	-	-	-	-	-	-	3	3	4	7	5	9	4	2
		F	16	-	-	-	-	-	-	-	-	-	-	1	2	-	4	6	2	1	-
181.2	URETHRA	M	9	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	1	-
		F	11	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	4	-	2
181.6	URACHUS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
181.7	OTHER SPECIFIED PARTS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
181.8	MULTIPLE PARTS	M	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-
181.9	PART UNSPECIFIED	M	10	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	2	1
		F	5	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	1	1	-
190	MALIGNANT MELANOMA OF SKIN	M	750	-	-	1	1	3	13	29	32	40	66	76	57	85	91	88	91	44	33
		F	763	-	-	8	19	36	31	34	58	69	69	59	65	46	74	81	56	58	-
190.1	EYELIDS, INCLUDING CANTHI	M	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1
		F	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1

CANCER INCIDENCE IN SWEDEN 1996

PART 8 (14)

Table 1 : Number of new cases by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS																	
			ALL AGES	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79		
190.2	EAR AND EXTERNAL AURICULAR CANAL	M	15	-	-	-	-	-	1	1	-	-	1	2	-	-	3	-	3	2	2
		F	7	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	1	2
190.3	OTHER AND UNSPECIFIED PART OF FACE	M	50	-	-	-	-	-	1	-	2	-	2	2	-	2	7	6	9	7	12
		F	83	-	-	-	-	-	-	-	-	1	2	3	4	5	4	10	14	15	25
190.4	SCALP AND NECK	M	40	-	-	-	1	-	-	1	2	2	4	2	7	4	7	4	3	3	3
		F	23	-	-	-	-	-	1	2	1	4	3	3	2	1	1	-	2	2	1
190.5	TRUNK	M	404	-	-	1	-	1	10	15	16	23	35	34	36	54	49	55	48	18	9
		F	227	-	-	-	5	5	18	17	14	24	23	17	23	22	11	16	12	13	7
190.6	UPPER LIMBS	M	96	-	-	-	-	1	-	3	4	4	10	15	12	9	11	8	14	5	-
		F	150	-	-	-	-	3	3	3	5	9	15	13	14	15	10	16	24	9	11
190.7	LOWER LIMBS	M	108	-	-	-	-	1	1	10	9	8	12	12	5	10	10	6	10	8	6
		F	246	-	-	-	3	11	13	8	12	18	25	29	12	19	20	28	26	14	8
190.8	MULTIPLE PARTS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
190.9	PART UNSPECIFIED	M	35	-	-	-	-	-	-	-	3	4	7	2	2	7	6	3	1	-	-
		F	23	-	-	-	-	-	-	1	1	1	2	1	3	2	2	3	2	2	3
191	SKIN (MELANOMA EXCLUDED)	M	1473	-	-	-	-	1	1	4	7	19	29	43	52	88	131	224	294	283	297
		F	996	-	-	-	2	-	-	2	9	22	22	29	29	49	61	97	172	225	277
191.1	EYELIDS, INCLUDING CANTHI	M	27	-	-	-	-	-	-	1	1	2	1	2	-	2	2	5	6	5	5
		F	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	2	1	4
191.2	EAR AND EXTERNAL AURICULAR CANAL	M	286	-	-	-	-	-	-	-	1	1	2	5	4	16	21	56	54	53	73
		F	17	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	7	5
191.3	OTHER AND UNSPECIFIED PARTS OF FACE	M	508	-	-	-	-	-	-	1	4	2	10	25	39	50	71	98	97	111	
		F	541	-	-	-	1	-	-	1	2	1	8	7	11	20	27	55	97	126	185
191.4	SCALP AND NECK	M	209	-	-	-	-	-	-	-	1	2	3	4	6	15	30	52	53	43	
		F	65	-	-	-	-	-	-	-	1	-	4	2	-	6	5	12	17	18	
191.5	TRUNK	M	138	-	-	-	-	1	-	2	2	1	4	6	5	11	10	24	30	27	15
		F	89	-	-	-	-	-	-	1	2	8	3	2	6	9	6	7	15	20	10
191.6	UPPER LIMBS	M	169	-	-	-	-	-	-	2	1	4	10	11	4	10	19	21	28	26	33
		F	120	-	-	-	-	-	-	1	4	3	4	3	10	11	12	24	25	23	
191.7	LOWER LIMBS	M	88	-	-	-	-	-	1	-	1	4	2	3	4	5	8	16	19	17	8
		F	118	-	-	-	1	-	-	2	7	4	8	6	8	7	11	19	24	21	

CANCER INCIDENCE IN SWEDEN 1996

PART 9 (14)

Table 1 : Number of new cases by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS																	
			ALL AGES	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79		
191.8	MULTIPLE PARTS	M	17	-	-	-	-	-	-	-	-	1	1	3	3	-	2	2	3	2	-
		F	8	-	-	-	-	-	-	-	-	1	-	3	-	-	1	1	-	-	2
191.9	PART UNSPECIFIED	M	31	-	-	-	-	-	-	-	-	2	4	1	1	1	4	2	5	2	9
		F	24	-	-	-	-	-	-	-	1	1	-	1	2	2	1	-	2	5	9
192	EYE	M	62	4	1	-	-	-	-	-	1	3	3	9	4	4	14	6	6	3	4
		F	57	8	-	-	-	-	-	2	1	2	2	5	1	7	4	4	11	6	4
192.0	BULB	M	50	4	-	-	-	-	-	-	-	2	3	7	3	3	12	6	5	3	2
		F	41	6	-	-	-	-	-	-	1	2	-	5	-	6	3	3	10	4	1
192.1	OPTIC NERVE	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
192.2	ORBITAL CAVITY	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
192.3	CONJUNCTIVA	M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
		F	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1
192.7	OTHER SPECIFIED PART	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
192.8	MULTIPLE PARTS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
192.9	PART UNSPECIFIED	M	7	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	1	-	1
		F	9	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	2	2
193	NERVOUS SYSTEM	M	565	22	14	15	12	12	21	25	21	28	37	68	44	56	61	58	40	26	5
		F	687	13	11	12	5	10	21	22	34	46	44	65	54	66	85	83	60	32	24
193.0	BRAIN (INCL. MENINGES)	M	485	17	14	15	12	8	17	22	15	21	32	59	40	50	53	52	31	23	4
		F	572	5	10	9	5	10	17	20	26	40	35	51	45	54	75	72	50	26	22
193.1	INTRASPINAL	M	36	1	-	-	-	3	2	3	3	4	2	3	3	2	3	1	4	1	1
		F	59	2	-	-	-	-	1	2	5	3	6	6	5	7	8	7	5	1	1
193.3	PERIPHERAL NERVES	M	10	2	-	-	-	-	1	-	2	-	1	-	-	-	2	-	2	-	-
		F	11	5	1	1	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
193.8	MULTIPLE PARTS	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
193.9	PART UNSPECIFIED	M	33	1	-	-	-	1	1	-	1	3	2	6	1	4	3	5	3	2	-
		F	45	1	-	2	-	-	3	-	3	3	2	7	4	4	1	4	5	5	1

CANCER INCIDENCE IN SWEDEN 1996

PART 10 (14)

Table 1 : Number of new cases by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS																	
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
194	THYROID GLAND	M	81	-	-	-	2	-	1	5	2	4	8	9	3	6	13	5	11	10	2
		F	212	-	-	1	4	6	11	16	12	20	32	22	11	9	18	20	10	9	
195	ENDOCRINE GLANDS	M	246	4	-	-	-	2	8	4	13	11	22	24	28	24	34	33	27	10	2
		F	592	3	-	-	3	6	12	8	21	13	39	48	56	60	72	86	106	45	14
195.0	ADRENAL	M	31	4	-	-	-	-	1	-	1	1	4	3	4	6	1	4	2	-	-
		F	53	3	-	-	-	1	3	2	2	4	10	5	6	2	4	8	3	-	-
195.1	PARATHYROID	M	112	-	-	-	-	-	6	2	5	4	12	13	12	10	14	14	13	6	1
		F	436	-	-	-	-	2	4	3	8	7	20	36	41	46	54	68	94	41	12
195.2	THYMUS	M	10	-	-	-	-	-	-	1	1	1	2	-	1	2	1	1	-	-	-
		F	13	-	-	-	-	-	1	-	1	-	1	-	-	3	1	3	3	-	-
195.3	PITUITARY	M	81	-	-	-	-	1	-	2	4	5	5	6	10	7	15	13	9	4	-
		F	67	-	-	-	3	3	2	1	10	2	7	5	4	7	11	2	5	4	1
195.5	INSULOMA OF PANCREAS	M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1
		F	12	-	-	-	-	-	1	-	-	-	1	2	3	-	-	3	1	-	1
195.7	OTHER ENDOCRINE GLANDS	M	6	-	-	-	-	1	1	-	2	-	-	-	1	-	1	-	-	-	-
		F	8	-	-	-	-	-	-	1	-	-	-	-	2	1	2	2	-	-	-
195.8	MULTIPLE ENDOCRINE GLANDS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195.9	UNSPECIFIED ENDOCRINE GLANDS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-
196	BONE	M	39	-	3	3	4	3	3	3	1	2	2	3	2	2	1	1	6	-	-
		F	34	2	1	2	5	2	-	-	2	1	1	1	3	3	2	4	3	1	1
196.0	BONES OF THE SKULL AND FACE (EXCL. LOWER JAW BONE)	M	7	-	1	1	1	-	-	1	-	1	-	-	-	-	1	-	1	-	-
		F	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
196.1	LOWER JAW BONE	M	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
196.2	VERTEBRAL COLUMN (EXCL. SACRUM AND COCCYX)	M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	4	-	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-
196.3	RIBS, STERNUM AND CLAVICLE	M	6	-	-	-	1	-	-	1	-	1	-	1	1	1	1	-	1	-	-
		F	6	-	-	-	-	1	-	-	-	1	-	1	1	1	1	-	1	-	-
196.4	UPPER LIMBS, LONG BONES (HUMERUS, RADIUS, Ulna AND SCAPULA)	M	2	-	1	-	-	2	-	-	-	-	-	1	-	-	-	1	1	-	-
		F	8	1	-	-	2	-	-	-	-	-	-	-	1	2	-	1	1	-	-

CANCER INCIDENCE IN SWEDEN 1996

PART 11 (14)

Table 1 : Number of new cases by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS																	
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
196.5	UPPER LIMBS, SHORT BONES (CARPUS,METACARPUS, DIGITAL BONES)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
196.6	PELVIC BONES, SACRUM AND COCCYX	M	6	-	1	1	1	-	-	-	-	-	1	-	1	1	-	-	-	-	
		F	5	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	
196.7	LOWER LIMBS, LONG BONES (FEMUR, TIBIA,FIBULA)	M	10	-	-	1	1	3	2	1	-	-	-	-	-	-	-	-	2	-	
		F	6	-	-	1	2	-	-	-	-	-	1	-	1	-	-	1	-	-	
196.8	LOWER LIMBS, SHORT BONES (TARSUS,METATARSUS, DIGITAL BONES)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
196.9	MULTIPLE AND UN-SPECIFIED PARTS	M	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
197	CONNECTIVE TISSUE, MUSCLE	M	152	2	3	3	5	3	3	2	8	10	7	13	6	11	16	13	20	17	10
		F	141	2	-	2	2	1	5	2	5	10	11	13	11	15	5	16	20	14	7
197.0	HEAD, FACE AND NECK	M	22	1	2	1	-	1	1	-	2	1	-	1	-	-	-	-	3	4	5
		F	7	-	-	-	-	-	-	1	1	-	2	1	-	-	-	1	-	1	
197.1	TRUNK	M	12	-	-	-	-	-	-	-	1	1	1	2	1	-	2	1	2	1	
		F	4	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	
197.2	UPPER LIMBS (INCLUDING SHOULDER)	M	17	-	-	-	2	1	-	-	1	2	-	3	1	-	3	-	1	3	
		F	19	-	-	-	-	-	1	-	1	1	2	2	3	1	-	2	1	3	
197.3	LOWER LIMBS (INCLUDING HIP)	M	50	-	1	1	2	1	-	2	3	5	2	4	1	6	4	5	5	7	
		F	36	-	-	-	2	-	1	1	3	2	2	1	-	5	1	5	5	3	
197.4	RETROPERITONEUM	M	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
		F	7	-	-	1	-	-	1	-	-	1	1	-	-	1	1	1	-	-	
197.5	HEART	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
197.7	OTHER SPECIFIED PARTS	M	37	1	-	1	1	-	-	1	1	4	1	2	4	6	7	7	1	-	
		F	53	1	-	1	-	-	2	-	2	6	6	5	6	3	6	11	3	1	
197.8	MULTIPLE PARTS	M	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
197.9	PART UNSPECIFIED	M	10	-	-	-	-	-	1	-	1	-	2	-	1	1	-	1	3	1	
		F	12	1	-	-	-	-	1	-	1	-	2	-	1	-	1	1	2		
199	OTHER AND UNSPECIFIED SITES	M	747	-	-	-	-	-	1	7	8	13	22	46	56	69	103	115	137	106	64
		F	1004	1	-	-	-	-	2	3	5	12	23	58	54	87	116	174	186	152	131

CANCER INCIDENCE IN SWEDEN 1996

PART 12 (14)

Table 1 : Number of new cases by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS														
			ALL AGES	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74
199.1	HEAD, FACE AND NECK	M	12	-	-	-	-	-	-	-	1	-	1	-	2	-	2	1
		F	11	-	-	-	-	-	-	-	1	-	1	1	1	1	2	4
199.2	THORAX	M	15	-	-	-	-	-	-	-	1	-	2	1	2	3	2	1
		F	7	-	-	-	-	-	-	-	1	-	-	1	1	-	3	-
199.3	ABDOMEN	M	78	-	-	-	-	-	-	1	-	2	1	5	3	10	11	11
		F	155	-	-	-	-	-	-	1	2	-	4	6	11	11	18	28
199.4	PELVIS	M	8	-	-	-	-	-	-	-	1	-	1	-	2	1	-	2
		F	41	-	-	-	-	-	-	1	-	2	-	1	-	3	1	4
199.5	ARM AND LEG	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
199.9	SITE UNKNOWN	M	634	-	-	-	-	-	1	6	7	9	20	38	50	54	89	103
		F	789	1	-	-	-	-	2	1	1	9	19	50	41	71	95	135
200	MALIGNANT NON-HODGKIN LYMPHOM	M	750	3	6	5	6	7	8	12	12	21	34	72	58	67	83	108
		F	594	1	1	3	1	3	2	8	7	10	21	34	40	44	65	101
200.0	HISTIOCYTIC	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200.1	LYMPHOCYTIC	M	675	3	6	5	5	7	5	11	12	20	32	67	55	57	73	95
		F	544	1	1	1	1	3	2	7	7	8	19	33	40	40	54	92
200.2	MALIGNANT LYMPHOMA NOS	M	60	-	-	-	1	-	3	1	-	1	2	4	3	8	8	7
		F	38	-	-	2	-	-	-	1	-	2	2	1	-	4	6	6
200.3	WALDENSTRÖMS DISEASE	M	15	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	5	3	2
201	HODGKINS DISEASE	M	99	-	1	8	7	14	4	9	7	7	9	4	8	3	6	2
		F	93	-	-	6	8	17	5	7	4	6	4	2	3	7	4	6
202	RETICULOSIS AND RELATED FORMS	M	70	1	2	-	-	1	-	-	1	5	4	6	9	3	11	7
		F	22	1	-	-	1	-	-	-	1	1	4	-	2	3	-	1
202.1	RETICULOSIS, UNSPECIFIED	M	24	1	2	-	-	1	-	-	-	2	-	-	4	1	3	3
		F	9	1	-	-	1	-	-	-	1	2	-	-	1	-	2	1
202.2	MYCOSIS FUNGOIDES	M	16	-	-	-	-	-	-	-	-	1	1	2	1	3	5	2
		F	8	-	-	-	-	-	-	-	1	-	1	-	2	-	2	1
202.4	HAIRY-CELL LEUKEMIA	M	30	-	-	-	-	-	-	-	1	3	3	5	3	5	2	2
		F	5	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1

CANCER INCIDENCE IN SWEDEN 1996

PART 13 (14)

Table 1 : Number of new cases by site, sex and age at diagnosis

CANCER INCIDENCE IN SWEDEN 1996

PART 14 (14)

Table 1 : Number of new cases by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS																	
			ALL AGES	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
207.2	ACUTE ERYTHRAEMIA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
207.3	MEGAKARYOCYTIC	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
207.9	UNSPECIFIED	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3
208	POLCYTHAEMIA VERA	M	42	-	-	-	-	-	1	-	-	1	2	5	6	6	8	8	3	2	
		F	51	-	-	-	-	-	-	1	1	1	5	4	2	5	5	6	11	5	5
209	MYELOFIBROSIS	M	39	-	-	-	-	-	-	-	-	2	2	2	6	10	7	5	4	1	
		F	55	-	-	-	-	-	-	-	1	3	2	-	2	8	7	9	9	9	5
171	NOT INCLUDED ABOVE CARCINOMA IN SITU OF UTERINE CERVIX	F	2883	-	-	-	19	297	656	588	439	280	218	159	92	43	32	30	22	5	3

CANCER INCIDENCE IN SWEDEN 1996

PART 1 (5)

Table 2 : Number of new cases by site, sex and county

		COUNTIES		06 JÖNKÖPING					11 KRISTIANSTAD					16 SKARABORG					21 GÄVLEBORG									
		01 STOCKHOLM		07 KRONOBERG					12 MÅLMOHUS					17 VÄRMLAND					22 VÄSTERNORRLAND									
		03 UPPSALA		08 KALMAR					13 HALLAND					18 ÖREBRO					23 JÄMTLAND									
		04 SÖDERMANLAND		09 GOTLAND					14 GÖTEBORG OCH BOHUS					19 VÄSTMANLAND					24 VÄSTERBOTTEN									
		05 ÖSTERGÖTLAND		10 BLEKINGE					15 ÄLVSborg					20 KOPPARBERG					25 NORRBOTTEN									
CODE	ICD-7	SITE	SEX	SWEDEN	01	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
140-	209	ALL SITES	M	21326	3512	615	693	1033	773	460	707	142	396	851	2352	687	1979	1108	749	661	669	573	662	648	613	316	595	532
			F	21513	4031	576	613	1057	771	421	632	149	449	752	2266	619	2026	1086	659	702	681	613	644	650	635	354	588	539
140	LIP		M	140	17	3	3	11	7	2	7	-	-	6	18	8	12	6	6	3	3	3	3	3	3	5	5	
			F	60	10	-	2	3	1	-	2	-	-	5	11	2	9	3	1	-	2	1	3	-	1	1	3	
141	TONGUE		M	90	14	4	6	-	-	1	3	1	-	1	8	4	7	4	2	8	7	4	11	4	-	-	1	
			F	65	13	1	2	1	1	-	3	1	-	-	11	3	1	-	1	9	2	4	3	-	1	2	2	
142	SALIVARY GLANDS		M	39	7	-	1	6	1	3	2	-	-	1	4	2	7	-	1	-	1	-	-	2	-	-	1	-
			F	35	7	1	1	1	-	1	4	1	-	-	2	1	4	1	1	1	1	3	2	2	1	-	-	
143	FLOOR OF MOUTH		M	40	10	2	1	-	2	1	-	1	-	-	7	1	4	3	1	-	2	1	-	1	2	1	-	-
			F	16	4	-	-	1	1	1	1	-	-	-	3	-	3	-	-	-	-	-	1	-	-	1	-	
144	MOUTH, OTHER PARTS AND UNSPECIFIED		M	70	17	6	1	2	-	2	1	-	-	-	7	3	6	2	3	5	1	3	1	-	6	2	1	1
			F	74	17	1	3	1	4	-	2	1	1	2	10	2	8	5	2	-	-	2	3	4	3	3	-	
145	MESOPHARYNX		M	73	22	1	2	2	2	-	2	1	2	3	7	-	12	-	1	-	2	2	4	2	-	4	-	
			F	29	9	-	1	2	2	2	-	1	-	1	-	5	-	3	1	-	1	-	1	1	-	1	-	
146	NASOPHARYNX		M	23	4	1	-	2	1	1	-	1	-	1	1	2	-	1	1	-	-	1	2	-	-	2	1	
			F	16	-	2	-	-	3	-	-	-	-	2	2	1	1	-	1	-	1	-	1	-	1	1	-	
147	HYPOPHARYNX		M	55	15	2	1	1	1	-	1	1	-	-	5	2	7	6	1	2	1	1	2	-	2	1	-	
			F	10	6	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	
148	PHARYNX, PART UNSPECIFIED		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
150	OESOPHAGUS		M	258	66	4	8	9	5	4	5	2	2	14	24	9	19	10	10	11	11	11	12	8	3	3	5	3
			F	98	14	1	4	4	3	3	1	1	2	8	13	3	12	5	3	-	4	2	3	5	3	-	1	3
151	STOMACH		M	750	134	17	24	32	34	17	19	6	20	36	72	17	45	34	24	21	19	21	24	32	32	10	30	30
			F	492	88	10	17	18	17	11	9	4	11	16	52	14	44	29	12	15	15	11	16	21	21	10	18	13
152	SMALL INTESTINE		M	115	16	4	4	4	2	1	5	1	4	2	14	4	11	9	5	2	4	2	5	3	3	1	4	5

CANCER INCIDENCE IN SWEDEN 1996

PART 2 (5)

Table 2 : Number of new cases by site, sex and county

		COUNTIES		06 JÖNKÖPING				11 KRISTIANSTAD				16 SKARABORG				21 GÄVLEBORG													
		01 STOCKHOLM		07 KRONOBERG				12 MÅLMOHUS				17 VÄRMLAND				22 VÄSTERNORRLAND													
		03 UPPSALA		08 KALMAR				13 HALLAND				18 ÖREBRO				23 JÄMTLAND													
		04 SÖDERMANLAND		09 GOTLAND				14 GÖTEBORG OCH BOHUS				19 VÄSTMANLAND				24 VÄSTERBOTTEN													
		05 ÖSTERGÖTLAND		10 BLEKINGE				15 ÄLVSborg				20 KOPPARBERG				25 NORRBOTTEN													
CODE	ICD-7	SITE	X	SEX	SWEDEN	01	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
				F	81	14	4	-	8	6	2	3	-	1	2	10	1	8	6	3	3	2	2	1	-	-	2	1	2
153	COLON			M	1514	241	43	58	68	63	38	44	14	32	63	153	43	134	79	50	37	64	45	40	56	46	19	46	38
				F	1648	284	45	46	86	42	45	45	13	36	74	206	40	147	97	66	48	53	37	45	49	46	30	38	30
154	RECTUM AND ANUS			M	1007	172	22	43	44	29	28	41	4	25	47	101	43	78	59	33	28	30	26	32	34	30	14	21	23
				F	844	151	22	23	45	36	22	31	5	18	38	89	19	79	35	16	27	33	27	25	27	22	12	18	24
155	BILIARY PASSAGES AND LIVER, PRIMARY			M	421	83	15	11	23	13	9	17	1	10	11	39	7	38	14	14	17	9	13	17	16	11	8	15	10
				F	486	109	17	12	29	16	14	22	6	10	18	33	13	34	20	14	11	15	13	10	15	16	9	18	12
156	LIVER, NOT SPECIFIED AS PRIMARY			M	83	6	-	2	4	6	1	2	-	3	1	7	2	9	4	11	4	-	-	-	3	7	5	3	3
				F	80	10	-	2	3	6	1	1	-	1	-	6	1	17	9	5	-	-	-	2	2	7	2	2	3
157	PANCREAS			M	488	102	9	14	33	21	10	16	-	7	14	47	13	47	19	12	17	13	10	9	13	22	5	19	16
				F	515	109	16	15	22	26	11	14	7	7	12	48	10	45	18	15	15	13	13	19	17	27	4	16	16
158	PERITONEUM			M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
				F	6	4	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
160	NOSE AND NASAL SINUSES			M	32	6	1	1	1	3	-	1	1	-	-	3	1	3	2	-	1	1	-	2	-	1	1	2	1
				F	26	5	1	-	4	-	-	-	-	-	1	4	-	1	-	3	1	1	2	1	1	1	-	-	-
161	LARYNX			M	175	33	7	7	5	8	4	5	3	6	2	30	8	16	4	6	4	1	5	5	6	3	3	1	3
				F	20	3	-	-	1	-	1	2	-	-	2	2	-	1	1	1	2	-	1	1	2	-	-	-	-
162	TRACHEA, BRONCHUS, LUNG AND PLEURA, PRIMARY			M	1712	308	52	60	93	43	31	55	9	32	80	241	41	162	81	39	50	62	61	43	38	37	18	29	47
				F	1073	230	32	38	53	26	15	33	4	18	28	143	26	106	37	25	29	40	50	29	19	30	15	23	24
163	LUNG, NOT SPECIFIED AS PRIMARY			M	55	23	-	-	5	1	-	1	-	-	-	2	5	9	6	-	-	-	-	-	-	1	1	1	
				F	52	25	-	-	1	3	-	-	-	-	-	2	-	3	13	2	2	-	-	-	-	-	-	-	1
164	MEDIASTINUM			M	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
				F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
170	BREAST			M	38	5	1	1	1	3	-	2	1	-	2	5	5	-	4	2	1	-	1	-	1	2	-	-	1
				F	5843	1219	166	168	276	200	115	162	39	113	213	569	167	533	253	182	194	181	152	176	186	164	91	188	136

CANCER INCIDENCE IN SWEDEN 1996

PART 3 (5)

Table 2 : Number of new cases by site, sex and county

CODE ICD-7	SITE	SEX X	SWEDEN	COUNTIES					06 JÖNKÖPING					11 KRISTIANSTAD					16 SKARABORG					21 GÄVLEBORG				
				01 STOCKHOLM	03 UPPSALA	04 SÖDERMANLAND	05 ÖSTERGÖTLAND	07 KRONOBERG	08 KALMAR	09 GOTLAND	10 BLEKINGE	15 ÄLVSborg	19 VÄSTMANLAND	20 KOPPARBERG	17 VÄRMLAND	18 ÖREBRO	19 VÄSTMANLAND	20 KOPPARBERG	21 VÄSTERNORRLAND	23 JÄMTLAND	24 VÄSTERBOTTEN	25 NORRBOTTEN						
171	CERVIX UTERI	F	442	92	12	14	18	11	7	4	4	4	14	48	13	45	20	11	17	5	21	8	21	22	6	13	12	
172	CORPUS UTERI	F	1221	200	23	34	54	41	28	33	16	27	40	99	33	105	78	43	44	44	42	54	49	39	23	36	36	
173	CHORIONEPITHELIOMA OF UTERUS	F	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
174	UTERUS, PART UNSPECIFIED	F	113	17	2	6	1	4	4	3	-	4	5	14	3	11	5	4	2	3	3	9	1	5	-	3	4	
175	OVARY, TUBE AND BROAD LIGAMENT	F	916	163	14	23	44	35	15	29	3	30	33	74	29	81	70	22	47	36	27	25	35	26	11	19	25	
176	OTHER FEMALE GENITAL ORGANS	F	236	45	10	4	14	15	4	6	2	6	9	19	9	20	10	5	10	3	9	6	8	10	1	4	7	
177	PROSTATE	M	5795	853	226	196	262	215	131	215	38	90	253	590	194	548	285	244	156	182	170	182	164	176	99	181	145	
178	TESTIS	M	205	31	9	5	11	5	4	7	4	6	9	19	4	14	11	9	11	3	4	9	7	6	8	6	3	
179	OTHER MALE GENITAL ORGANS	M	65	10	1	3	4	2	1	-	1	2	-	4	1	8	2	1	7	2	2	2	7	3	-	-	2	
180	KIDNEY	M	604	81	16	23	33	19	12	22	5	9	17	58	23	50	33	22	20	27	14	26	24	30	8	16	16	
		F	440	67	15	19	32	24	6	12	1	7	14	46	11	37	13	20	15	16	13	16	15	15	10	11	5	
181	URINARY ORGANS	M	1523	239	37	53	83	45	32	37	8	27	62	202	55	140	76	43	42	45	40	58	46	49	24	38	42	
		F	558	101	14	11	28	20	8	18	3	11	27	60	16	62	23	17	16	23	12	14	21	18	9	14	12	
190	MALIGNANT MELANOMA OF SKIN	M	750	126	12	25	39	37	16	20	3	8	24	86	21	95	45	29	16	24	26	18	23	11	10	17	19	
		F	763	126	11	19	44	34	7	30	3	10	22	99	30	93	53	20	14	26	13	19	23	16	15	15	13	
191	SKIN (MELANOMA EXCLUDED)	M	1473	255	27	25	50	72	40	48	9	23	66	190	53	196	111	47	66	36	19	45	28	19	15	22	11	
		F	996	179	20	17	30	55	8	22	3	26	35	145	31	153	71	27	44	19	13	24	11	24	14	13	12	
192	EYE	M	62	11	1	3	2	2	2	4	-	1	1	5	2	5	2	4	3	2	1	4	1	-	-	3	3	
		F	57	15	-	1	4	2	-	-	-	2	5	-	3	7	1	-	4	1	2	2	4	1	2	1		
193	NERVOUS SYSTEM	M	565	106	12	23	25	16	10	16	4	18	18	65	22	52	32	15	19	16	9	17	10	13	7	22	18	
		F	687	127	16	14	43	25	13	25	3	18	19	68	16	58	34	22	16	21	17	24	15	21	20	32	20	

CANCER INCIDENCE IN SWEDEN 1996

PART 4 (5)

Table 2 : Number of new cases by site, sex and county

		COUNTIES		06 JÖNKÖPING					11 KRISTIANSTAD					16 SKARABORG					21 GÄVLEBORG										
		01 STOCKHOLM		07 KRONOBERG					12 MÅLMOHUS					17 VÄRMLAND					22 VÄSTERNORRLAND										
		03 UPPSALA		08 KALMAR					13 HALLAND					18 ÖREBRO					23 JÄMTLAND										
		04 SÖDERMANLAND		09 GOTLAND					14 GÖTEBORG OCH BOHUS					19 VÄSTMANLAND					24 VÄSTERBOTTEN										
		05 ÖSTERGÖTLAND		10 BLEKINGE					15 ÄLVSborg					20 KOPPARBERG					25 NORRBOTTEN										
CODE	ICD-7	SITE	SEX	SWEDEN	01	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	
194	THYROID GLAND	M		81	5	2	5	6	4	1	1	-	2	3	9	-	10	6	1	4	5	4	4	2	4	3	-	-	
		F		212	33	5	8	24	6	2	7	2	4	7	16	6	20	4	10	8	8	14	2	4	5	4	7	6	
195	ENDOCRINE GLANDS	M		246	47	5	7	14	9	6	9	1	8	8	26	10	23	18	6	3	8	4	1	7	8	6	6	6	
		F		592	86	23	13	27	34	15	19	4	19	19	59	26	56	35	22	18	14	24	9	8	8	18	14	22	
196	BONE	M		39	6	2	2	2	3	1	1	1	-	1	4	-	3	4	2	1	-	2	1	1	1	-	1	1	
		F		34	7	-	2	-	1	-	-	-	1	-	6	3	6	2	-	-	2	1	-	1	1	-	-	1	
197	CONNECTIVE TISSUE, MUSCLE	M		152	34	2	6	11	5	2	5	-	1	9	9	5	18	15	5	7	3	6	1	4	2	-	2	-	
		F		141	30	10	5	6	1	4	3	3	5	5	6	9	3	9	7	3	8	5	5	1	6	5	2	3	2
199	OTHER AND UNSPECIFIED SITES	M		747	124	16	27	44	24	16	26	5	17	21	104	24	44	34	30	29	32	14	23	29	24	8	20	12	
		F		1004	177	25	42	55	30	30	25	9	25	33	102	26	72	49	27	37	33	32	40	32	23	12	28	40	
200	MALIGNANT NON-HODGKIN LYMPHO	M		750	107	23	18	44	21	8	32	5	19	25	83	22	53	35	31	27	24	19	28	35	25	12	28	26	
		F		594	82	18	21	36	15	9	26	3	13	20	83	14	48	34	15	12	23	26	16	17	16	12	16	19	
201	HODGKINS DISEASE	M		99	20	2	1	5	5	1	3	-	2	7	9	1	10	3	3	4	1	2	5	4	1	-	6	4	
		F		93	10	3	-	2	4	3	2	-	-	2	13	7	7	5	5	4	2	5	5	1	7	1	3	2	
202	RETICULOSIS AND RELATED FORMS	M		70	9	2	4	6	5	2	1	1	1	2	9	2	6	2	6	4	-	2	1	-	1	1	1	2	
		F		22	6	1	1	1	-	-	-	-	-	2	4	1	-	1	1	-	-	-	-	1	-	-	3		
203	MULTIPLE MYELOMA PLASMACYTOMA	M		289	36	3	6	20	11	9	11	2	6	12	28	9	26	9	11	7	13	10	8	7	8	9	15	13	
		F		263	42	13	10	12	6	5	10	4	10	6	30	13	22	7	10	6	5	3	11	5	3	11	8		
204	LYMPHATIC LEUKEMIA	M		305	54	11	7	10	13	10	9	6	11	18	23	11	22	11	6	7	10	11	6	11	13	6	10	9	
		F		226	46	4	5	6	7	2	10	3	6	7	17	8	21	11	12	7	12	4	2	3	8	3	11	11	
205	MYELOID LEUKEMIA	M		209	39	5	4	7	12	2	6	-	2	9	25	10	14	16	9	7	4	1	6	5	6	5	8	7	
		F		194	34	10	9	9	5	8	5	1	4	6	20	8	14	8	9	7	4	6	9	7	3	5	-	3	
206	MONOCYTIC LEUKEMIA	M		10	3	1	-	-	-	-	3	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	
		F		4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
207	OTHER AND UNSPECIFIED	M		22	3	-	2	1	-	-	-	-	-	1	2	-	1	2	-	-	1	3	4	1	1	-	-	-	

CANCER INCIDENCE IN SWEDEN 1996

PART 5 (5)

Table 2 : Number of new cases by site, sex and county

			COUNTIES					06 JÖNKÖPING			11 KRISTIANSTAD				16 SKARABORG				21 GÄVLEBORG											
			01 STOCKHOLM		07 KRONOBERG		12 MÅLMOHUS		17 VÄRMLAND		22 VÄSTERNORRLAND		23 JÄMTLAND		24 VÄSTERBOTTEN		25 NORRBOTTEN													
			03 UPPSALA		08 KALMAR		13 HALLAND		18 ÖREBRO		23 JÄMTLAND		24 VÄSTERBOTTEN		25 NORRBOTTEN															
			04 SÖDERMANLAND		09 GOTLAND		14 GÖTEBORG OCH BOHUS		19 VÄSTMANLAND		20 KOPPARBERG		21 GÄVLEBORG		22 VÄSTERNORRLAND		23 JÄMTLAND		24 VÄSTERBOTTEN		25 NORRBOTTEN									
			05 ÖSTERGÖTLAND		10 BLEKINGE		15 ÄLVSborg		20 KOPPARBERG		21 GÄVLEBORG		22 VÄSTERNORRLAND		23 JÄMTLAND		24 VÄSTERBOTTEN		25 NORRBOTTEN											
CODE		S EX	ICD-7	SITE	SWEDEN	01	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	
				LEUKEMIA	F	23	5	2	1	-	1	-	1	-	-	-	1	1	1	1	-	1	4	1	2	-	1	-	-	-
208				POLYCYTHAEMIA VERA	M	42	7	3	-	6	2	1	2	-	-	-	4	1	5	1	2	2	-	1	-	2	1	-	2	-
					F	51	3	2	-	7	1	1	2	-	-	1	4	1	8	5	2	5	3	-	1	2	-	-	2	1
209				MYELOFIBROSIS	M	39	4	3	-	2	1	-	-	2	-	1	2	1	3	8	-	2	-	-	2	4	-	-	1	3
					F	55	5	3	-	1	1	-	2	-	-	2	5	2	5	10	1	3	3	-	4	1	1	1	1	4
171				NOT INCLUDED ABOVE CARCINOMA IN SITU OF UTERINE CERVIX	F	2883	584	46	123	156	82	23	66	32	42	60	421	96	298	148	70	45	68	47	78	68	88	27	124	91

CANCER INCIDENCE IN SWEDEN 1996

PART 1 (4)

Table 3A : Number of new cases by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

			SEX	MEDICAL REGIONS						COUNTIES						STOCKHOLM 01 COUNTY 01A COUNTY EXCLUDING 0180	MALMÖ 12 COUNTY 12A COUNTY EXCLUDING 1280	GÖTEBORG 14 COUNTY 14A COUNTY EXCLUDING 1280					
				R1 STOCKHOLM 01 09						R2 UPPSALA-ÖREBRO 03 04 17 18 19 20 21													
				R3 LINKÖPING 05 06 08						R4 LUND-MALMÖ 07 10 11 12 13 (PART OF)													
				R5 GÖTEBORG 13 (PART OF) 14 15 16						R6 UMEÄ 22 23 24 25													
				0180 MUNICIPALITY						1280 MUNICIPALITY													
				EXCLUDING 0180						EXCLUDING 1280													
CODE	ICD-7	SITE	SEX	SWEDEN	R1	R2	R3	R4	R5	R6	01	0180	01A	12	1280	12A	14	1480	14A				
140-	209	ALL SITES	M	21326	3652	4529	2513	4350	4230	2052	3512	1617	1895	2352	815	1537	1979	1228	751				
			F	21513	4179	4481	2460	4164	4114	2115	4031	1932	2099	2266	818	1448	2026	1223	803				
140	LIP		M	140	17	24	25	30	28	16	17	6	11	18	7	11	12	3	9				
			F	60	10	8	6	16	15	5	10	4	6	11	8	3	9	7	2				
141	TONGUE		M	90	15	44	3	10	17	1	14	8	6	8	2	6	7	4	3				
			F	65	14	25	5	12	4	5	13	5	8	11	6	5	1	1	-				
142	SALIVARY GLANDS		M	39	7	4	9	8	10	1	7	5	2	4	3	1	7	5	2				
			F	35	8	11	5	3	7	1	7	2	5	2	1	1	4	2	2				
143	FLOOR OF MOUTH		M	40	11	8	2	8	9	2	10	5	5	7	4	3	4	2	2				
			F	16	4	1	3	4	3	1	4	1	3	3	1	2	3	2	1				
144	MOUTH, OTHER PARTS AND UNSPECIFIED		M	70	17	17	3	10	13	10	17	11	6	7	1	6	6	2	4				
			F	74	18	13	7	14	16	6	17	10	7	10	4	6	8	3	5				
145	MESOPHARYNX		M	73	23	13	6	12	13	6	22	13	9	7	5	2	12	8	4				
			F	29	9	4	5	6	4	1	9	6	3	5	1	4	3	2	1				
146	NASOPHARYNX		M	23	5	5	3	5	2	3	4	-	4	1	-	1	-	-	-				
			F	16	-	4	3	5	1	3	-	-	-	2	1	1	1	-	1				
147	HYPOPHARYNX		M	55	16	10	3	5	16	5	15	10	5	5	-	5	7	5	2				
			F	10	6	1	-	1	1	1	6	3	3	1	-	1	-	-	-				
148	PHARYNX, PART UNSPECIFIED		M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
150	OESOPHAGUS		M	258	68	65	19	47	45	14	66	29	37	24	12	12	19	15	4				
			F	98	15	19	8	27	22	7	14	11	3	13	8	5	12	6	6				
151	STOMACH		M	750	140	158	85	150	115	102	134	63	71	72	20	52	45	33	12				
			F	492	92	105	44	98	91	62	88	42	46	52	20	32	44	26	18				
152	SMALL INTESTINE		M	115	17	25	11	24	26	12	16	8	8	14	4	10	11	7	4				
			F	81	14	12	17	16	17	5	14	7	7	10	3	7	8	5	3				
153	COLON		M	1514	255	343	175	303	289	149	241	116	125	153	50	103	134	82	52				
			F	1648	297	323	173	382	329	144	284	157	127	206	81	125	147	88	59				

CANCER INCIDENCE IN SWEDEN 1996

PART 2 (4)

Table 3A : Number of new cases by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

CODE ICD-7	SITE	SEX	SWEDEN	MEDICAL REGIONS				COUNTIES				STOCKHOLM 01 COUNTY 01A COUNTY EXCLUDING 0180	MALMÖ 12 COUNTY 12A COUNTY EXCLUDING 1280	GÖTEBORG 14 COUNTY 14A COUNTY EXCLUDING 1280				
				R1 STOCKHOLM R2 UPPSALA-ÖREBRO R3 LINKÖPING R4 LUND-MALMÖ R5 GÖTEBORG R6 UMEÅ				01 09 03 04 17 18 19 20 21 05 06 08 07 10 11 12 13 (PART OF) 13 (PART OF) 14 15 16 22 23 24 25										
154	RECTUM AND ANUS	M	1007	176	215	114	221	193	88	172	73	99	101	34	67	78	41	37
		F	844	156	184	112	176	140	76	151	71	80	89	34	55	79	51	28
155	BILIARY PASSAGES AND LIVER, PRIMARY	M	421	84	98	53	72	70	44	83	46	37	39	24	15	38	20	18
		F	486	115	93	67	79	77	55	109	60	49	33	18	15	34	20	14
156	LIVER, NOT SPECIFIED AS PRIMARY	M	83	6	9	12	13	25	18	6	4	2	7	2	5	9	6	3
		F	80	10	6	10	9	31	14	10	5	5	6	2	4	17	11	6
157	PANCREAS	M	488	102	85	70	84	85	62	102	53	49	47	23	24	47	27	20
		F	515	116	108	62	83	83	63	109	63	46	48	26	22	45	29	16
158	PERITONEUM	M	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1
		F	6	4	1	1	-	-	-	4	2	2	-	-	-	-	-	-
160	NOSE AND NASAL SINUSES	M	32	7	6	5	4	5	5	6	3	3	3	-	3	3	2	1
		F	26	5	9	4	5	1	2	5	1	4	4	1	3	1	1	-
161	LARYNX	M	175	36	35	18	46	30	10	33	13	20	30	14	16	16	14	2
		F	20	3	5	3	4	3	2	3	1	2	2	-	2	-	-	-
162	TRACHEA, BRONCHUS, LUNG AND PLEURA, PRIMARY	M	1712	317	367	191	402	304	131	308	148	160	241	89	152	162	116	46
		F	1073	234	237	112	215	183	92	230	103	127	143	54	89	106	61	45
163	LUNG, NOT SPECIFIED AS PRIMARY	M	55	23	-	7	2	20	3	23	12	11	2	1	1	9	4	5
		F	52	25	-	4	4	18	1	25	14	11	-	-	-	13	6	7
164	MEDIASTINUM	M	3	1	-	-	1	1	-	1	-	1	1	-	1	-	-	-
		F	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
170	BREAST	M	38	6	5	6	7	11	3	5	4	1	5	4	1	5	3	2
		F	5843	1258	1223	638	1086	1059	579	1219	548	671	569	182	387	533	311	222
171	CERVIX UTERI	F	442	96	98	33	80	82	53	92	41	51	48	19	29	45	27	18
172	CORPUS UTERI	F	1221	216	290	128	207	246	134	200	96	104	99	27	72	105	66	39
173	CHORIONEPITHELIOMA OF UTERUS	F	5	1	2	-	-	2	-	1	-	1	-	-	-	1	-	1
174	UTERUS, PART UNSPECIFIED	F	113	17	26	8	28	22	12	17	12	5	14	3	11	11	6	5
175	OVARY, TUBE AND BROAD LIGAMENT	F	916	166	207	108	162	192	81	163	70	93	74	22	52	81	47	34

CANCER INCIDENCE IN SWEDEN 1996

PART 3 (4)

Table 3A : Number of new cases by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

CODE ICD-7	SITE	SEX	SWEDEN	MEDICAL REGIONS			COUNTIES			STOCKHOLM 01 01A	MALMÖ 12 12A	GÖTEBORG 14 14A						
				R1 STOCKHOLM	01 09			STOCKHOLM 01 0180	MALMÖ 12 1280									
				R2 UPPSALA-ÖREBRO	03 04 17 18 19 20 21			MUNICIPALITY 0180	MUNICIPALITY 1280									
				R3 LINKÖPING	05 06 08													
				R4 LUND-MALMÖ	07 10 11 12 13 (PART OF)													
				R5 GÖTEBORG	13 (PART OF) 14 15 16			COUNTY EXCLUDING 0180	COUNTY EXCLUDING 1280									
				R6 UMEÅ	22 23 24 25													
176	OTHER FEMALE GENITAL ORGANS	F	236	47	50	35	41	41	22	45	25	20	19	5	14	20	9	11
177	PROSTATE	M	5795	891	1277	692	1140	1195	600	853	399	454	590	186	404	548	365	183
178	TESTIS	M	205	35	48	23	38	38	23	31	12	19	19	4	15	14	11	3
179	OTHER MALE GENITAL ORGANS	M	65	11	24	6	7	12	5	10	5	5	4	2	2	8	5	3
180	KIDNEY	M	604	86	150	74	105	119	70	81	35	46	58	24	34	50	27	23
		F	440	68	109	68	79	75	41	67	33	34	46	21	25	37	22	15
181	URINARY ORGANS	M	1523	247	321	165	346	291	153	239	102	137	202	70	132	140	75	65
		F	558	104	111	66	111	113	53	101	56	45	60	22	38	62	43	19
190	MALIGNANT MELANOMA OF SKIN	M	750	129	144	96	142	182	57	126	59	67	86	36	50	95	63	32
		F	763	129	125	108	149	185	67	126	60	66	99	44	55	93	59	34
191	SKIN (MELANOMA EXCLUDED)	M	1473	264	246	170	345	381	67	255	125	130	190	67	123	196	104	92
		F	996	182	148	107	226	270	63	179	106	73	145	56	89	153	92	61
192	EYE	M	62	11	15	8	10	12	6	11	3	8	5	1	4	5	4	1
		F	57	15	10	6	7	11	8	15	5	10	5	1	4	3	3	-
193	NERVOUS SYSTEM	M	565	108	109	57	123	109	59	106	31	75	65	17	48	52	34	18
		F	687	130	124	93	123	125	92	127	53	74	68	28	40	58	40	18
194	THYROID GLAND	M	81	5	26	11	15	17	7	5	2	3	9	4	5	10	7	3
		F	212	35	49	37	31	38	22	33	14	19	16	4	12	20	11	9
195	ENDOCRINE GLANDS	M	246	48	35	32	55	50	26	47	15	32	26	13	13	23	13	10
		F	592	90	109	80	127	124	62	86	31	55	59	18	41	56	38	18
196	BONE	M	39	7	9	6	6	9	2	6	1	5	4	1	3	3	3	-
		F	34	7	6	1	7	11	2	7	2	5	6	1	5	6	3	3
197	CONNECTIVE TISSUE, MUSCLE	M	152	34	29	21	25	39	4	34	10	24	9	6	3	18	9	9
		F	141	33	40	10	25	21	12	30	13	17	9	5	4	9	3	6
199	OTHER AND UNSPECIFIED SITES	M	747	129	170	94	172	118	64	124	57	67	104	28	76	44	24	20
		F	1004	186	241	110	202	162	103	177	85	92	102	26	76	72	45	27

CANCER INCIDENCE IN SWEDEN 1996

PART 4 (4)

Table 3A : Number of new cases by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

CODE ICD-7	SITE	SEX	SWEDEN	MEDICAL REGIONS						COUNTIES								
				R1 STOCKHOLM			01 09			STOCKHOLM			MALMÖ			GÖTEBORG		
				R2 UPPSALA-ÖREBRO			03 04 17 18 19 20 21			01			COUNTY			12		
				R3 LINKÖPING			05 06 08			0180			MUNICIPALITY			14		
				R4 LUND-MALMÖ			07 10 11 12 13 (PART OF)			01A			COUNTY			1480		
				R5 GÖTEBORG			13 (PART OF) 14 15 16			EXCLUDING 0180			COUNTY			14A		
				R6 UMEÅ			22 23 24 25									EXCLUDING 1280		
200	MALIGNANT NON-HODGKIN LYMPHO	M	750	112	174	97	145	131	91	107	52	55	83	28	55	53	38	15
		F	594	85	133	77	134	102	63	82	35	47	83	30	53	48	27	21
201	HODGKINS DISEASE	M	99	20	20	13	20	15	11	20	10	10	9	4	5	10	9	1
		F	93	10	20	8	23	19	13	10	7	3	13	2	11	7	3	4
202	RETICULOSIS AND RELATED FORMS	M	70	10	13	12	15	15	5	9	2	7	9	2	7	6	5	1
		F	22	6	2	1	7	2	4	6	3	3	4	3	1	-	-	-
203	MULTIPLE MYELOMA	M	289	38	54	42	58	52	45	36	20	16	28	6	22	26	15	11
	PLASMOCYTOMA	F	263	46	59	28	55	48	27	42	23	19	30	9	21	22	18	4
204	LYMPHATIC LEUKEMIA	M	305	60	63	32	68	44	38	54	24	30	23	6	17	22	6	16
		F	226	48	38	23	35	49	33	46	26	20	17	9	8	21	13	8
205	MYELOID LEUKEMIA	M	209	39	32	25	39	48	26	39	15	24	25	8	17	14	7	7
		F	194	35	52	19	44	33	11	34	16	18	20	6	14	14	10	4
206	MONOCYTIC LEUKEMIA	M	10	3	3	3	-	1	-	3	1	2	-	-	-	1	-	1
		F	4	1	1	1	-	1	-	1	-	1	-	-	-	-	-	-
207	OTHER AND UNSPECIFIED LEUKEMIA	M	22	3	11	1	3	3	1	3	1	2	2	1	1	1	-	1
		F	23	5	11	2	2	2	1	5	2	3	1	1	-	1	1	-
208	POLCYTHAEMIA VERA	M	42	7	8	10	6	8	3	7	5	2	4	1	3	5	4	1
		F	51	3	13	10	7	15	3	3	1	2	4	2	2	8	4	4
209	MYEOFIBROSIS	M	39	6	11	3	3	12	4	4	1	3	2	1	1	3	1	2
		F	55	5	14	4	7	18	7	5	1	4	5	3	2	5	1	4
171	NOT INCLUDED ABOVE CARCINOMA IN SITU OF UTERINE CERVIX	F	2883	616	476	303	592	566	330	584	277	307	421	145	276	298	191	107

CANCER INCIDENCE IN SWEDEN 1996

PART 1 (4)

Table 3B : Number of cases found incidentally at autopsy, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

CODE ICD-7	SITE	SEX	MEDICAL REGIONS						COUNTIES						STOCKHOLM			MALMÖ			GÖTEBORG		
			R1 STOCKHOLM			01 09			01			COUNTY			12			COUNTY			14		
			R2 UPPSALA-ÖREBRO			03 04 17 18 19 20 21			0180			MUNICIPALITY			1280			MUNICIPALITY			1480		
			R3 LINKÖPING			05 06 08			01A			COUNTY			12A			COUNTY			14A		
			R4 LUND-MALMÖ			07 10 11 12 13 (PART OF)			13 (PART OF)			EXCLUDING 0180			EXCLUDING 1280			EXCLUDING 1280			EXCLUDING 1280		
			R5 GÖTEBORG			14 15 16			22 23 24 25														
			R6 UMEÅ																				
140-	ALL SITES	M	683	178	115	58	179	102	51	175	111	64	89	52	37	55	39	16					
209		F	451	129	64	39	110	83	26	125	79	46	63	35	28	33	17	16					
140	LIP	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141	TONGUE	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
142	SALIVARY GLANDS	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
143	FLOOR OF MOUTH	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144	MOUTH, OTHER PARTS AND UNSPECIFIED	M	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145	MESOPHARYNX	M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
146	NASOPHARYNX	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
147	HYPOPHARYNX	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
148	PHARYNX, PART UNSPECIFIED	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150	OESOPHAGUS	M	6	2	1	1	1	1	-	2	1	1	1	1	-	1	-	1	-	1	-	-	-
		F	5	1	-	-	2	2	-	1	1	-	1	-	-	1	-	1	-	1	-	-	1
151	STOMACH	M	23	7	6	1	4	1	4	7	5	2	1	1	1	1	-	-	-	-	-	-	-
		F	22	6	8	2	2	2	2	6	4	2	1	1	1	1	-	2	1	1	-	-	1
152	SMALL INTESTINE	M	11	-	-	-	4	5	2	-	-	-	-	-	1	1	-	1	1	1	1	-	1
		F	8	1	1	-	3	3	-	1	1	-	-	-	2	1	1	1	1	1	-	-	1
153	COLON	M	34	4	5	-	14	8	3	4	2	2	7	4	3	2	1	-	1	-	2	-	1
		F	46	14	1	6	15	8	2	14	12	2	7	4	3	2	-	2	-	-	2	-	2

CANCER INCIDENCE IN SWEDEN 1996

PART 2 (4)

Table 3B : Number of cases found incidentally at autopsy, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

CODE ICD-7	SITE	SEX	SWEDEN	MEDICAL REGIONS			COUNTIES			STOCKHOLM			MALMÖ			GÖTEBORG		
				R1 STOCKHOLM			01 09			01			COUNTY			12		
				R2 UPPSALA-ÖREBRO			03 04 17 18 19 20 21			0180			MUNICIPALITY			1280		
				R3 LINKÖPING			05 06 08			01A			EXCLUDING 0180			12A		
				R4 LUND-MALMÖ			07 10 11 12 13 (PART OF)			13 (PART OF) 14 15 16			COUNTY			EXCLUDING 1280		
				R5 GÖTEBORG			22 23 24 25									14A		
154	RECTUM AND ANUS	M	22	6	1	3	8	3	1	6	3	3	4	1	3	2	1	1
		F	11	5	4	-	1	1	-	5	4	1	1	-	1	-	-	-
155	BILIARY PASSAGES AND LIVER, PRIMARY	M	70	19	14	5	13	12	7	19	14	5	6	4	2	7	4	3
		F	76	20	10	5	17	17	7	20	12	8	6	5	1	8	2	6
156	LIVER, NOT SPECIFIED AS PRIMARY	M	2	1	-	-	-	1	-	1	1	-	-	-	-	1	1	-
		F	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
157	PANCREAS	M	53	15	5	2	10	11	10	15	10	5	3	1	2	6	3	3
		F	40	12	7	3	9	7	2	10	6	4	5	-	5	3	2	1
158	PERITONEUM	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160	NOSE AND NASAL SINUSES	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161	LARYNX	M	2	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162	TRACHEA, BRONCHUS, LUNG AND PLEURA, PRIMARY	M	102	29	16	11	25	15	6	29	15	14	16	5	11	10	9	1
		F	51	17	8	3	10	10	3	17	11	6	5	2	3	5	4	1
163	LUNG, NOT SPECIFIED AS PRIMARY	M	3	1	-	1	-	1	-	1	1	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164	MEDIASTINUM	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	BREAST	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	4	1	-	2	2	-	4	3	1	-	-	-	-	-	-
171	CERVIX UTERI	F	2	1	-	-	1	-	-	1	-	1	1	1	-	-	-	-
172	CORPUS UTERI	F	10	4	1	1	3	1	-	3	3	-	2	1	1	1	1	-
173	CHORIONEPITHELIOMA OF UTERUS	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	UTERUS, PART UNSPECIFIED	F	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
175	OVARY, TUBE AND BROAD LIGAMENT	F	11	2	2	1	2	4	-	2	-	2	1	1	-	1	1	-

CANCER INCIDENCE IN SWEDEN 1996

PART 3 (4)

Table 3B : Number of cases found incidentally at autopsy, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

CODE ICD-7	SITE	SEX	SWEDEN	MEDICAL REGIONS		COUNTIES		STOCKHOLM 01 STOCKHOLM	01 COUNTY 0180 MUNICIPALITY 01A COUNTY EXCLUDING 0180	Malmö 12 COUNTY 1280 MUNICIPALITY 12A COUNTY EXCLUDING 1280	Göteborg 14 COUNTY 1480 MUNICIPALITY 14A COUNTY EXCLUDING 1280							
				R1	R2	R3	R4	R5	R6	01	0180	01A	12	1280	12A	14	1480	14A
176	OTHER FEMALE GENITAL ORGANS	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
177	PROSTATE	M	154	49	32	10	41	14	8	48	29	19	24	18	6	8	5	3
178	TESTIS	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
179	OTHER MALE GENITAL ORGANS	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
180	KIDNEY	M	58	6	14	9	12	10	7	6	6	-	3	2	1	6	4	2
		F	40	9	6	7	8	8	2	9	5	4	6	5	1	3	2	1
181	URINARY ORGANS	M	26	7	3	2	10	4	-	7	4	3	6	5	1	4	4	-
		F	3	2	-	-	-	-	1	2	1	1	-	-	-	-	-	-
190	MALIGNANT MELANOMA OF SKIN	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191	SKIN (MELANOMA EXCLUDED)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
192	EYE	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
193	NERVOUS SYSTEM	M	27	4	3	1	16	3	-	3	1	2	8	5	3	1	1	-
		F	37	10	1	3	15	8	-	10	4	6	10	5	2	2	1	-
194	THYROID GLAND	M	4	-	2	-	1	1	-	-	-	-	1	-	1	1	1	-
		F	6	1	-	-	2	1	2	1	-	1	1	1	-	-	-	-
195	ENDOCRINE GLANDS	M	13	2	-	1	7	3	-	2	2	-	1	1	-	1	1	-
		F	8	1	-	2	3	1	1	1	1	-	2	1	1	-	-	-
196	BONE	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	CONNECTIVE TISSUE, MUSCLE	M	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	2	1	-	-	-	-	2	1	1	-	-	-	-	-	-
199	OTHER AND UNSPECIFIED SITES	M	22	10	3	4	3	2	-	9	5	4	3	1	2	-	-	-
		F	25	8	5	2	3	3	4	8	5	3	2	2	1	1	1	-

CANCER INCIDENCE IN SWEDEN 1996

PART 4 (4)

Table 3B : Number of cases found incidentally at autopsy, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

CODE ICD-7	SITE	SEX	SWEDEN	MEDICAL REGIONS		COUNTIES						STOCKHOLM			MALMÖ			GÖTEBORG		
				R1 STOCKHOLM	R2 UPPSALA-ÖREBRO	01 09						01	COUNTY		12	COUNTY		14	COUNTY	
				R3 LINKÖPING	R4 LUND-MALMÖ	05 06 08						0180	MUNICIPALITY	1280	MUNICIPALITY	1480	MUNICIPALITY	14A	COUNTY	EXCLUDING 1280
				R5 GÖTEBORG	R6 UMEÄ	07 10 11 12 13 (PART OF)						01A	COUNTY	12A	COUNTY	14A	COUNTY	EXCLUDING 1280	EXCLUDING 1280	
						13 (PART OF) 14 15 16														
						22 23 24 25														
200	MALIGNANT NON-HODGKIN LYMPHO	M	30	9	4	4	6	4	3	9	6	3		3	2	1	2	1	1	
		F	12	-	1	2	6	3	-	-	-	-		6	1	5	2	1	1	
201	HODGKINS DISEASE	M	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	
		F	3	2	1	-	-	-	-	-	2	1	1		-	-	-	-	-	
202	RETICULOSIS AND RELATED FORMS	M	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	
203	MULTIPLE MYELOMA	M	3	1	-	1	-	1	-	1	1	-		-	-	-	1	1	-	
	PLASMOCYTOMA	F	4	1	1	-	1	1	-	1	1	-		-	-	-	-	-	-	
204	LYMPHATIC LEUKEMIA	M	5	3	-	1	1	-	-	3	3	-		-	-	-	-	-	-	
		F	6	2	1	1	1	1	-	1	1	-		-	-	-	1	-	1	
205	MYELOID LEUKEMIA	M	2	2	-	-	-	-	-	2	2	-		-	-	-	-	-	-	
		F	2	-	-	-	2	-	-	-	-	-		2	2	-	-	-	-	
206	MONOCYTIC LEUKEMIA	M	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	
207	OTHER AND UNSPECIFIED LEUKEMIA	M	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	
		F	3	2	-	-	1	-	-	2	1	1	1	1	-	-	-	-	-	
208	POLYCYTHAEMIA VERA	M	1	-	-	-	-	1	-	-	-	-		-	-	-	1	1	-	
		F	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	
209	MYELOFIBROSIS	M	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	
		F	2	-	1	-	1	-	-	-	-	-		1	1	-	-	-	-	

CANCER INCIDENCE IN SWEDEN 1996

PART 1 (4)

Table 3C : Number of second and multiple primaries, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

CODE ICD-7	SITE	SEX	SWEDEN	MEDICAL REGIONS		COUNTIES		STOCKHOLM 01 01A	MALMÖ 12 12A	GÖTEBORG 14 14A								
				R1 STOCKHOLM		01 09												
				R2 UPPSALA-ÖREBRO		03 04 17 18 19 20 21												
				R3 LINKÖPING		05 06 08												
				R4 LUND-MALMÖ		07 10 11 12 13 (PART OF)												
				R5 GÖTEBORG		13 (PART OF) 14 15 16												
				R6 UMEÅ		22 23 24 25		COUNTY EXCLUDING 0180		MUNICIPALITY EXCLUDING 1280								
140- 209	ALL SITES	M	2864	469	553	376	674	574	218	448	216	232	403	139	264	271	171	100
		F	2964	540	610	357	636	590	231	525	275	250	377	148	229	303	188	115
140	LIP	M	30	2	3	6	7	8	4	2	2	-	5	3	2	2	1	1
		F	10	1	2	1	2	4	-	1	-	1	1	-	1	3	3	-
141	TONGUE	M	14	3	8	1	1	-	1	3	2	1	-	-	-	-	-	-
		F	11	2	7	-	1	-	1	2	-	2	-	-	-	-	-	-
142	SALIVARY GLANDS	M	6	2	-	1	-	3	-	2	2	-	-	-	-	3	2	1
		F	6	2	1	1	2	-	-	2	2	-	-	1	1	-	-	-
143	FLOOR OF MOUTH	M	7	5	-	-	1	1	-	4	2	2	1	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144	MOUTH, OTHER PARTS AND UNSPECIFIED	M	11	3	1	-	4	2	1	3	2	1	3	1	2	-	-	-
		F	9	2	1	-	2	2	2	2	1	1	-	-	2	1	1	1
145	MESOPHARYNX	M	8	1	1	2	3	-	1	1	1	-	1	-	1	-	-	-
		F	5	1	-	1	2	1	-	1	-	1	2	1	1	1	1	-
146	NASOPHARYNX	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
147	HYPOPHARYNX	M	11	2	2	1	1	4	1	2	1	1	1	-	1	1	1	-
		F	2	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-
148	PHARYNX, PART UNSPECIFIED	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150	OESOPHAGUS	M	30	6	12	1	4	5	2	6	2	4	1	1	-	2	2	-
		F	14	1	2	1	5	4	1	1	1	-	1	1	-	1	-	1
151	STOMACH	M	79	14	20	10	14	11	10	14	9	5	6	1	5	1	1	-
		F	51	9	8	6	10	12	6	9	4	5	9	4	5	7	3	4
152	SMALL INTESTINE	M	24	2	4	6	6	5	1	2	1	1	3	1	2	2	2	-
		F	16	3	3	1	3	5	1	3	2	1	3	2	1	2	1	1
153	COLON	M	271	40	46	36	76	48	25	37	18	19	42	17	25	20	11	9
		F	284	46	50	32	71	59	26	45	29	16	45	19	26	25	17	8

CANCER INCIDENCE IN SWEDEN 1996

PART 2 (4)

Table 3C : Number of second and multiple primaries, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

CODE ICD-7	SITE	SEX	SWEDEN	MEDICAL REGIONS		COUNTIES						STOCKHOLM		MALMÖ		GÖTEBORG		
				R1 STOCKHOLM	R2 UPPSALA-ÖREBRO	01 09 03 04 17 18 19 20 21						01	COUNTY	12	COUNTY	14	COUNTY	
				R3 LINKÖPING	R4 LUND-MALMÖ	05 06 08 07 10 11 12 13 (PART OF)						0180	MUNICIPALITY	1280	MUNICIPALITY	1480	MUNICIPALITY	
				R5 GÖTEBORG	R6 UMEÄ	13 (PART OF) 14 15 16 22 23 24 25						01A	COUNTY EXCLUDING 0180	12A	COUNTY EXCLUDING 1280	14A	COUNTY EXCLUDING 1280	
154	RECTUM AND ANUS	M	115	19	18	16	35	21	6	19	9	10	16	6	10	9	4	5
		F	125	21	29	15	22	26	12	21	10	11	13	5	8	16	10	6
155	BILIARY PASSAGES AND LIVER, PRIMARY	M	49	7	11	9	8	10	4	7	5	2	4	2	2	6	4	2
		F	58	12	10	10	10	10	6	12	7	5	7	4	3	2	1	1
156	LIVER, NOT SPECIFIED AS PRIMARY	M	8	-	3	1	-	2	2	-	-	-	-	-	-	-	-	-
		F	7	-	3	1	-	2	1	-	-	-	-	-	-	1	-	1
157	PANCREAS	M	51	15	7	7	10	8	4	15	9	6	6	3	3	4	2	2
		F	65	8	15	7	17	11	7	8	3	5	14	7	7	7	5	2
158	PERITONEUM	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
160	NOSE AND NASAL SINUSES	M	5	1	1	-	1	2	-	1	1	-	1	-	1	-	-	-
		F	4	-	3	-	-	1	-	-	-	-	-	-	1	1	-	-
161	LARYNX	M	19	1	2	2	8	6	-	1	-	1	6	3	3	3	2	1
		F	5	1	1	1	2	-	-	1	1	-	1	-	1	-	-	-
162	TRACHEA, BRONCHUS, LUNG AND PLEURA, PRIMARY	M	232	43	53	30	57	36	13	43	19	24	36	13	23	20	14	6
		F	136	29	31	21	28	18	9	29	16	13	15	5	10	11	6	5
163	LUNG, NOT SPECIFIED AS PRIMARY	M	10	3	-	4	-	3	-	3	1	2	-	-	-	2	1	1
		F	6	1	-	1	2	2	-	1	-	1	-	-	-	1	-	1
164	MEDIASTINUM	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	BREAST	M	4	-	1	-	1	2	-	-	-	-	1	1	-	-	-	-
		F	811	159	143	98	204	157	50	152	74	78	106	39	67	83	54	29
171	CERVIX UTERI	F	24	4	4	3	3	6	4	4	2	2	3	1	2	3	3	-
172	CORPUS UTERI	F	132	31	34	16	17	24	10	30	15	15	7	2	5	11	5	6
173	CHORIONEPITHELIOMA OF UTERUS	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	UTERUS, PART UNSPECIFIED	F	19	2	3	2	5	3	4	2	-	2	2	1	1	2	1	1
175	OVARY, TUBE AND BROAD LIGAMENT	F	115	18	29	12	16	29	11	18	8	10	10	2	8	16	10	6

CANCER INCIDENCE IN SWEDEN 1996

PART 3 (4)

Table 3C : Number of second and multiple primaries, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

CODE ICD-7	SITE	SEX	SWEDEN	MEDICAL REGIONS			COUNTIES			STOCKHOLM 01 01A	Malmö 12 12A	Göteborg 14 14A						
				R1 STOCKHOLM	01 09													
				R2 UPPSALA-ÖREBRO	03 04 17 18 19 20 21													
				R3 LINKÖPING	05 06 08													
				R4 LUND-MALMÖ	07 10 11 12 13 (PART OF)													
				R5 GÖTEBORG	13 (PART OF) 14 15 16													
				R6 UMEÅ	22 23 24 25													
176	OTHER FEMALE GENITAL ORGANS	F	37	8	13	7	1	7	1	8	6	2	-	-	-	2	1	1
177	PROSTATE	M	512	79	116	59	109	106	43	73	33	40	68	19	49	44	30	14
178	TESTIS	M	5	-	1	1	-	1	2	-	-	-	-	-	-	1	1	-
179	OTHER MALE GENITAL ORGANS	M	5	1	2	1	1	-	-	1	-	1	-	-	-	-	-	-
180	KIDNEY	M	100	12	11	18	22	25	12	11	2	9	15	5	10	10	7	3
		F	72	16	13	6	16	14	7	16	8	8	13	7	6	4	3	1
181	URINARY ORGANS	M	235	42	41	31	52	45	24	38	21	17	38	10	28	24	16	8
		F	104	17	28	15	14	20	10	17	9	8	7	1	6	10	6	4
190	MALIGNANT MELANOMA OF SKIN	M	113	19	19	16	24	28	7	19	10	9	14	4	10	15	11	4
		F	93	17	14	14	24	21	3	17	8	9	17	10	7	11	7	4
191	SKIN (MELANOMA EXCLUDED)	M	517	94	81	58	127	133	24	91	40	51	76	28	48	73	43	30
		F	252	60	32	25	61	65	9	59	42	17	39	15	24	41	22	19
192	EYE	M	6	1	4	-	-	1	-	1	-	1	-	-	-	-	-	-
		F	5	1	3	-	-	1	-	1	-	1	-	-	-	1	1	-
193	NERVOUS SYSTEM	M	46	7	11	2	19	6	1	7	-	7	10	5	5	3	3	-
		F	67	8	14	11	10	15	9	8	2	6	5	1	4	8	5	3
194	THYROID GLAND	M	4	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
		F	27	2	5	6	6	2	6	2	-	2	3	1	2	2	1	1
195	ENDOCRINE GLANDS	M	23	2	3	5	6	3	4	2	1	1	4	2	2	3	1	2
		F	70	11	13	8	13	16	9	9	4	5	5	3	2	8	7	1
196	BONE	M	3	-	1	-	1	1	-	-	-	-	1	-	1	-	-	-
		F	2	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-
197	CONNECTIVE TISSUE, MUSCLE	M	20	3	4	2	5	4	2	3	1	2	2	-	2	2	-	2
		F	24	7	4	1	5	3	4	6	3	3	2	1	1	-	-	-
199	OTHER AND UNSPECIFIED SITES	M	83	10	18	17	17	12	9	10	7	3	12	6	6	3	2	1
		F	135	19	47	16	24	17	12	17	7	10	13	4	9	8	5	3

CANCER INCIDENCE IN SWEDEN 1996

PART 4 (4)

Table 3C : Number of second and multiple primaries, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

CODE ICD-7	SITE	SEX	SWEDEN	MEDICAL REGIONS			COUNTIES			STOCKHOLM 01 COUNTY 01A COUNTY EXCLUDING 0180	MALMÖ 12 COUNTY 12A COUNTY EXCLUDING 1280	GÖTEBORG 14 COUNTY 14A COUNTY EXCLUDING 1280						
				R1 STOCKHOLM	R2 UPPSALA-ÖREBRO	R3 LINKÖPING	R4 LUND-MALMÖ	R5 GÖTEBORG	R6 UMEÄ	01 09	03 04 17 18 19 20 21	05 06 08	07 10 11 12 13 (PART OF)					
													13 (PART OF) 14 15 16					
													22 23 24 25					
200	MALIGNANT NON-HODGKIN LYMPHO	M	82	10	15	13	27	8	9	10	4	6	14	6	8	5	5	-
		F	64	5	20	8	14	11	6	5	2	3	12	4	8	5	2	3
201	HODGKINS DISEASE	M	6	3	1	1	1	-	-	3	1	2	-	-	-	-	-	-
		F	6	-	2	-	1	3	-	-	-	-	1	-	1	1	-	1
202	RETICULOSIS AND RELATED FORMS	M	8	-	-	2	5	1	-	-	-	-	4	-	4	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
203	MULTIPLE MYELOMA	M	29	4	7	6	6	5	1	4	3	1	4	1	3	2	1	1
	PLASMOCYTOMA	F	24	4	3	3	9	3	2	4	4	-	6	2	4	1	-	1
204	LYMPHATIC LEUKEMIA	M	40	6	13	2	7	8	4	4	3	1	2	-	2	6	1	5
		F	19	2	5	2	3	5	2	2	1	1	3	1	2	2	2	-
205	MYELOID LEUKEMIA	M	25	4	5	3	7	5	1	4	3	1	5	-	5	3	2	1
		F	32	7	11	2	6	6	-	7	2	5	6	-	6	2	2	-
206	MONOCYTIC LEUKEMIA	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
207	OTHER AND UNSPECIFIED LEUKEMIA	M	4	-	1	1	1	1	-	-	-	-	1	-	1	1	-	1
		F	3	-	1	-	1	1	-	-	-	-	1	1	-	1	1	-
208	POLYCYTHAEMIA VERA	M	7	-	1	4	-	2	-	-	-	-	-	-	-	1	1	-
		F	3	1	-	1	-	1	-	1	-	1	-	-	-	1	1	-
209	MYELOFIBROSIS	M	6	3	3	-	-	-	-	2	1	1	-	-	-	-	-	-
		F	7	-	3	1	2	1	-	-	-	-	2	2	-	-	-	-

CANCER INCIDENCE IN SWEDEN 1996

PART 1 (14)

Table 4 : Rates per 100,000 by site, sex and age at diagnosis and rates age adjusted to the 1970 census and the world standard population

CANCER INCIDENCE IN SWEDEN 1996

PART 2 (14)

Table 4 : Rates per 100.000 by site, sex and age at diagnosis and rates age adjusted to the 1970 census and the world standard population

CODE ICD-7	SITE	SEX X	Crude Rate	Age specific rates																	Age stand Rate	World stand Rate	
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
142.9	GLAND UNSPECIFIED	M	.1	-	-	-	-	-	-	-	-	-	-	.3	-	1.0	-	-	-	-	.1	.1	
		F	.1	-	-	-	-	-	-	-	-	-	-	.3	.3	.4	-	-	-	.7	-	.1	.1
143	FLOOR OF MOUTH	M	.9	-	-	-	-	-	-	-	-	-	.6	1.6	3.4	3.6	1.6	2.2	4.9	1.1	5.3	.9	.6
		F	.4	-	-	-	-	-	-	-	-	.3	.3	1.3	.9	.5	1.9	.5	1.0	-	-	.4	.2
144	MOUTH, OTHER PARTS AND UNSPECIFIED	M	1.6	-	-	-	-	-	.3	-	.3	.3	2.5	.9	4.6	5.4	7.9	7.0	9.0	8.9	1.6	.9	
		F	1.7	-	-	-	-	-	-	-	.7	1.0	.3	1.3	.4	2.4	5.7	5.6	7.8	4.8	9.4	1.2	.7
145	MESOPHARYNX	M	1.7	-	-	-	-	-	.3	.3	.7	1.0	1.2	5.1	4.3	4.6	8.6	1.7	2.1	3.4	3.5	1.7	1.2
		F	.6	-	-	-	-	-	-	-	-	-	.6	1.3	1.3	1.5	3.3	2.8	-	1.4	1.6	.6	.4
145.0	TONSIL	M	-	-	-	-	-	-	-	-	-	-	-	-	.4	.5	-	-	-	-	.1	-	
		F	-	-	-	-	-	-	-	-	-	-	.3	-	-	-	-	-	-	-	-	-	
145.7	OTHER SPECIFIED PARTS OF MESOPHARYNX	M	-	-	-	-	-	-	-	-	-	-	-	.3	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	.4	-	-	-	-	-	-	-	-	
145.8	MULTIPLE PARTS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
145.9	PART UNSPECIFIED	M	1.6	-	-	-	-	-	.3	.3	.7	1.0	1.2	4.7	3.9	4.1	8.6	1.7	2.1	3.4	3.5	1.6	1.1
		F	.6	-	-	-	-	-	-	-	-	-	.3	1.3	.9	1.5	3.3	2.8	-	1.4	1.6	.6	.3
146	NASOPHARYNX	M	.5	-	-	-	-	-	-	-	-	.3	1.5	.3	.9	1.0	3.8	-	2.8	-	1.8	.5	.4
		F	.4	.4	-	-	-	-	.3	-	.7	.6	.3	-	-	.5	.9	1.0	1.4	1.6	.3	.2	
147	HYPOPHARYNX	M	1.3	-	-	-	-	-	.3	-	-	.3	.3	.9	4.3	5.1	2.1	5.6	6.3	5.6	1.8	1.3	.8
		F	.2	-	-	-	-	-	.3	-	-	-	-	.4	.5	.5	1.4	.5	1.4	-	.2	.1	
148	PHARYNX, PART UNSPECIFIED	M	-	-	-	-	-	-	-	-	-	-	.3	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
150	OESOPHAGUS	M	5.9	-	-	-	-	-	-	-	.7	.7	2.2	5.7	12.0	18.9	17.7	22.4	33.0	29.2	31.9	5.8	3.3
		F	2.2	-	-	-	-	-	-	-	.7	.7	.3	1.3	1.7	2.9	5.2	5.6	11.4	12.4	14.1	1.5	.8
150.0	OESOPHAGUS, SPECIFIED PART	M	2.6	-	-	-	-	-	-	-	.7	-	.9	3.2	3.0	7.6	9.1	10.7	13.3	12.3	16.0	2.5	1.4
		F	.8	-	-	-	-	-	-	-	-	-	.3	.7	.4	1.0	2.4	2.3	3.6	4.1	6.3	.6	.3
150.8	MULTIPLE PARTS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.7	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
150.9	PART UNSPECIFIED	M	3.3	-	-	-	-	-	-	-	-	.7	1.2	2.5	9.0	11.2	8.6	11.8	19.0	16.8	16.0	3.3	1.9
		F	1.4	-	-	-	-	-	-	-	.7	-	.7	1.3	1.9	2.9	3.3	7.8	8.3	7.8	1.0	.5	
151	STOMACH	M	17.2	-	-	-	-	-	.4	.4	.3	1.0	1.4	3.7	2.8	11.4	16.7	31.6	35.9	89.2	99.7	151.6	147.3
		F	11.0	-	-	-	.4	.4	.3	1.0	1.4	2.1	5.4	7.9	7.3	12.1	19.5	32.0	50.9	71.9	63.4	15.7	8.4

CANCER INCIDENCE IN SWEDEN 1996

PART 3 (14)

Table 4 : Rates per 100,000 by site, sex and age at diagnosis and rates age adjusted to the 1970 census and the world standard population

CANCER INCIDENCE IN SWEDEN 1996

PART 4 (14)

Table 4 : Rates per 100.000 by site, sex and age at diagnosis and rates age adjusted to the 1970 census and the world standard population

CODE ICD-7	SITE	SEX X	Crude Rate	Age specific rates																	Age stand Rate	World stand Rate	
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
153.9	PART UNSPECIFIED	M	5.1	-	-	-	-	.3	.3	-	.3	1.3	3.1	1.3	6.4	11.2	10.7	20.8	37.9	32.6	46.1	4.8	2.6
		F	5.5	-	-	-	-	-	-	-	.7	.7	1.3	3.6	7.3	10.2	12.8	15.3	24.9	35.9	24.3	4.1	2.3
154	RECTUM AND ANUS	M	23.1	-	-	-	.8	.3	-	1.2	2.0	4.0	8.0	13.9	32.6	46.9	83.1	104.4	146.0	130.2	140.2	22.1	12.3
		F	18.9	-	-	-	-	.4	.3	.6	1.4	4.5	7.3	10.8	20.3	36.8	55.6	64.1	74.7	89.2	90.9	14.5	8.3
154.0	MUCOSAL PART	M	22.4	-	-	-	.8	.3	-	.9	1.7	3.7	8.0	13.3	32.2	45.4	80.4	102.7	140.4	125.7	140.2	21.5	11.9
		F	17.3	-	-	-	-	.4	.3	.6	1.4	4.2	6.0	8.5	16.8	34.4	53.7	60.4	69.6	80.9	83.8	13.3	7.6
154.1	SQUAMOUS PART	M	.7	-	-	-	-	-	-	.3	.3	.3	-	.6	.4	1.5	2.7	1.7	5.6	4.5	-	.6	.4
		F	1.5	-	-	-	-	-	-	-	-	.3	1.3	2.3	3.5	2.4	1.9	3.3	5.2	7.6	7.0	1.2	.7
154.8	MULTIPLE PARTS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.5	-	.7	-	-	-
155	BILIARY PASSAGES AND LIVER, PRIMARY	M	9.6	.7	-	-	.4	.3	.3	-	.7	1.3	1.5	7.3	11.6	17.8	31.1	46.0	62.5	56.1	72.7	9.1	5.0
		F	10.9	-	-	-	-	-	-	.6	.3	1.0	2.5	5.9	9.5	16.0	28.5	38.6	51.4	49.8	66.6	7.9	4.3
155.0	LIVER, PRIMARY	M	5.8	.7	-	-	.4	.3	.3	-	.3	1.0	.6	3.5	5.6	12.2	17.7	26.4	41.4	34.8	40.8	5.5	3.0
		F	3.7	-	-	-	-	-	-	.3	.3	.7	.9	2.3	2.2	4.4	9.5	15.3	19.2	15.9	20.4	2.7	1.5
155.1	GALL BLADDER	M	1.3	-	-	-	-	-	-	-	-	-	.6	1.7	2.0	5.4	7.3	7.7	6.7	10.6	1.2	.7	
		F	4.3	-	-	-	-	-	-	.3	-	.3	.9	2.3	3.0	7.8	8.6	14.9	22.8	18.0	29.0	3.1	1.7
155.2	EXTRAHEPATIC BILE DUCTS	M	.9	-	-	-	-	-	-	-	-	-	.6	-	1.3	.5	3.8	5.1	5.6	6.7	7.1	.9	.4
		F	.8	-	-	-	-	-	-	-	-	-	.3	1.0	.9	.5	1.9	1.9	3.1	4.8	7.0	.6	.3
155.3	AMPULLA OF VATER	M	.9	-	-	-	-	-	-	-	.3	-	-	2.2	1.7	1.5	1.1	5.1	5.6	3.4	5.3	.9	.5
		F	.5	-	-	-	-	-	-	-	-	-	.3	1.3	1.5	1.4	1.9	1.0	2.8	1.6	.4	.2	
155.8	MULTIPLE PARTS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.7	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.8	-	-	-	
155.9	UNSPECIFIED BILE PASSAGES	M	.7	-	-	-	-	-	-	-	.3	.3	.9	1.3	1.5	3.2	2.2	1.4	4.5	8.9	.7	.4	
		F	1.5	-	-	-	-	-	-	-	-	.3	-	2.2	1.9	7.1	4.6	5.2	8.3	7.8	1.1	.6	
156	LIVER, NOT SPECIFIED AS PRIMARY	M	1.9	-	-	-	-	-	-	-	.3	.3	1.6	1.7	3.6	7.5	10.1	9.8	13.5	12.4	1.8	1.0	
		F	1.8	-	-	-	-	-	-	-	.3	-	-	3.0	2.9	2.4	9.8	6.2	10.4	10.2	1.3	.7	
157	PANCREAS	M	11.2	-	-	-	-	-	-	.3	2.0	1.0	4.3	11.1	17.6	32.6	40.2	49.9	54.8	60.6	49.7	11.0	6.3
		F	11.5	-	-	-	.4	-	.7	.3	.7	1.0	1.6	6.2	10.4	20.8	33.3	41.8	51.4	57.4	57.2	8.6	4.8
158	PERITONEUM	M	-	-	-	-	-	-	-	-	-	-	-	-	.5	-	.6	-	-	-	.1	-	
		F	.1	.4	-	-	-	-	-	-	-	-	.3	-	.9	-	.5	.5	-	-	.1	.1	
160	NOSE AND NASAL SINUSES	M	.7	-	-	-	-	.3	-	-	.3	-	.3	1.3	.4	1.0	2.1	5.1	3.5	3.4	1.8	.7	.4
		F	.6	-	-	-	-	-	.3	-	-	.3	.6	-	.9	.5	1.0	2.8	2.1	2.8	2.3	.4	.3

CANCER INCIDENCE IN SWEDEN 1996

PART 5 (14)

Table 4 : Rates per 100.000 by site, sex and age at diagnosis and rates age adjusted to the 1970 census and the world standard population

CODE ICD-7	SITE	SEX X	Crude Rate	Age specific rates																	Age stand Rate	World stand Rate		
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
160.0	NOSE (INTERNAL) AND NASAL CAVITIES	M	.5	-	-	-	-	-	-	-	-	-	-	.6	-	.5	1.1	5.1	3.5	1.1	-	.4	.2	
		F	.4	-	-	-	-	-	-	-	-	-	.3	-	.4	.5	1.0	.9	1.6	2.1	2.3	.3	.1	
160.1	EUSTACHIAN TUBE AND MIDDLE EAR	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
160.2	MAXILLARY SINUS	M	.1	-	-	-	-	.3	-	-	-	-	-	-	.5	1.1	-	-	-	1.8	.1	.1	.1	
		F	-	-	-	-	-	-	-	-	-	.3	-	-	-	.5	-	-	-	-	-	-	-	
160.7	OTHER SPECIFIED SINUS	M	.1	-	-	-	-	-	-	-	.3	-	.3	.3	.4	-	-	-	-	1.1	-	.1	.1	
		F	.1	-	-	-	-	-	-	-	-	-	-	.4	-	-	.9	.5	.7	-	.1	-	-	
160.8	MULTIPLE PARTS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
160.9	PART UNSPECIFIED	M	-	-	-	-	-	-	-	-	-	-	-	.3	-	-	-	-	-	1.1	-	-	-	
		F	.1	-	-	-	-	-	.3	-	-	.3	-	-	-	.5	-	-	-	.1	.1	-	-	
161	LARYNX	M	4.0	-	-	-	-	-	.3	-	.3	.7	1.2	6.0	8.2	12.2	16.1	16.3	17.6	15.7	12.4	4.0	2.4	
		F	.4	-	-	-	-	-	-	-	.3	-	1.0	-	1.0	1.4	2.3	.5	2.1	1.6	.4	.2	-	
162	TRACHEA, BRONCHUS, LUNG AND PLEURA, PRIMARY	M	39.2	-	-	-	-	.3	-	.3	1.7	4.0	10.5	31.9	57.5	109.1	171.5	206.0	219.8	174.0	97.6	39.2	22.1	
		F	24.0	-	.3	-	-	-	.3	.6	1.0	8.0	17.7	31.5	51.0	57.7	86.0	92.9	86.2	46.3	31.3	21.6	13.3	
162.0	TRACHEA	M	.1	-	-	-	-	-	-	-	.3	-	-	.4	.5	-	-	.7	-	-	.1	.1	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
162.1	BRONCHUS AND LUNG, PRIMARY	M	36.9	-	-	-	-	.3	-	.3	1.7	3.7	10.5	27.8	52.8	103.5	163.5	195.3	208.5	163.9	86.9	36.9	20.8	
		F	23.8	-	.3	-	-	-	.3	.6	1.0	8.0	17.1	31.5	51.0	57.2	85.5	92.4	85.1	45.6	29.8	21.5	13.2	
162.2	PLEURA	M	2.2	-	-	-	-	-	-	-	-	-	-	4.1	4.3	5.1	8.0	10.7	10.5	10.1	10.6	2.2	1.2	
		F	.2	-	-	-	-	-	-	-	-	-	.6	-	.5	.5	.5	1.0	.7	1.6	.2	.1	-	
163	LUNG, NOT SPECIFIED AS PRIMARY	M	1.3	-	-	-	-	-	-	-	.3	.3	.9	1.3	2.5	2.1	5.1	9.1	5.6	19.5	1.1	.6	.6	
		F	1.2	-	-	-	-	-	-	-	.3	.3	1.0	1.3	2.9	1.4	4.2	5.7	6.2	4.7	.9	.5	.5	
164	MEDIASTINUM	M	.1	.3	-	-	-	.3	-	-	-	-	-	-	-	-	-	-	1.1	-	.1	.1		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	.5	-	.7	-	-	-	-	-	
170	BREAST	M	.9	-	-	-	-	-	-	-	.3	.6	.9	1.3	.5	1.6	3.9	4.9	9.0	5.3	.8	.4	.4	
		F	130.6	-	-	-	-	-	6.3	22.2	54.9	95.1	180.7	247.8	254.0	296.0	334.5	271.3	292.8	368.5	322.7	115.4	77.9	-
170.1	RIGHT	M	.4	-	-	-	-	-	-	-	.3	.3	.3	.4	.5	.5	1.7	2.1	4.5	3.5	.3	.2	.2	
		F	60.7	-	-	-	-	-	3.0	9.7	23.4	45.3	84.4	126.0	124.8	143.9	156.8	114.7	119.4	165.2	151.2	54.1	36.8	-
170.2	LEFT	M	.5	-	-	-	-	-	-	2.7	10.0	27.3	43.9	87.8	114.9	120.1	141.0	166.8	149.1	162.5	189.4	160.6	.4	.2
		F	64.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56.8	37.9	-	-	

CANCER INCIDENCE IN SWEDEN 1996

PART 6 (14)

Table 4 : Rates per 100.000 by site, sex and age at diagnosis and rates age adjusted to the 1970 census and the world standard population

CODE ICD-7	SITE	SEX	Crude Rate	Age specific rates																	Age stand Rate	World stand Rate		
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
170.7	MULTIPLE PARTS, RIGHT BREAST	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	2.0	-	-	-	-	-	-	.3	.6	1.7	3.1	4.7	2.0	2.2	3.4	6.2	2.3	5.2	4.8	4.7	1.8	1.3
170.8	MULTIPLE PARTS, LEFT BREAST	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	2.3	-	-	-	-	-	-	.3	1.9	2.4	2.8	3.8	3.3	5.2	4.8	4.8	4.6	2.6	6.2	2.3	2.1	1.6
170.9	SIDE UNKNOWN	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.1	-	-	
		F	.7	-	-	-	-	-	-	-	-	-	-	-	1.6	1.7	2.9	-	.5	3.1	2.8	3.9	.6	.3
171	CERVIX UTERI	F	9.9	-	-	-	.4	2.1	8.3	13.5	14.0	19.7	13.9	14.4	10.8	8.2	12.4	20.9	14.0	20.7	10.2	8.8	7.1	
172	CORPUS UTERI	F	27.3	-	-	-	-	-	.3	.3	2.1	3.1	12.6	37.1	62.2	69.3	92.7	100.3	92.4	83.0	43.1	24.3	14.6	
173	CHORIONEPITHELIOMA OF UTERUS	F	.1	-	-	-	-	.4	-	.3	-	.3	.3	.3	-	-	-	-	-	-	-	.1	.1	
174	UTERUS, PART UNSPECIFIED	F	2.5	-	-	-	-	-	-	.3	.7	1.0	2.2	4.3	4.8	6.8	5.2	5.6	10.9	8.3	4.7	2.2	1.4	
175	OVARY, TUBE AND BROAD LIGAMENT	F	20.5	-	.7	1.2	1.2	3.2	1.7	4.5	7.3	9.3	19.0	32.8	39.7	47.0	52.3	63.6	63.8	53.2	28.2	18.3	12.1	
175.0	OVARY	F	19.4	-	.7	1.2	1.2	3.2	1.7	4.5	7.3	9.0	17.7	30.2	37.6	46.0	49.9	60.8	59.7	49.8	26.6	17.5	11.5	
175.1	FALLOPIAN TUBE	F	.9	-	-	-	-	-	-	-	-	-	1.3	2.6	2.2	1.0	1.9	2.3	3.6	3.5	.8	.8	.5	
175.8	MULTIPLE PARTS	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.8	-	-	
175.9	PART UNSPECIFIED	F	.1	-	-	-	-	-	-	-	-	.3	-	-	-	-	.5	.5	.5	-	-	.1	-	
176	OTHER FEMALE GENITAL ORGANS	F	5.3	-	-	-	-	-	-	.7	1.6	.3	1.0	3.2	4.9	5.6	4.4	9.0	18.6	22.3	18.0	39.2	3.8	2.2
176.0	VULVA	F	3.0	-	-	-	-	-	-	1.0	.3	-	2.5	2.6	3.0	1.9	3.3	10.7	11.9	13.1	25.1	2.0	1.2	
176.1	VAGINA	F	1.2	-	-	-	-	-	.3	-	-	.3	.3	1.0	1.7	1.9	2.4	5.1	4.7	2.8	8.6	.9	.5	
176.7	OTHER SPECIFIED PARTS	F	.9	-	-	-	-	-	.3	.6	-	.7	.3	1.0	.9	.5	3.3	1.9	4.7	2.1	4.7	.7	.4	
176.8	MULTIPLE PARTS	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	-		
176.9	PART UNSPECIFIED	F	.1	-	-	-	-	-	-	-	-	-	-	.3	-	-	-	.9	-	-	.8	.1	-	
177	PROSTATE	M	132.7	-	-	-	-	-	-	-	.7	.3	7.7	25.9	96.6	235.1	471.8	745.3	902.2	1112.6	913.7	124.1	63.3	
178	TESTIS	M	4.7	-	-	-	3.5	6.5	12.7	13.1	11.0	7.0	4.3	2.2	3.9	2.0	1.1	1.1	-	-	3.5	4.5	4.4	
179	OTHER MALE GENITAL ORGANS	M	1.5	-	-	-	-	-	.3	-	.7	1.0	1.2	1.6	1.3	1.5	2.7	7.9	6.3	13.5	7.1	1.4	.8	
179.0	PENIS	M	1.4	-	-	-	-	-	.3	-	.7	1.0	1.2	1.6	1.3	1.5	2.1	6.7	6.3	13.5	7.1	1.3	.8	
179.1	SCROTUM	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.6	-	-	-			

CANCER INCIDENCE IN SWEDEN 1996

PART 7 (14)

Table 4 : Rates per 100.000 by site, sex and age at diagnosis and rates age adjusted to the 1970 census and the world standard population

CODE ICD-7	SITE	SEX	Crude Rate	Age specific rates																	Age stand Rate	World stand Rate		
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
179.7	OTHER SPECIFIED PART	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.6	-	-	-	-	-	
179.8	MULTIPLE PARTS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.5	-	-	-	-	-	
179.9	PART UNSPECIFIED	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
180	KIDNEY	M	13.8	1.4	-	-	-	.3	.3	.6	1.3	2.0	8.9	18.0	18.9	34.7	47.2	60.0	80.0	64.0	39.0	13.5	8.0	
		F	9.8	2.9	-	-	-	-	.3	.6	.7	2.1	4.4	9.8	10.8	18.4	24.2	33.4	52.9	33.2	32.1	7.9	4.8	
180.0	RENAL PARENCHYMA	M	11.5	1.4	-	-	-	-	.3	.6	1.3	1.7	8.6	14.2	17.6	29.1	41.3	49.4	67.4	47.2	24.8	11.4	6.8	
		F	7.7	2.9	-	-	-	-	.3	.6	.7	1.7	3.8	8.9	8.6	14.1	18.5	25.5	41.0	24.9	24.3	6.2	3.9	
180.1	RENAL PELVIS	M	1.1	-	-	-	-	.3	-	-	-	.3	.3	1.9	.4	3.1	2.1	7.3	4.9	4.5	7.1	1.1	.6	
		F	1.1	-	-	-	-	-	-	-	-	-	-	.7	1.7	2.9	3.8	5.6	5.2	4.1	.8	.9	.5	
180.9	PART UNSPECIFIED	M	1.2	-	-	-	-	-	-	-	-	-	-	1.9	.9	2.5	3.8	3.4	7.7	12.3	7.1	1.1	.6	
		F	1.0	-	-	-	-	-	-	-	-	.3	.6	.3	.4	1.5	1.9	2.3	6.7	4.1	7.0	.7	.4	
181	URINARY ORGANS (EXCL.KIDNEY)	M	34.9	-	-	-	-	.3	-	.9	2.0	4.3	12.3	28.8	37.8	69.4	113.1	161.1	207.1	243.6	239.5	32.9	18.0	
		F	12.5	-	-	-	-	.4	.7	.6	.3	2.1	4.7	9.2	13.4	16.5	32.8	43.2	53.5	62.9	64.2	9.3	5.2	
181.0	URINARY BLADDER	M	33.4	-	-	-	-	.3	-	.9	2.0	4.3	12.3	26.9	36.0	65.8	106.7	156.0	197.3	234.6	234.2	31.5	17.3	
		F	11.6	-	-	-	-	.4	.7	.6	.3	2.1	4.4	8.5	12.5	15.0	29.9	38.1	49.8	60.8	61.9	8.6	4.8	
181.1	URETER	M	.8	-	-	-	-	-	-	-	-	-	-	.9	1.3	2.0	3.8	2.8	6.3	4.5	3.5	.8	.5	
		F	.4	-	-	-	-	-	-	-	-	-	-	.3	.9	-	1.9	2.8	1.0	.7	-	.3	.2	
181.2	URETHRA	M	.2	-	-	-	-	-	-	-	-	-	-	.3	-	.5	1.6	1.1	.7	1.1	-	.2	.1	
		F	.2	-	-	-	-	-	-	-	-	-	-	.3	.3	-	.5	.9	2.1	-	1.6	.2	.1	
181.6	URACHUS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.5	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.5	-	-	.8	-	-	-	
181.7	OTHER SPECIFIED PARTS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
181.8	MULTIPLE PARTS	M	.1	-	-	-	-	-	-	-	-	-	-	.3	.4	-	-	.6	1.4	1.1	-	.1	.1	
		F	.1	-	-	-	-	-	-	-	-	-	-	-	-	-	.5	.9	-	.7	-	.1	-	
181.9	PART UNSPECIFIED	M	.2	-	-	-	-	-	-	-	-	-	-	.3	-	1.0	.5	.6	1.4	2.2	1.8	.2	.1	
		F	.1	-	-	-	-	-	-	-	-	-	-	-	-	.5	.7	-	.5	.7	-	.1	.1	
190	MALIGNANT MELANOMA OF SKIN	M	17.2	-	-	.4	.4	1.0	4.1	8.8	10.7	13.4	20.3	24.0	24.5	43.3	48.8	49.4	63.9	49.4	58.5	16.7	11.2	
		F	17.1	-	-	-	3.2	6.8	12.0	10.0	11.9	20.1	21.8	22.6	25.5	31.5	21.9	34.4	42.0	38.7	45.4	15.0	11.2	-
190.1	EYELIDS, INCLUDING CANTHI	M	-	-	-	-	-	-	-	-	-	-	-	-	.4	.5	-	-	-	-	1.8	-	-	
		F	.1	-	-	-	-	-	-	-	-	-	-	-	.4	.5	-	-	-	.8	.1	-	-	

CANCER INCIDENCE IN SWEDEN 1996

PART 8 (14)

Table 4 : Rates per 100.000 by site, sex and age at diagnosis and rates age adjusted to the 1970 census and the world standard population

CODE ICD-7	SITE	SEX	Crude Rate	Age specific rates																	Age stand Rate	World stand Rate	
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
190.2	EAR AND EXTERNAL AURICULAR CANAL	M	.3	-	-	-	-	-	.3	.3	-	-	.3	.6	-	-	1.6	-	2.1	2.2	3.5	.3	.2
		F	.2	-	-	-	-	-	-	-	.3	-	-	-	.4	-	-	.5	.5	.7	1.6	.1	.1
190.3	OTHER AND UNSPECIFIED PART OF FACE	M	1.1	-	-	-	-	-	.3	-	.7	-	.6	.6	-	1.0	3.8	3.4	6.3	7.9	21.3	1.0	.6
		F	1.9	-	-	-	-	-	-	-	-	.3	.6	1.0	1.7	2.4	1.9	4.6	7.3	10.4	19.6	1.2	.6
190.4	SCALP AND NECK	M	.9	-	-	-	.4	-	-	-	.3	.7	.6	1.3	.9	3.6	2.1	3.9	2.8	3.4	5.3	.9	.6
		F	.5	-	-	-	-	-	.3	.6	.3	1.4	.9	1.0	.9	.5	.5	-	1.0	1.4	.8	.5	.4
190.5	TRUNK	M	9.2	-	-	.4	-	.3	3.2	4.6	5.4	7.7	10.8	10.8	15.4	27.5	26.3	30.9	33.7	20.2	16.0	9.2	6.2
		F	5.1	-	-	-	2.0	1.8	6.0	5.5	4.9	8.3	7.3	5.6	9.9	10.7	5.2	7.4	6.2	9.0	5.5	4.8	3.9
190.6	UPPER LIMBS	M	2.2	-	-	-	-	.3	-	.9	1.3	1.3	3.1	4.7	5.1	4.6	5.9	4.5	9.8	5.6	-	2.2	1.4
		F	3.4	-	-	-	-	1.1	1.0	1.0	1.7	3.1	4.7	4.3	6.0	7.3	4.8	7.4	12.5	6.2	8.6	2.9	2.0
190.7	LOWER LIMBS	M	2.5	-	-	-	-	.3	.3	3.0	3.0	2.7	3.7	3.8	2.1	5.1	5.4	3.4	7.0	9.0	10.6	2.3	1.7
		F	5.5	-	-	-	1.2	3.9	4.3	2.6	4.2	6.2	7.9	9.5	5.2	9.2	9.5	13.0	13.5	9.7	6.3	5.0	3.8
190.8	MULTIPLE PARTS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	.5	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	.3	-	-	-	-	-	-	-	-	-
190.9	PART UNSPECIFIED	M	.8	-	-	-	-	-	-	-	1.0	1.2	2.2	.9	1.0	3.8	3.4	2.1	1.1	-	.8	.5	
		F	.5	-	-	-	-	-	.3	.3	.3	.7	.3	1.0	.9	1.0	-	1.4	1.0	1.4	2.3	.4	.3
191	SKIN (MELANOMA EXCLUDED)	M	33.7	-	-	-	.3	.3	1.2	2.3	6.3	8.9	13.6	22.3	44.9	70.2	125.7	206.4	317.7	526.9	29.6	15.5	
		F	22.3	-	-	.8	-	-	.6	3.1	7.6	7.0	9.5	12.5	23.7	29.0	45.1	89.3	155.5	217.0	13.9	7.6	
191.1	EYELIDS, INCLUDING CANTHI	M	.6	-	-	-	-	-	-	.3	.3	.6	.3	.9	-	1.1	1.1	3.5	6.7	8.9	.5	.3	
		F	.3	-	-	-	-	-	-	-	-	-	-	.4	-	.5	2.3	1.0	.7	3.1	.2	.1	
191.2	EAR AND EXTERNAL AURICULAR CANAL	M	6.5	-	-	-	-	-	-	.3	.3	.6	1.6	1.7	8.2	11.3	31.4	37.9	59.5	129.5	5.6	2.8	
		F	.4	-	-	-	-	-	-	-	-	-	.7	-	.5	.5	.5	4.8	3.9	.2	.1		
191.3	OTHER AND UNSPECIFIED PARTS OF FACE	M	11.6	-	-	-	-	-	-	.3	1.3	.6	3.2	10.7	19.9	26.8	39.8	68.8	108.9	196.9	10.3	5.3	
		F	12.1	-	-	-	.4	-	-	.3	.7	.3	2.5	2.3	4.8	9.7	12.8	25.5	50.3	87.1	144.9	6.9	3.5
191.4	SCALP AND NECK	M	4.8	-	-	-	-	-	-	-	.3	.6	.9	1.7	3.1	8.0	16.8	36.5	59.5	76.3	4.0	1.9	
		F	1.5	-	-	-	-	-	-	.3	-	1.3	.7	-	2.9	2.3	6.2	11.8	14.1	.8	.5		
191.5	TRUNK	M	3.2	-	-	-	.3	-	.6	.7	.3	1.2	1.9	2.1	5.6	5.4	13.5	21.1	30.3	26.6	2.8	1.5	
		F	2.0	-	-	-	-	-	.3	.7	2.8	.9	.7	2.6	4.4	2.9	3.3	7.8	13.8	7.8	1.5	.9	
191.6	UPPER LIMBS	M	3.9	-	-	-	-	-	.6	.3	1.3	3.1	3.5	1.7	5.1	10.2	11.8	19.7	29.2	58.5	3.4	1.9	
		F	2.7	-	-	-	-	-	-	.3	1.4	.9	1.3	1.3	4.8	5.2	5.6	12.5	17.3	18.0	1.9	1.0	
191.7	LOWER LIMBS	M	2.0	-	-	-	-	.4	-	.3	-	.3	1.3	.6	.9	1.7	2.5	4.3	9.0	13.3	19.1	14.2	1.0
		F	2.6	-	-	-	.4	-	-	.7	2.4	1.3	2.6	2.6	3.9	3.3	5.1	9.9	16.6	16.4	1.9	1.2	

CANCER INCIDENCE IN SWEDEN 1996

PART 9 (14)

Table 4 : Rates per 100.000 by site, sex and age at diagnosis and rates age adjusted to the 1970 census and the world standard population

CODE ICD-7	SITE	SEX	Crude Rate	Age specific rates																	Age stand Rate	World stand Rate	
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
191.8	MULTIPLE PARTS	M	.4	-	-	-	-	-	-	-	.3	.3	.9	1.3	-	1.1	1.1	2.1	2.2	-	.4	.2	
		F	.2	-	-	-	-	-	-	-	.3	-	1.0	-	-	.5	.5	-	-	1.6	.1	.1	
191.9	PART UNSPECIFIED	M	.7	-	-	-	-	-	-	-	.7	1.2	.3	.4	.5	2.1	1.1	3.5	2.2	16.0	.6	.4	
		F	.5	-	-	-	-	-	-	-	.3	.3	-	.3	.9	1.0	.5	-	1.0	3.5	7.0	.3	.2
192	EYE	M	1.4	1.4	.3	-	-	-	-	-	.3	1.0	.9	2.8	1.7	2.0	7.5	3.4	4.2	3.4	7.1	1.4	1.0
		F	1.3	2.9	-	-	-	-	-	.6	.3	.7	.6	1.6	.4	3.4	1.9	1.9	5.7	4.1	3.1	1.1	.9
192.0	BULB	M	1.1	1.4	-	-	-	-	-	-	.7	.9	2.2	1.3	1.5	6.4	3.4	3.5	3.4	3.5	1.1	.8	
		F	.9	2.2	-	-	-	-	-	-	.3	.7	-	1.6	-	2.9	1.4	1.4	5.2	2.8	.8	.8	.7
192.1	OPTIC NERVE	M	-	-	.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	.1	.7	-	-	-	-	-	.3	-	-	-	-	-	-	-	-	-	-	.1	.1	
192.2	ORBITAL CAVITY	M	-	-	-	-	-	-	-	-	-	-	-	.3	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	.3	-	-	-	-	-	-	-	-	-	
192.3	CONJUNCTIVA	M	-	-	-	-	-	-	-	-	-	-	-	.3	-	-	-	-	-	-	1.8	-	
		F	.1	-	-	-	-	-	-	-	-	.3	-	-	.5	-	-	-	-	.8	.1	-	
192.7	OTHER SPECIFIED PART	M	-	-	-	-	-	-	-	-	-	-	-	.4	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
192.8	MULTIPLE PARTS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
192.9	PART UNSPECIFIED	M	.2	-	-	-	-	-	-	-	.3	.3	-	-	-	.5	1.1	-	.7	-	1.8	.2	.1
		F	.2	-	-	-	-	-	-	.3	-	-	-	-	.4	-	.5	.5	.5	1.4	1.6	.1	.1
193	NERVOUS SYSTEM	M	12.9	7.6	4.6	5.8	4.6	4.1	6.7	7.6	7.0	9.4	11.4	21.5	18.9	28.6	32.7	32.5	28.1	29.2	8.9	13.0	10.4
		F	15.4	4.7	3.8	4.9	2.0	3.6	7.0	7.1	11.9	15.9	13.9	21.3	23.3	32.0	40.4	38.6	31.1	22.1	18.8	14.4	11.1
193.0	BRAIN (INCL. MENINGES)	M	11.1	5.9	4.6	5.8	4.6	2.7	5.4	6.7	5.0	7.0	9.8	18.7	17.2	25.5	28.4	29.2	21.8	25.8	7.1	11.2	8.9
		F	12.8	1.8	3.5	3.7	2.0	3.6	5.6	6.4	9.1	13.8	11.1	16.7	19.4	26.2	35.6	33.4	26.0	18.0	17.2	12.0	9.1
193.1	INTRASPINAL	M	.8	.3	-	-	-	1.0	.6	.9	1.0	1.3	.6	.9	1.3	1.0	1.6	.6	2.8	1.1	1.8	.8	.6
		F	1.3	.7	-	-	-	-	.3	.6	1.7	1.0	1.9	2.0	2.2	3.4	3.8	3.3	2.6	.7	.8	1.3	1.0
193.3	PERIPHERAL NERVES	M	.2	.7	-	-	-	-	.3	-	.7	-	.3	-	-	-	1.1	-	1.4	-	-	.2	.2
		F	.2	1.8	.3	.4	-	-	-	-	-	-	.3	.3	-	.5	.5	-	-	-	.3	.4	
193.8	MULTIPLE PARTS	M	-	.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
193.9	PART UNSPECIFIED	M	.8	.3	-	-	-	-	.3	.3	-	.3	1.0	.6	1.9	.4	2.0	1.6	2.8	2.1	2.2	.7	.5
		F	1.0	.4	-	.8	-	-	1.0	-	1.0	1.0	.6	2.3	1.7	1.9	.5	1.9	2.6	3.5	.8	.9	.7

CANCER INCIDENCE IN SWEDEN 1996

PART 10 (14)

Table 4 : Rates per 100.000 by site, sex and age at diagnosis and rates age adjusted to the 1970 census and the world standard population

CODE ICD-7	SITE	SEX	Crude Rate	Age specific rates																	Age stand Rate	World stand Rate	
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84			
194	THYROID GLAND	M	1.9	-	-	-	.8	-	.3	1.5	.7	1.3	2.5	2.8	1.3	3.1	7.0	2.8	7.7	11.2	3.5	1.8	1.2
		F	4.7	-	-	.4	1.6	2.1	3.7	5.2	4.2	6.9	10.1	7.2	4.8	5.3	4.3	8.4	10.4	6.9	7.0	4.3	3.5
195	ENDOCRINE GLANDS	M	5.6	1.4	-	-	-	.7	2.5	1.2	4.4	3.7	6.8	7.6	12.0	12.2	18.2	18.5	19.0	11.2	3.5	5.6	3.9
		F	13.2	1.1	-	-	1.2	2.1	4.0	2.6	7.3	4.5	12.3	15.8	24.2	29.1	34.2	39.9	55.0	31.1	11.0	11.8	7.8
195.0	ADRENAL	M	.7	1.4	-	-	-	-	.3	-	.3	.3	1.2	.9	1.7	3.1	.5	2.2	1.4	-	-	.7	.6
		F	1.2	1.1	-	-	-	-	.4	1.0	.6	.7	1.4	3.2	1.6	2.6	1.0	1.9	3.7	1.6	-	-	1.2
195.1	PARATHYROID	M	2.6	-	-	-	-	-	1.9	.6	1.7	1.3	3.7	4.1	5.1	5.1	7.5	7.9	9.1	6.7	1.8	2.5	1.7
		F	9.7	-	-	-	-	-	.7	1.3	1.0	2.8	2.4	6.3	11.8	17.7	22.3	25.7	31.6	48.8	28.3	9.4	8.5
195.2	THYMUS	M	.2	-	-	-	-	-	-	-	.3	.3	.3	.6	-	.5	1.1	.6	.7	-	-	.2	.2
		F	.3	-	-	-	-	-	.3	-	.3	-	.3	-	-	1.5	.5	1.4	1.6	-	-	.3	.2
195.3	PITUITARY	M	1.9	-	-	-	-	.3	-	.6	1.3	1.7	1.5	1.9	4.3	3.6	8.0	7.3	6.3	4.5	-	1.9	1.2
		F	1.5	-	-	-	1.2	1.1	.7	.3	3.5	.7	2.2	1.6	1.7	3.4	5.2	.9	2.6	2.8	.8	1.4	1.2
195.5	INSULOMA OF PANCREAS	M	.1	-	-	-	-	-	-	-	-	-	-	-	.4	-	.5	.6	1.4	-	1.8	.1	.1
		F	.3	-	-	-	-	-	.3	-	-	-	.3	.7	1.3	-	-	1.4	.5	-	.8	.2	.2
195.7	OTHER ENDOCRINE GLANDS	M	.1	-	-	-	-	.3	.3	-	.7	-	-	-	.4	-	.5	.6	1.4	-	1.8	.1	.1
		F	.2	-	-	-	-	-	-	.3	-	-	-	-	.9	.5	1.0	.9	-	-	-	.2	.1
195.8	MULTIPLE ENDOCRINE GLANDS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
195.9	UNSPECIFIED ENDOCRINE GLANDS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	.1	-	-	-	-	-	.3	.3	-	-	-	-	-	.5	-	-	-	-	-	.1	.1
196	BONE	M	.9	-	1.0	1.2	1.5	1.0	1.0	.9	.3	.7	.6	.9	.9	1.0	.5	.6	4.2	-	.9	.8	
		F	.8	.7	.3	.8	2.0	.7	-	.7	.3	.3	.3	1.3	1.5	1.0	1.0	1.9	1.6	.7	.8	.8	.7
196.0	BONES OF THE SKULL AND FACE (EXCL. LOWER JAW BONE)	M	.2	-	.3	.4	.4	-	-	.3	-	.3	-	-	-	-	.5	-	.7	-	-	.2	.2
		F	-	-	-	-	-	.4	-	-	.3	-	-	-	-	-	-	-	-	-	-	-	
196.1	LOWER JAW BONE	M	-	-	-	-	-	-	-	-	.3	-	-	.3	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.8	-	-		
196.2	VERTEBRAL COLUMN (EXCL. SACRUM AND COCCYX)	M	-	-	-	-	-	-	.3	-	-	-	-	-	-	-	-	-	.7	-	-	-	
		F	.1	-	.3	-	-	-	-	-	.3	-	-	-	-	.5	-	.5	-	-	.1	.1	
196.3	RIBS, STERNUM AND CLAVICLE	M	.1	-	-	-	-	.4	-	-	.3	-	.3	-	-	.4	.5	-	.7	-	-	.1	.1
		F	.1	-	-	-	-	-	.4	-	-	.3	-	.3	.4	-	.5	-	.5	-	-	.1	.1
196.4	UPPER LIMBS, LONG BONES (HUMERUS, RADIUS, Ulna AND SCAPULA)	M	-	-	.3	-	-	-	-	-	-	-	.3	-	-	-	-	-	-	-	-	.1	
		F	.2	.4	-	-	.8	-	-	-	-	-	-	-	.4	1.0	-	.5	.5	-	-	.2	.2

CANCER INCIDENCE IN SWEDEN 1996

PART 11 (14)

Table 4 : Rates per 100.000 by site, sex and age at diagnosis and rates age adjusted to the 1970 census and the world standard population

CODE ICD-7	SITE	SEX X	Crude Rate	Age specific rates																	Age stand Rate	World stand Rate	
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
196.5	UPPER LIMBS, SHORT BONES (CAR-PUS,METACARPUS, DIGITAL BONES)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	.5	-	-	-	-	-	-	
196.6	PELVIC BONES, SACRUM AND COCCYX	M	.1	-	.3	.4	.4	-	-	-	-	-	.3	-	.4	.5	-	-	-	-	.2	.2	
		F	.1	.4	-	.4	.4	-	-	-	-	-	-	-	-	.5	-	.7	-	.1	.1	.1	
196.7	LOWER LIMBS, LONG BONES (FEMUR, TIBIA,FIBULA)	M	.2	-	-	.4	.4	1.0	.6	.3	-	-	-	-	-	-	-	-	1.4	-	-	.2	.2
		F	.1	-	-	.4	.8	-	-	-	-	-	.3	-	.4	-	-	.5	-	-	.1	.2	
196.8	LOWER LIMBS, SHORT BONES (TAR-SUS,METATARSUS, DIGITAL BONES)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
196.9	MULTIPLE AND UN-SPECIFIED PARTS	M	.1	-	-	-	-	-	-	-	-	-	.6	-	-	-	.6	.7	-	-	.1	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.5	-	-	-	-	-	
197	CONNECTIVE TISSUE, MUSCLE	M	3.5	.7	1.0	1.2	1.9	1.0	1.0	.6	2.7	3.3	2.2	4.1	2.6	5.6	8.6	7.3	14.0	19.1	17.7	3.3	2.4
		F	3.2	.7	-	.8	.8	.4	1.7	.6	1.7	3.5	3.5	4.3	4.8	7.3	2.4	7.4	10.4	9.7	5.5	2.8	2.0
197.0	HEAD, FACE AND NECK	M	.5	.3	.7	.4	-	.3	.3	-	.7	.3	-	.3	-	-	-	-	2.1	4.5	8.9	.4	.4
		F	.2	-	-	-	-	-	-	-	.3	.3	-	.7	.4	-	-	-	.5	-	.8	.1	.1
197.1	TRUNK	M	.3	-	-	-	-	-	-	-	.3	.3	.3	.6	.4	-	1.1	.6	1.4	1.1	-	.3	.2
		F	.1	-	-	-	-	-	-	-	-	.3	-	.3	-	-	.5	.5	-	-	.1	.1	.1
197.2	UPPER LIMBS (INCLUDING SHOULDER)	M	.4	-	-	-	.8	.3	-	.3	.7	-	.9	.4	-	1.6	-	-	1.1	5.3	.4	.3	
		F	.4	-	-	-	-	-	.3	-	.3	.3	.6	.7	1.3	.5	-	.9	.5	2.1	1.6	.4	.3
197.3	LOWER LIMBS (INCLUDING HIP)	M	1.1	-	.3	.4	.8	.3	-	.6	1.0	1.7	.6	1.3	.4	3.1	2.1	2.8	3.5	7.9	1.8	1.1	.8
		F	.8	-	-	-	.8	-	.3	.3	1.0	.7	.6	.3	-	2.4	.5	2.3	2.6	3.5	2.3	.7	.5
197.4	RETROPERITONEUM	M	-	-	-	-	-	.3	-	-	-	-	.3	-	-	-	-	-	-	-	-	-	
		F	.2	-	-	.4	-	-	.3	-	-	.3	.3	-	.5	.5	.5	-	-	-	.2	.1	
197.5	HEART	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	.9	-	-	-	-	-	-	.1	-	
197.7	OTHER SPECIFIED PARTS	M	.8	.3	-	.4	.4	-	-	.3	.3	1.2	.3	.9	2.0	3.2	3.9	4.9	1.1	-	.9	.6	
		F	1.2	.4	-	.4	-	-	.7	-	.7	1.9	2.0	2.2	2.9	1.4	2.8	5.7	2.1	.8	1.1	.8	
197.8	MULTIPLE PARTS	M	-	-	-	-	-	-	.3	-	-	-	-	-	.5	-	-	-	-	-	.1	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.7	-	-	-	
197.9	PART UNSPECIFIED	M	.2	-	-	-	-	-	-	-	-	-	-	.3	.4	-	.5	-	2.1	3.4	1.8	.2	.1
		F	.3	.4	-	-	-	.4	-	.3	-	.7	-	.3	-	1.0	-	.5	.5	1.4	-	.2	.2
199	OTHER AND UNSPECIFIED SITES	M	17.1	-	-	-	-	-	.3	2.1	2.7	4.3	6.8	14.5	24.0	35.2	55.2	64.5	96.2	119.0	113.5	16.2	9.1
		F	22.4	.4	-	-	-	-	.7	1.0	1.7	4.2	7.3	19.0	23.3	42.2	55.1	80.8	96.5	105.1	102.6	17.2	9.8

CANCER INCIDENCE IN SWEDEN 1996

PART 12 (14)

Table 4 : Rates per 100.000 by site, sex and age at diagnosis and rates age adjusted to the 1970 census and the world standard population

CODE ICD-7	SITE	SEX	Crude Rate	Age specific rates																	Age stand Rate	World stand Rate		
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
199.1	HEAD, FACE AND NECK	M	.3	-	-	-	-	-	-	-	-	.3	-	.3	-	1.0	-	1.1	.7	4.5	1.8	.2	.1	
		F	.2	-	-	-	-	-	-	-	-	.3	-	.3	.4	.5	.5	.5	1.0	1.4	.8	.2	.1	
199.2	THORAX	M	.3	-	-	-	-	-	-	-	-	.3	-	.6	.4	1.0	1.6	1.1	2.1	1.1	-	.3	.2	
		F	.2	-	-	-	-	-	-	-	.3	-	-	-	.4	.5	.5	-	1.6	-	-	.1	.1	
199.3	ABDOMEN	M	1.8	-	-	-	-	-	-	.3	-	.7	.3	1.6	1.3	5.1	5.9	4.5	11.2	11.2	19.5	1.7	.9	
		F	3.5	-	-	-	-	-	-	.3	.7	-	1.3	2.0	4.8	5.3	8.6	13.0	13.5	13.8	21.9	2.6	1.5	
199.4	PELVIS	M	.2	-	-	-	-	-	-	-	.3	-	.3	-	.9	.5	-	-	-	2.2	1.8	.2	.1	
		F	.9	-	-	-	-	-	-	.3	-	.7	-	.3	-	1.5	.5	4.6	5.2	6.2	3.1	.6	.3	
199.5	ARM AND LEG	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	.3	-	-	-	-	-	-	-	-	-	-	-	-	
199.9	SITE UNKNOWN	M	14.5	-	-	-	-	-	.3	1.8	2.3	3.0	6.2	12.0	21.5	27.5	47.7	57.8	82.1	99.9	90.5	13.8	7.7	
		F	17.6	.4	-	-	-	-	.7	.3	.3	3.1	6.0	16.4	17.7	34.4	45.1	62.7	75.3	83.6	76.8	13.6	7.8	
200	MALIGNANT NON-HODGKIN LYMPHOM	M	17.2	1.0	2.0	1.9	2.3	2.4	2.5	3.7	4.0	7.0	10.5	22.8	24.9	34.2	44.5	60.6	80.0	97.7	83.4	16.4	10.4	
		F	13.3	.4	.3	1.2	.4	1.1	.7	2.6	2.4	3.5	6.6	11.2	17.3	21.3	30.9	46.9	53.5	57.4	52.5	10.4	6.3	
200.0	HISTIOCYTIC	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
200.1	LYMPHOCYTIC	M	15.5	1.0	2.0	1.9	1.9	2.4	1.6	3.4	4.0	6.7	9.8	21.2	23.6	29.1	39.1	53.3	73.0	89.8	67.4	14.8	9.3	
		F	12.2	.4	.3	.4	.4	1.1	.7	2.3	2.4	2.8	6.0	10.8	17.3	19.4	25.7	42.7	49.3	51.2	51.7	9.5	5.7	
200.2	MALIGNANT LYMPHOMA NOS	M	1.4	-	-	-	.4	-	1.0	.3	-	.3	.6	1.3	1.3	4.1	4.3	3.9	6.3	5.6	14.2	1.3	.8	
		F	.8	-	-	.8	-	-	-	.3	-	.7	.6	.3	-	1.9	2.9	2.8	3.1	5.5	-	.7	.5	
200.3	WALDENSTRÖMS DISEASE	M	.3	-	-	-	-	-	-	-	-	-	-	-	.3	-	1.0	1.1	3.4	.7	2.2	1.8	.3	.2
		F	.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	1.4	1.0	.7	.2	.1	
201	HODGKINS DISEASE	M	2.3	-	.3	3.1	2.7	4.8	1.3	2.7	2.3	2.3	2.8	1.3	3.4	1.5	3.2	1.1	3.5	3.4	3.5	2.3	2.1	
		F	2.1	-	-	2.4	3.2	6.1	1.7	2.3	1.4	2.1	1.3	.7	1.3	3.4	1.9	2.8	1.0	4.1	4.7	2.1	1.9	
202	RETICULOSIS AND RELATED FORMS	M	1.6	.3	.7	-	-	.3	-	-	.3	1.7	1.2	1.9	3.9	1.5	5.9	6.2	4.9	5.6	7.1	1.6	1.1	
		F	.5	.4	-	-	.4	-	-	-	.3	.3	1.3	-	.9	1.5	-	.9	1.6	.7	2.3	.4	.3	
202.1	RETICULOSIS, UNSPECIFIED	M	.5	.3	.7	-	-	.3	-	-	-	.7	-	-	1.7	.5	1.6	1.7	2.1	3.4	1.8	.5	.4	
		F	.2	.4	-	-	.4	-	-	-	-	.3	.6	-	-	.5	-	.9	-	.8	.2	.2	.2	
202.2	MYCOSIS FUNGOIDES	M	.4	-	-	-	-	-	-	-	-	-	.3	.3	.9	.5	1.6	2.8	1.4	-	1.8	.4	.2	
		F	.2	-	-	-	-	-	-	-	.3	-	.3	-	-	1.0	-	1.0	.7	.8	.1	.1	.1	
202.4	HAIRY-CELL LEUKEMIA	M	.7	-	-	-	-	-	-	-	.3	1.0	.9	1.6	1.3	.5	2.7	1.7	1.4	2.2	3.5	.7	.4	
		F	.1	-	-	-	-	-	-	-	-	-	.3	-	.9	-	-	.5	-	.8	.1	.1	.1	

CANCER INCIDENCE IN SWEDEN 1996

PART 13 (14)

Table 4 : Rates per 100,000 by site, sex and age at diagnosis and rates age adjusted to the 1970 census and the world standard population

CANCER INCIDENCE IN SWEDEN 1996

PART 14 (14)

Table 4 : Rates per 100.000 by site, sex and age at diagnosis and rates age adjusted to the 1970 census and the world standard population

CODE ICD-7	SITE	SEX	Crude Rate	Age specific rates																	Age stand Rate	World stand Rate	
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
207.2	ACUTE ERYTHRAEMIA	M	-	-	-	-	-	-	-	-	-	-	-	-	-	.5	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
207.3	MEGAKARYOCYTIC	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.6	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
207.9	UNSPECIFIED	M	.1	-	-	-	-	-	-	-	-	-	-	-	-	.5	.6	-	-	1.8	.1	-	
		F	.2	-	-	-	-	-	-	-	.3	.3	.3	1.6	1.3	.9	2.4	2.4	2.8	5.7	3.5	2.3	.1
208	POLYCYTHAEMIA VERA	M	1.0	-	-	-	-	-	.3	-	-	.3	.6	2.1	3.1	3.2	4.5	5.6	3.4	3.5	1.0	.6	
		F	1.1	-	-	-	-	-	-	.3	.3	.3	1.0	.6	-	.9	3.9	3.3	4.2	4.7	6.2	3.9	.9
209	MYELOFIBROSIS	M	.9	-	-	-	-	-	-	-	-	-	.6	.6	.9	3.1	5.4	3.9	3.5	4.5	1.8	.9	.5
		F	1.2	-	-	-	-	-	-	-	.3	1.0	.6	-	.9	3.9	3.3	4.2	4.7	6.2	3.9	1.0	.6
171	NOT INCLUDED ABOVE CARCINOMA IN SITU OF UTERINE CERVIX	F	64.5	-	-	-	7.7	105.7	218.0	189.4	153.5	96.9	68.9	52.2	39.7	20.8	15.2	13.9	11.4	3.5	2.3	65.0	63.0

CANCER INCIDENCE IN SWEDEN 1996

PART 1 (4)

Table 5 : Rates per 100.000 age standardised to the 1970 census, by site, sex and county

CODE ICD-7	SITE	SEX	COUNTIES					06 JÖNKÖPING					11 KRISTIANSTAD					16 SKARABORG					21 GÄVLEBORG				
			01 STOCKHOLM	03 UPPSALA	04 SÖDERMANLAND	05 ÖSTERGÖTLAND	07 KRONOBERG	08 KALMAR	09 GOTLAND	10 BLEKINGE	11 MÅLMOHUS	12 HALLAND	14 GÖTEBORG OCH BOHUS	15 ÄLVSborg	16 VÄRMLAND	17 ÖREBRO	18 VÄSTMANLAND	19 KOPPARBERG	20 NORRBOTTEN	21 VÄSTERNORRLAND	22 JÄMTLAND	23 VÄSTERBOTTEN	24 NORRBOTTEN	25			
140-209	ALL SITES	M	463.9	459.3	472.9	498.9	470.2	436.2	444.3	494.9	454.3	439.8	506.5	571.8	478.1	516.0	460.2	478.9	401.3	430.9	420.0	395.0	395.5	401.9	387.5	448.3	380.1
		F	397.7	399.4	364.2	383.0	414.9	388.1	382.9	391.4	454.7	449.7	396.0	437.2	381.7	437.2	396.5	384.1	381.6	393.7	379.8	350.7	353.7	372.0	407.0	400.5	350.2
140	LIP	M	2.9	2.4	1.8	1.9	4.9	3.9	1.7	4.4	-	-	3.5	4.3	4.8	2.8	2.3	3.2	3.7	1.6	2.4	1.5	2.0	2.1	3.2	3.9	3.4
		F	1.0	.9	-	.9	1.1	.3	-	.6	-	-	2.5	1.7	1.4	1.9	1.0	.4	-	-	1.2	.5	1.3	-	1.5	.8	1.2
141	TONGUE	M	2.1	1.9	3.6	5.0	-	-	1.0	2.1	2.8	-	.6	2.0	2.7	2.1	1.8	1.2	4.5	4.6	2.7	7.2	2.7	-	-	-	.8
		F	1.2	1.4	.4	1.3	.2	.6	-	2.6	4.2	-	-	2.6	1.6	.1	-	.7	3.9	1.1	2.8	1.9	1.6	-	.4	1.5	1.0
142	SALIVARY GLANDS	M	.9	.9	-	.9	2.4	.5	3.3	1.6	-	-	.8	.8	1.7	1.9	-	.8	-	.4	-	-	1.4	-	-	.9	-
		F	.7	.6	.8	.9	.5	-	.5	2.6	3.2	-	-	.4	.9	1.0	.3	.4	.8	.7	1.6	1.2	.8	.7	-	-	-
143	FLOOR OF MOUTH	M	.9	1.4	1.2	.9	-	1.2	1.4	-	2.8	-	-	1.7	.9	1.2	1.2	.9	-	1.3	.9	-	.6	1.4	1.9	-	-
		F	.4	.4	-	-	.5	.6	1.0	.9	-	-	.8	-	.8	-	-	-	-	-	.8	-	-	.8	-	-	
144	MOUTH, OTHER PARTS AND UNSPECIFIED	M	1.6	2.3	4.8	.6	7	-	1.9	1.0	-	-	1.6	2.0	1.8	.9	1.6	3.5	5	2.0	.6	-	4.6	1.7	.6	.7	
		F	1.2	1.4	.4	1.9	.5	1.1	-	1.1	3.6	.8	1.0	2.2	1.4	1.6	1.7	.5	-	-	.9	1.5	2.1	1.4	3.7	-	-
145	MESOPHARYNX	M	1.7	2.9	.8	1.2	.9	1.1	-	1.9	3.1	1.9	2.0	1.9	-	3.5	-	.7	-	1.5	1.4	3.2	1.2	1.5	-	3.7	-
		F	.6	1.1	-	.7	.9	.9	-	.8	-	1.2	-	1.1	-	.6	.4	-	.3	-	-	.8	.6	-	-	.8	
146	NASOPHARYNX	M	.5	.6	.5	-	.8	.7	1.0	-	4.0	-	.6	.2	1.7	-	.4	.9	.6	-	-	.6	1.3	-	-	1.8	.8
		F	.3	-	.8	-	-	2.0	-	-	-	-	1.1	.3	.2	.2	-	-	.5	-	.7	-	-	.6	-	.7	.5
147	HYPOPHARYNX	M	1.3	2.1	1.5	.9	.7	.5	-	1.0	4.2	-	-	1.1	1.7	2.0	3.0	.9	1.1	.6	.7	.9	.6	1.2	-	1.9	.7
		F	.2	.7	-	-	-	-	-	-	-	-	.1	.5	-	-	.3	-	-	-	-	-	-	-	1.8	-	
148	PHARYNX, PART UNSPECIFIED	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.6	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
150	OESOPHAGUS	M	5.8	9.2	3.5	6.4	4.5	2.9	3.8	4.0	7.9	2.4	8.8	5.8	6.7	5.2	4.2	6.2	7.7	7.4	8.1	7.3	5.1	1.7	3.1	3.4	2.0
		F	1.5	1.1	.4	3.0	1.0	1.1	2.9	.5	3.2	1.8	3.6	1.9	2.1	2.0	1.5	1.6	-	2.8	1.3	1.2	1.8	1.3	-	.5	1.3
151	STOMACH	M	15.7	17.2	11.8	17.0	14.2	18.4	15.2	14.5	19.2	21.3	19.9	16.6	11.5	10.8	14.0	14.4	12.3	10.9	14.9	13.2	19.6	20.8	11.6	21.3	20.8
		F	7.6	7.2	5.6	9.0	5.6	7.0	10.3	5.2	10.1	10.7	5.2	8.0	7.5	8.2	8.5	6.0	8.2	7.6	5.9	7.0	10.6	9.9	8.3	10.7	6.5
152	SMALL INTESTINE	M	2.6	2.1	3.2	3.5	1.9	1.2	1.0	3.7	2.8	4.7	1.2	3.5	2.3	2.8	3.2	3.4	1.6	2.6	1.7	2.6	2.1	2.1	1.8	3.2	3.8
		F	1.4	1.2	3.1	-	2.9	2.6	1.2	2.5	-	.8	.5	1.9	.4	1.6	1.8	2.1	.9	1.5	1.1	.5	-	-	2.9	.8	1.0
153	COLON	M	32.3	31.6	31.2	40.8	31.2	35.3	36.0	31.2	43.4	34.1	34.5	37.0	27.9	34.5	31.4	29.3	21.4	40.0	32.6	24.5	33.2	29.8	20.7	33.6	26.8
		F	27.0	24.7	26.8	25.9	30.8	20.0	36.0	23.0	37.7	31.1	34.9	34.4	20.9	29.2	33.2	34.2	25.5	25.5	19.7	21.3	22.8	21.3	30.9	22.1	17.6

CANCER INCIDENCE IN SWEDEN 1996

PART 2 (4)

Table 5 : Rates per 100.000 age standardised to the 1970 census, by site, sex and county

CODE ICD-7	SITE	SEX	COUNTIES					06 JÖNKÖPING				11 KRISTIANSTAD				16 SKARABORG				21 GÄVLEBORG						
			01 STOCKHOLM	03 UPPSALA	04 SÖDERMANLAND	05 ÖSTERGÖTLAND	07 KRONOBERG	08 KALMAR	09 GOTLAND	10 BLEKINGE	12 MÅLÖHUS	13 HALLAND	14 GÖTEBORG OCH BOHUS	15 ÄLVSBORG	17 VÄRMLAND	18 ÖREBRO	19 VÄSTMANLAND	20 KOPPARBERG	22 VÄSTERNORRLAND	23 JÄMTLAND	24 VÄSTERBOTTEN	25 NORRBOTTEN				
154	RECTUM AND ANUS	M	22.1	22.8	17.7	31.3	20.2	16.3	27.3	29.0	12.0	29.0	29.1	25.2	29.4	20.4	23.9	21.4	16.1	18.5	19.2	17.8	21.5			
		F	14.5	13.7	13.9	14.5	16.9	17.9	18.2	17.2	12.9	16.9	19.8	15.1	11.9	15.2	11.6	10.1	14.8	18.7	15.7	11.7	13.2			
155	BILIARY PASSAGES AND LIVER, PRIMARY	M	9.1	11.0	10.8	7.6	10.2	6.8	8.4	10.5	2.2	10.4	6.7	9.2	5.0	10.1	6.8	8.9	9.9	6.0	9.8	11.5	10.0	6.8		
		F	7.9	9.5	10.7	5.7	9.2	6.5	8.6	10.5	19.8	8.1	8.3	5.4	6.8	6.9	6.0	7.8	4.6	9.1	6.8	5.3	7.5	7.7		
156	LIVER, NOT SPECIFIED AS PRIMARY	M	1.8	.8	-	1.2	1.5	3.6	1.4	1.3	-	3.7	.7	1.9	1.2	2.3	1.9	7.1	2.2	-	-	-	1.8	4.5		
		F	1.3	.9	-	1.2	1.5	2.2	.5	.5	-	.8	-	1.1	.5	3.8	2.6	2.3	-	-	.4	.7	3.9	1.2		
157	PANCREAS	M	11.0	13.2	6.8	10.0	16.1	12.8	10.4	11.9	-	8.0	8.7	11.6	10.3	12.8	8.6	8.4	10.3	10.2	7.3	6.3	8.4	14.6		
		F	8.6	10.1	8.3	9.3	7.1	11.7	7.4	7.8	19.7	7.3	6.1	8.5	5.1	9.4	6.0	6.7	7.9	6.3	6.1	9.2	8.6	13.5		
158	PERITONEUM	M	.1	-	-	-	-	-	-	-	-	-	-	-	-	.4	-	.7	-	-	-	-	-	-		
		F	.1	.5	-	-	-	-	-	-	.9	-	-	-	-	-	-	-	.8	-	-	-	-	-		
160	NOSE AND NASAL SINUSES	M	.7	.8	.8	.9	.6	1.5	-	.6	3.1	-	-	.9	.5	.8	.8	-	8	.6	-	1.5	.7	.8		
		F	.4	.5	.4	-	1.4	-	-	-	-	-	.5	.9	-	.2	-	1.7	.4	.3	1.0	.6	.2	.8	-	
161	LARYNX	M	4.0	4.4	5.9	5.5	2.4	5.2	4.7	4.0	11.3	6.2	1.4	7.6	6.3	4.4	1.8	4.0	2.7	.8	4.0	2.3	3.8	2.1	4.6	
		F	.4	.2	-	-	.2	-	.7	.9	-	-	-	.5	1.5	-	.4	.9	.7	.8	-	.7	.6	1.0	-	
162	TRACHEA, BRONCHUS, LUNG AND PLEURA, PRIMARY	M	39.2	42.5	42.4	44.7	44.6	28.0	31.0	38.4	30.4	37.2	51.1	61.0	30.1	44.0	35.1	27.6	33.1	40.8	47.4	27.9	23.7	25.3	23.1	
		F	21.6	25.3	20.6	27.3	23.4	12.5	14.1	21.4	13.7	17.5	17.0	29.4	18.2	26.6	15.6	16.2	17.4	23.8	31.4	16.1	12.3	21.4	20.2	
163	LUNG, NOT SPECIFIED AS PRIMARY	M	1.1	2.9	-	-	2.2	.4	-	.6	-	-	-	.5	3.4	2.3	2.3	-	-	-	-	-	-	1.2	.9	
		F	.9	2.3	-	-	.2	1.4	-	-	-	-	-	1.5	-	1.7	2.8	.6	1.2	-	-	-	-	-	.3	
164	MEDIASTINUM	M	.1	.1	-	-	-	-	-	-	-	-	-	.3	.9	-	-	-	-	-	-	-	-	-	-	
		F	-	-	.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.4		
170	BREAST	M	.8	.6	.8	.7	.4	2.1	-	1.3	4.2	-	1.0	1.2	-	1.3	1.3	1.4	.6	-	.7	.5	1.1	-	.6	
		F	115.4	127.5	111.2	110.5	114.8	109.3	114.0	110.1	121.6	129.3	120.2	119.3	111.1	123.8	94.2	111.8	114.9	108.4	100.3	102.4	104.4	105.5	110.6	
171	CERVIX UTERI	F	8.8	9.4	7.7	8.3	7.3	6.8	7.1	3.1	13.4	2.7	7.8	10.3	8.6	9.7	8.1	7.5	10.7	3.1	14.4	4.5	13.8	13.2	8.5	
172	CORPUS UTERI	F	24.3	21.0	14.8	22.7	22.6	23.1	28.1	22.7	50.6	27.5	22.6	21.0	20.6	24.3	33.3	28.3	24.7	24.8	29.8	32.9	26.3	25.5	25.1	25.7
173	CHORIONEPITHELIOMA OF UTERUS	F	.1	.1	-	-	-	-	-	-	-	-	-	-	-	.2	.4	-	.9	-	.7	-	-	-	-	
174	UTERUS, PART UNSPECIFIED	F	2.2	1.8	1.2	4.2	.6	2.0	3.9	1.9	-	4.9	2.9	2.8	1.7	2.7	1.7	3.0	1.2	1.9	1.9	4.1	.6	2.7	-	1.9
175	OVARY, TUBE AND BROAD LIGAMENT	F	18.3	18.0	9.6	14.6	18.8	20.1	13.5	19.9	6.2	30.2	17.5	16.2	20.2	18.2	29.0	14.6	27.8	21.0	17.2	14.9	19.2	16.0	14.3	14.1

CANCER INCIDENCE IN SWEDEN 1996

PART 3 (4)

Table 5 : Rates per 100.000 age standardised to the 1970 census, by site, sex and county

CODE ICD-7	SITE	SEX	SWEDEN	COUNTIES					06 JÖNKÖPING			11 KRISTIANSTAD			16 SKARABORG			21 GÄVLEBORG									
				01 STOCKHOLM	03 UPPSALA	04 SÖDERMANLAND	05 ÖSTERGÖTLAND	07 KRONOBERG	08 KALMAR	09 GOTLAND	10 BLEKINGE	12 MÅLMOHUS	13 HALLAND	14 GÖTEBORG OCH BOHUS	15 ÄLVSborg	17 VÄRMLAND	18 ÖREBRO	19 VÄSTMANLAND	20 KOPPARBERG	22 VÄSTERNORRLAND	23 JÄMTLAND	24 VÄSTERBOTTEN	25 NORRBOTTEN				
176	OTHER FEMALE GENITAL ORGANS	F	3.8	3.7	5.0	2.7	4.2	7.3	2.9	4.0	7.2	5.1	4.6	2.9	4.5	3.5	3.2	2.5	4.9	1.2	5.2	2.5	2.9	5.9	.4	3.0	4.6
177	PROSTATE	M	124.1	113.8	180.2	136.9	114.7	113.4	122.1	147.0	118.0	94.2	142.5	143.5	132.2	144.8	116.2	153.8	91.7	113.9	122.6	101.8	96.8	109.1	111.8	136.0	102.4
178	TESTIS	M	4.5	3.5	5.4	3.7	4.9	3.5	4.2	6.4	12.0	7.4	6.7	4.4	2.8	3.2	5.2	6.3	7.7	2.2	3.1	6.3	5.2	4.9	10.6	4.6	2.1
179	OTHER MALE GENITAL ORGANS	M	1.4	1.4	1.0	1.7	1.6	1.4	.9	-	2.4	2.0	-	.9	1.0	1.9	.9	.7	3.7	1.1	1.6	1.1	4.6	1.8	-	-	1.5
180	KIDNEY	M	13.5	10.8	12.3	18.5	15.7	11.9	13.0	15.4	17.7	10.6	10.8	14.5	17.8	13.1	14.0	14.7	11.7	18.0	10.6	15.6	15.5	19.5	11.2	11.7	11.4
		F	7.9	6.4	10.4	12.2	11.4	11.9	5.2	6.9	1.6	7.0	7.0	9.0	6.8	8.0	4.3	11.8	8.4	8.2	7.6	7.5	7.4	8.1	11.1	8.0	1.9
181	URINARY ORGANS	M	32.9	31.7	30.0	38.9	37.1	25.8	30.1	24.2	28.3	30.2	37.1	48.7	38.1	36.0	30.8	27.7	25.2	29.3	28.7	34.1	26.8	31.4	26.3	29.0	29.9
		F	9.3	9.1	7.1	5.1	9.7	8.6	7.5	8.7	8.8	9.7	14.1	11.2	9.2	12.5	6.7	7.6	8.2	11.3	5.9	7.4	11.1	9.8	7.6	8.4	8.2
190	MALIGNANT MELANOMA OF SKIN	M	16.7	15.1	8.6	18.6	18.7	22.4	16.4	15.3	10.5	9.5	16.1	20.9	15.5	24.9	19.8	19.9	10.3	16.8	19.5	12.4	14.7	8.3	13.7	13.6	13.4
		F	15.0	13.1	7.7	10.9	18.6	20.0	8.5	21.0	10.5	9.9	12.5	20.8	19.0	20.7	21.6	11.9	8.5	17.0	8.5	11.1	13.3	12.9	18.2	11.2	8.9
191	SKIN (MELANOMA EXCLUDED)	M	29.6	31.9	17.1	15.3	22.4	36.1	35.6	29.6	25.5	26.9	36.6	43.2	33.3	47.4	42.6	26.3	36.3	19.9	12.7	25.5	15.2	11.0	14.5	15.1	7.6
		F	13.9	14.2	8.1	7.6	8.7	20.3	5.2	9.2	6.7	18.8	12.0	21.1	14.6	26.3	19.8	10.7	17.8	9.2	5.8	9.3	3.7	10.3	15.4	6.0	5.7
192	EYE	M	1.4	1.5	1.0	1.7	1.2	1.2	2.0	3.0	-	1.4	.6	1.2	1.5	1.3	.9	2.7	1.9	1.5	.6	2.0	.6	-	-	2.3	2.2
		F	1.1	1.6	-	.5	2.2	.5	-	-	-	1.2	1.0	-	.6	2.3	.6	-	2.1	.9	.8	2.3	1.8	1.0	.9		
193	NERVOUS SYSTEM	M	13.0	13.1	8.3	16.9	12.2	10.3	10.2	13.5	12.7	20.6	11.6	16.4	16.6	14.4	14.1	10.8	12.8	12.4	6.9	11.7	7.0	9.2	11.5	17.3	12.9
		F	14.4	13.8	10.9	9.8	18.7	14.8	11.7	18.0	11.3	21.2	12.2	15.0	11.3	14.2	14.1	14.6	9.9	14.2	11.9	15.3	10.6	14.9	27.5	22.8	15.2
194	THYROID GLAND	M	.8	.6	1.2	3.7	3.1	2.7	1.0	.7	-	2.2	1.8	2.2	-	2.2	2.7	.8	2.5	3.0	3.0	2.4	1.1	3.0	3.2	-	-
		F	4.3	3.4	3.3	4.9	11.0	2.8	2.7	5.1	8.1	5.1	4.9	3.5	4.3	4.2	1.5	6.3	4.4	4.5	10.0	1.3	2.8	3.4	5.3	4.9	3.9
195	ENDOCRINE GLANDS	M	5.6	5.6	4.2	6.0	6.3	5.9	6.9	6.6	4.6	10.1	4.9	6.7	7.1	6.4	8.4	3.7	2.0	5.2	3.0	.8	4.6	4.9	8.1	5.2	4.3
		F	11.8	9.5	16.0	8.4	12.1	17.4	15.4	12.6	12.9	21.6	11.2	12.1	15.8	13.9	14.6	13.0	8.0	8.8	15.5	4.6	5.0	6.3	23.0	9.7	15.1
196	BONE	M	.9	.7	1.4	1.7	1.0	2.3	1.2	.9	4.4	-	.6	1.0	-	.8	1.6	1.3	.7	-	1.5	.6	.5	-	1.3	-	.8
		F	.8	.9	-	1.7	-	.5	-	-	-	1.2	-	1.2	2.7	1.5	.8	-	1.7	1.1	-	.8	.6	-	-	.7	
197	CONNECTIVE TISSUE, MUSCLE	M	3.3	4.2	1.4	4.0	5.8	2.7	2.1	3.7	-	1.4	5.7	2.3	3.7	4.6	6.0	2.9	3.9	2.3	4.4	.8	2.3	1.3	-	1.8	-
		F	2.8	3.2	6.2	3.6	2.8	.6	3.7	1.8	10.6	4.9	3.0	1.8	2.7	2.2	2.9	2.0	3.0	3.6	2.4	.8	4.7	2.7	2.5	2.1	1.3
199	OTHER AND UNSPECIFIED SITES	M	16.2	15.9	11.4	19.7	19.1	14.7	17.2	15.9	15.0	17.6	14.1	24.8	16.7	11.3	14.3	19.7	18.0	22.3	9.4	14.0	18.1	17.0	8.4	15.7	8.5
		F	17.2	16.1	17.7	25.4	20.0	14.3	25.4	13.6	24.4	22.3	17.1	18.0	14.9	13.6	15.6	15.2	16.5	17.4	17.0	20.8	19.0	12.8	9.1	16.7	24.9

CANCER INCIDENCE IN SWEDEN 1996

PART 4 (4)

Table 5 : Rates per 100.000 age standardised to the 1970 census, by site, sex and county

CODE ICD-7	SITE	SEX	COUNTIES					06 JÖNKÖPING				11 KRISTIANSTAD				16 SKARABORG				21 GÄVLEBORG							
			01 STOCKHOLM	03 UPPSALA	04 SÖDERMANLAND	05 ÖSTERGÖTLAND	07 KRONOBERG	08 KALMAR	09 GOTLAND	10 BLEKINGE	15 ÄLVSborg	12 MÅLÖHUS	13 HALLAND	14 GÖTEBORG OCH BOHUS	17 VÄRMLAND	18 ÖREBRO	19 VÄSTMANLAND	20 KOPPARBERG	22 VÄSTERNORRLAND	23 JÄMTLAND	24 VÄSTERBOTTEN	25 NORRBOTTEN					
200	MALIGNANT NON-HODGKIN LYMPHO	M	16.4	13.3	17.4	12.8	20.5	11.6	8.2	25.1	15.1	21.9	15.4	19.9	15.5	13.2	15.2	20.6	17.5	16.1	14.3	17.5	21.6	17.4	17.5	20.9	18.4
		F	10.4	7.6	10.0	12.6	11.4	7.4	8.8	15.7	9.4	12.3	9.9	15.5	6.2	9.0	11.8	8.7	5.2	15.4	16.3	8.2	8.6	9.8	14.2	12.1	12.3
201	HODGKINS DISEASE	M	2.3	2.4	1.2	.8	2.4	3.4	1.0	2.5	-	2.9	4.5	2.3	.8	2.6	1.3	2.1	3.1	.6	1.4	3.8	2.9	.9	-	4.5	3.2
		F	2.1	1.0	2.2	-	.9	3.0	4.0	1.3	-	-	1.5	3.1	4.6	1.7	2.7	3.6	2.6	1.9	3.0	3.2	.5	6.3	.6	2.0	1.3
202	RETICULOSIS AND RELATED FORMS	M	1.6	1.2	1.6	3.1	2.6	2.6	2.1	.9	2.8	1.4	1.1	2.2	1.4	1.8	.8	4.4	2.7	-	1.5	.6	-	.5	.8	.7	1.5
		F	.4	.8	.6	.5	.6	-	-	-	-	-	1.2	.4	.9	-	.3	.8	-	-	-	-	-	.6	-	-	1.8
203	MULTIPLE MYELOMA PLASMOCYTOMA	M	6.3	4.9	2.7	4.2	7.9	6.3	8.4	7.2	6.8	6.1	7.1	7.1	6.8	6.8	3.5	6.8	4.6	7.9	8.0	4.4	3.9	4.6	11.9	11.1	9.6
		F	4.6	4.3	8.2	6.7	4.3	3.4	3.8	5.6	10.9	8.3	2.6	5.3	7.4	4.5	2.5	5.3	3.4	2.7	1.8	6.2	6.0	2.5	3.2	6.4	4.8
204	LYMPHATIC LEUKEMIA	M	6.7	7.1	8.1	5.3	4.6	7.0	9.2	7.2	19.8	12.3	11.2	5.7	7.0	5.8	4.6	3.9	4.6	7.1	7.6	3.7	6.6	9.8	7.9	7.5	6.7
		F	4.2	4.6	2.7	3.1	2.8	3.0	1.8	5.4	11.8	7.6	2.9	4.0	4.8	4.2	4.6	6.7	4.1	6.7	2.1	1.1	1.7	3.5	3.0	7.0	7.5
205	MYELOID LEUKEMIA	M	4.6	4.5	3.5	3.0	3.5	6.4	1.7	4.1	-	2.4	5.9	6.1	7.8	3.5	7.3	5.8	4.6	2.5	.8	3.5	3.1	4.6	6.8	5.9	5.0
		F	3.6	3.2	6.7	5.3	4.5	2.0	7.2	3.9	1.0	3.2	3.4	3.7	5.1	2.6	3.4	4.6	4.2	2.7	4.6	5.6	3.4	1.6	7.3	-	2.5
206	MONOCYTIC LEUKEMIA	M	.2	.4	.7	-	-	-	-	1.7	-	-	-	-	-	.3	-	-	1.3	-	-	-	-	-	-	-	-
		F	-	.1	-	-	-	-	-	.2	-	-	-	-	-	-	.3	-	.2	-	-	-	-	-	-	-	
207	OTHER AND UNSPECIFIED LEUKEMIA	M	.5	.5	-	1.3	.6	-	-	-	-	-	.7	.4	-	.2	.9	-	-	.5	2.2	2.6	.6	.6	-	-	-
		F	.4	.4	1.0	.3	-	.2	-	.3	-	-	-	.2	.2	.2	.6	-	.4	2.9	.4	1.6	-	.2	-	-	-
208	POLYCYTHAEMIA VERA	M	1.0	1.0	2.2	-	3.1	1.4	1.3	1.2	-	-	-	1.1	.7	1.3	.5	.9	1.3	-	.9	-	1.3	.5	-	1.6	-
		F	.9	.2	1.5	-	2.9	.4	1.1	.6	-	-	.7	.7	.7	1.6	1.9	.9	2.7	2.3	-	.8	1.4	-	-	.8	.6
209	MYELOFIBROSIS	M	.9	.5	2.9	-	1.1	.7	-	-	5.2	-	.7	.5	1.0	1.0	3.5	-	1.2	-	-	1.2	2.4	-	-	.7	2.0
		F	1.0	.6	1.4	-	.3	.2	-	1.1	-	-	1.1	1.0	1.4	1.3	3.4	.7	.8	2.4	-	2.6	.6	.3	.6	.3	2.2
171	NOT INCLUDED ABOVE OF UTERINE CERVIX CARCINOMA IN SITU	F	65.0	59.5	29.8	98.4	76.1	54.3	26.8	62.5	115.0	63.4	43.6	103.4	76.1	71.2	68.8	52.8	32.4	52.0	36.5	60.9	49.6	75.5	41.1	96.6	71.1

CANCER INCIDENCE IN SWEDEN 1996

PART 1 (4)

Table 6 : Rates per 100.000 age standardised to the 1970 census, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

CODE ICD-7	SITE	SEX	MEDICAL REGIONS						COUNTIES						STOCKHOLM			MALMÖ			GÖTEBORG		
			R1 STOCKHOLM			01 09			01			COUNTY			12			COUNTY			14		
			R2 UPPSALA-ÖREBRO			03 04 17 18 19 20 21			0180			MUNICIPALITY			1280			MUNICIPALITY			1480		
			R3 LINKÖPING			05 06 08			01A			COUNTY EXCLUDING 0180			12A			COUNTY EXCLUDING 1280			14A		
			R4 LUND-MALMÖ			07 10 11 12 13 (PART OF)			13 (PART OF) 14 15 16														
			R5 GÖTEBORG			22 23 24 25																	
140-	ALL SITES	M	463.9	458.9	428.4	465.8	519.5	492.8	405.0	459.3	472.5	449.3	571.8	638.8	542.9	516.0	562.8	454.6					
209		F	397.7	401.1	372.1	400.0	418.6	413.7	379.0	399.4	396.3	399.7	437.2	462.1	425.0	437.2	433.2	440.5					
140	LIP	M	2.9	2.3	2.1	4.5	3.5	2.9	3.1	2.4	1.9	2.8	4.3	5.4	3.8	2.8	1.1	5.1					
		F	1.0	.9	.6	.7	1.3	1.5	.7	.9	.5	1.2	1.7	4.0	.5	1.9	2.5	1.1					
141	TONGUE	M	2.1	1.9	4.4	.6	1.3	2.1	.3	1.9	2.7	1.3	2.0	2.0	2.0	2.1	2.2	2.1					
		F	1.2	1.5	1.9	.9	1.5	.3	.8	1.4	1.3	1.5	2.6	4.5	1.7	.1	.2						
142	SALIVARY GLANDS	M	.9	.9	.4	1.6	1.0	1.3	.2	.9	1.6	.4	.8	2.1	.3	1.9	2.4	1.3					
		F	.7	.6	1.0	.9	.2	.8	.2	.6	.2	.8	.4	.2	.4	1.0	.6	1.3					
143	FLOOR OF MOUTH	M	.9	1.4	.8	.4	1.0	1.2	.4	1.4	1.8	1.1	1.7	3.0	1.1	1.2	1.0	1.4					
		F	.4	.4	.1	.6	.5	.3	.2	.4	.1	.6	.8	.9	.8	.8	.8	.7					
144	MOUTH, OTHER PARTS AND UNSPECIFIED	M	1.6	2.2	1.6	.6	1.1	1.6	2.0	2.3	3.4	1.5	1.6	.6	2.0	1.8	1.1	2.9					
		F	1.2	1.5	1.0	.8	1.5	1.4	1.0	1.4	1.5	1.3	2.2	3.5	1.8	1.6	.8	2.6					
145	MESOPHARYNX	M	1.7	2.9	1.3	1.2	1.6	1.7	1.4	2.9	4.7	1.8	1.9	4.7	.7	3.5	4.3	2.5					
		F	.6	1.1	.4	.9	.7	.4	.2	1.1	1.8	.7	1.1	.7	1.2	.6	.7	.5					
146	NASOPHARYNX	M	.5	.7	.4	.6	.6	.3	.7	.6	-	1.0	.2	-	.3	.3	.2	-					
		F	.3	-	.3	.7	.4	.1	.5	-	-	.3	.8	.2	.2	.2	.6	.6					
147	HYPOPHARYNX	M	1.3	2.2	.9	.7	.6	2.1	1.1	2.1	3.5	1.2	1.1	-	1.7	2.0	2.3	1.5					
		F	.2	.7	-	-	.1	.1	.3	.7	.7	.6	.1	-	.2	-	-	-					
148	PHARYNX, PART UNSPECIFIED	M	-	-	.1	-	-	-	-	-	-	-	-	-	-	-	-	-					
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
150	OESOPHAGUS	M	5.8	9.1	6.6	3.8	5.7	5.4	2.5	9.2	9.7	9.1	5.8	8.7	4.3	5.2	7.6	2.2					
		F	1.5	1.2	1.5	.9	2.3	1.9	.9	1.1	1.5	.6	1.9	2.5	1.5	2.0	1.9	2.2					
151	STOMACH	M	15.7	17.3	14.3	15.7	16.9	12.7	19.3	17.2	17.7	16.3	16.6	14.8	17.7	10.8	13.4	7.3					
		F	7.6	7.3	7.8	5.9	8.0	7.8	8.9	7.2	6.5	8.0	8.0	9.5	7.2	8.2	8.3	8.3					
152	SMALL INTESTINE	M	2.6	2.1	2.6	2.1	2.9	2.9	2.6	2.1	2.4	1.8	3.5	3.0	3.7	2.8	2.9	2.5					
		F	1.4	1.2	.9	2.7	1.4	1.6	.9	1.2	1.0	1.3	1.9	2.4	1.7	1.6	1.8	1.3					
153	COLON	M	32.3	32.1	31.7	32.6	35.3	32.3	28.6	31.6	33.0	30.3	37.0	41.2	35.3	34.5	36.2	31.8					
		F	27.0	25.1	23.8	25.2	33.2	30.4	22.0	24.7	26.9	23.3	34.4	38.2	32.3	29.2	28.0	30.6					

CANCER INCIDENCE IN SWEDEN 1996

PART 2 (4)

Table 6 : Rates per 100.000 age standardised to the 1970 census, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

CODE ICD-7	SITE	SEX	MEDICAL REGIONS						COUNTIES									
			R1 STOCKHOLM		01 09				STOCKHOLM			MALMÖ			GÖTEBORG			
			R2 UPPSALA-ÖREBRO		03 04 17 18 19 20 21				01		MUNICIPALITY	12		MUNICIPALITY	14		MUNICIPALITY	
			R3 LINKÖPING		05 06 08				01A		COUNTY EXCLUDING 0180	12A		COUNTY EXCLUDING 1280	14A		COUNTY EXCLUDING 1280	
			R4 LUND-MALMÖ		07 10 11 12 13 (PART OF)				13 (PART OF)		14 15 16	1280		1480		14A		
			R5 GÖTEBORG		22 23 24 25				180									
154	RECTUM AND ANUS	M	22.1	22.4	20.3	21.3	27.0	22.4	18.0	22.8	21.4	23.7	25.2	27.9	24.1	20.4	19.8	21.6
		F	14.5	13.7	14.6	17.3	16.2	13.2	12.3	13.7	12.6	14.8	15.1	16.5	14.6	15.2	16.1	14.4
155	BILIARY PASSAGES AND LIVER, PRIMARY	M	9.1	10.7	9.4	9.2	8.3	8.5	8.7	11.0	13.7	9.1	9.2	17.2	5.4	10.1	9.2	11.2
		F	7.9	9.9	6.9	8.7	6.5	7.0	9.1	9.5	10.3	8.9	5.4	8.0	4.0	6.9	7.6	6.2
156	LIVER, NOT SPECIFIED AS PRIMARY	M	1.8	.7	.8	2.1	1.7	2.9	3.6	.8	1.2	.5	1.9	1.9	1.9	2.3	2.8	1.8
		F	1.3	.9	.3	1.4	.8	2.8	2.0	.9	1.2	.8	1.1	1.1	1.2	3.8	4.0	3.4
157	PANCREAS	M	11.0	12.7	8.4	13.9	10.4	10.6	12.6	13.2	15.7	11.2	11.6	18.7	8.7	12.8	13.0	12.6
		F	8.6	10.4	8.0	8.7	7.6	7.5	10.5	10.1	10.9	9.2	8.5	14.3	5.9	9.4	9.7	9.0
158	PERITONEUM	M	.1	-	-	-	-	.3	-	-	-	-	-	-	-	.4	-	.8
		F	.1	.4	.1	.2	-	-	.5	.5	.4	.4	-	-	-	-	-	-
160	NOSE AND NASAL SINUSES	M	.7	.8	.7	.9	.5	.6	.9	.8	.9	.6	.9	-	1.3	.8	1.0	.6
		F	.4	.4	.7	.6	.6	.1	.2	.5	.1	.7	.9	.8	.9	.2	.3	-
161	LARYNX	M	4.0	4.7	3.5	3.7	5.8	3.8	2.2	4.4	3.9	4.7	7.6	11.9	5.7	4.4	6.9	1.3
		F	.4	.2	.4	.3	.5	.4	.3	.2	.2	.3	.5	-	.7	-	-	-
162	TRACHEA, BRONCHUS, LUNG AND PLEURA, PRIMARY	M	39.2	42.1	36.5	37.6	50.5	37.3	26.9	42.5	47.6	38.8	61.0	71.9	56.1	44.0	55.4	28.9
		F	21.6	24.9	21.0	19.4	23.2	21.0	18.2	25.3	24.6	26.0	29.4	32.2	28.2	26.6	25.8	27.6
163	LUNG, NOT SPECIFIED AS PRIMARY	M	1.1	2.7	-	1.2	.3	2.3	.7	2.9	3.0	2.7	.5	.8	.5	2.3	1.8	3.0
		F	.9	2.2	-	.6	.5	1.7	.1	2.3	2.2	2.2	-	-	-	2.8	1.9	3.9
164	MEDIASTINUM	M	.1	.1	-	-	.1	.1	-	.1	-	.2	.3	-	.4	-	-	-
		F	-	-	.1	-	-	-	.1	-	-	-	-	-	-	-	-	-
170	BREAST	M	.8	.7	.4	1.2	.8	1.2	.5	.6	.9	.2	1.2	2.9	.5	1.3	1.6	1.0
		F	115.4	127.3	107.3	111.7	119.4	112.4	111.9	127.5	124.9	128.3	119.3	114.3	121.3	123.8	122.2	125.8
171	CERVIX UTERI	F	8.8	9.5	8.9	6.0	8.7	8.8	10.0	9.4	9.0	9.4	10.3	13.6	8.6	9.7	9.1	10.9
172	CORPUS UTERI	F	24.3	22.0	25.4	22.8	22.5	27.4	25.0	21.0	20.6	20.7	21.0	15.8	23.3	24.3	25.5	22.3
173	CHORIONEPITHELIOMA OF UTERUS	F	.1	.1	.2	-	-	.2	-	.1	-	.2	-	-	-	.2	-	.5
174	UTERUS, PART UNSPECIFIED	F	2.2	1.7	2.1	1.4	3.1	2.4	2.1	1.8	2.9	.9	2.8	1.4	3.5	2.7	2.5	2.9
175	OVARY, TUBE AND BROAD LIGAMENT	F	18.3	17.6	18.2	19.4	17.5	21.0	15.6	18.0	16.6	18.6	16.2	13.7	17.5	18.2	16.5	19.9

CANCER INCIDENCE IN SWEDEN 1996

PART 3 (4)

Table 6 : Rates per 100.000 age standardised to the 1970 census, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

CODE ICD-7	SITE	SEX X	SWEDEN	MEDICAL REGIONS			COUNTIES			STOCKHOLM 01 01A 0180 01A COUNTY EXCLUDING 0180	MALMÖ 12 1280 12A COUNTY EXCLUDING 1280	GÖTEBORG 14 1480 14A COUNTY EXCLUDING 1280						
				R1 STOCKHOLM	01 09													
				R2 UPPSALA-ÖREBRO	03 04 17 18 19 20 21													
				R3 LINKÖPING	05 06 08													
				R4 LUND-MALMÖ	07 10 11 12 13 (PART OF)													
				R5 GÖTEBORG	13 (PART OF) 14 15 16													
				R6 UMEÅ	22 23 24 25													
176	OTHER FEMALE GENITAL ORGANS	F	3.8	3.8	3.5	5.1	3.4	3.5	4.0	3.7	4.1	3.4	2.9					
177	PROSTATE	M	124.1	114.0	118.1	123.0	133.2	139.0	114.8	113.8	113.9	113.8	143.5					
178	TESTIS	M	4.5	3.7	4.9	4.8	4.7	4.4	4.8	3.5	3.3	3.7	4.4					
179	OTHER MALE GENITAL ORGANS	M	1.4	1.4	2.1	1.1	.7	1.4	1.0	1.4	1.3	1.3	.9					
180	KIDNEY	M	13.5	11.0	14.7	14.3	13.3	14.2	13.9	10.8	10.2	11.3	14.5					
		F	7.9	6.3	8.7	10.4	7.9	7.4	6.8	6.4	6.8	6.3	9.0					
181	URINARY ORGANS	M	32.9	31.6	30.2	30.0	41.1	33.4	29.7	31.7	29.6	32.8	48.7					
		F	9.3	9.1	8.1	9.1	10.7	10.0	8.7	9.1	9.5	8.5	11.2					
190	MALIGNANT MELANOMA OF SKIN	M	16.7	14.9	14.3	19.0	17.6	21.9	12.0	15.1	16.6	14.2	20.9					
		F	15.0	13.0	11.1	19.6	16.4	19.6	12.2	13.1	13.5	12.8	20.8					
191	SKIN (MELANOMA EXCLUDED)	M	29.6	31.7	20.8	28.8	38.5	40.7	11.9	31.9	32.9	31.1	43.2					
		F	13.9	13.9	8.9	12.5	16.5	21.0	8.5	14.2	16.5	12.3	21.1					
192	EYE	M	1.4	1.5	1.4	1.7	1.2	1.4	1.3	1.5	1.2	1.7	1.2					
		F	1.1	1.6	.8	1.1	.8	1.0	1.5	1.6	1.2	2.0	1.0					
193	NERVOUS SYSTEM	M	13.0	12.9	11.2	11.8	15.5	13.7	12.7	13.1	9.6	15.8	16.4					
		F	14.4	13.7	11.9	17.2	14.3	14.3	18.8	13.8	13.6	14.4	15.0					
194	THYROID GLAND	M	1.8	.6	2.5	2.4	1.8	1.9	1.4	.6	.7	.6	2.2					
		F	4.3	3.5	4.4	6.9	3.8	3.9	4.3	3.4	3.5	3.4	3.5					
195	ENDOCRINE GLANDS	M	5.6	5.6	3.6	6.3	7.1	6.2	5.3	5.6	4.3	6.5	6.7					
		F	11.8	9.6	9.3	14.0	13.7	14.0	12.1	9.5	7.9	11.0	12.1					
196	BONE	M	.9	.9	.9	1.4	.7	1.1	.4	.7	.3	1.0	1.0					
		F	.8	.8	.7	.2	.8	1.4	.4	.9	.7	1.1	1.2					
197	CONNECTIVE TISSUE, MUSCLE	M	3.3	4.0	2.7	4.3	3.2	4.3	.9	4.2	3.1	5.3	2.3					
		F	2.8	3.4	3.4	1.8	2.6	2.4	2.1	3.2	3.4	3.1	1.8					
199	OTHER AND UNSPECIFIED SITES	M	16.2	15.8	16.3	16.8	20.5	13.7	13.0	15.9	16.6	15.8	24.8					
		F	17.2	16.3	19.1	16.4	18.8	14.7	16.7	16.1	15.4	16.9	18.0					

CANCER INCIDENCE IN SWEDEN 1996

PART 4 (4)

Table 6 : Rates per 100.000 age standardised to the 1970 census, by site, sex, medical region, and the municipalities of Stockholm, Malmö and Göteborg

CODE ICD-7	SITE	SEX	SWEDEN	MEDICAL REGIONS				COUNTIES				STOCKHOLM 01 01A	MÄLMO 12 12A	GÖTEBORG 14 14A				
				R1 STOCKHOLM R2 UPPSALA-ÖREBRO R3 LINKÖPING R4 LUND-MÄLMO R5 GÖTEBORG R6 UMEÅ				01 09 03 04 17 18 19 20 21 05 06 08 07 10 11 12 13 (PART OF) 13 (PART OF) 14 15 16 22 23 24 25										
200	MALIGNANT NON-HODGKIN LYMPHO	M	16.4	13.4	16.9	18.8	17.4	15.3	18.4	13.3	14.6	12.4	19.9	20.8	19.4	13.2	16.2	9.1
		F	10.4	7.7	10.7	11.2	12.8	9.2	11.8	7.6	6.1	8.8	15.5	15.5	15.4	9.0	7.8	10.8
201	HODGKINS DISEASE	M	2.3	2.3	2.1	2.7	2.6	1.8	2.5	2.4	3.2	2.1	2.3	4.0	1.7	2.6	3.9	.7
		F	2.1	1.0	2.0	1.6	2.9	2.4	2.7	1.0	1.5	.6	3.1	1.7	3.7	1.7	1.5	2.2
202	RETICULOSIS AND RELATED FORMS	M	1.6	1.3	1.3	2.2	1.8	1.9	.9	1.2	.5	1.7	2.2	1.5	2.5	1.8	2.5	.6
		F	.4	.7	.2	.2	.6	.2	.7	.8	1.1	.6	.4	.7	.2	-	-	-
203	MULTIPLE MYELOMA PLASMACYTOMA	M	6.3	5.0	5.1	7.2	7.0	6.0	8.9	4.9	5.7	4.1	7.1	5.2	8.0	6.8	6.8	6.8
		F	4.6	4.5	4.9	4.3	4.8	4.6	4.3	4.3	4.4	3.9	5.3	4.8	5.6	4.5	6.2	2.0
204	LYMPHATIC LEUKEMIA	M	6.7	7.6	6.0	5.9	8.1	5.1	8.0	7.1	7.1	6.8	5.7	5.4	5.7	5.8	2.6	10.0
		F	4.2	4.8	3.2	3.6	3.9	4.9	5.6	4.6	5.1	4.1	4.0	6.9	2.8	4.2	3.9	4.3
205	MYELOID LEUKEMIA	M	4.6	4.3	3.0	4.6	4.8	5.8	5.4	4.5	4.2	4.7	6.1	6.3	6.1	3.5	3.4	3.8
		F	3.6	3.1	4.5	3.6	4.3	3.1	2.3	3.2	2.6	3.5	3.7	2.2	4.3	2.6	2.4	2.4
206	MONOCYTIC LEUKEMIA	M	.2	.4	.3	.5	-	.1	-	.4	.4	.5	-	-	-	.3	-	.7
		F	-	.1	-	.1	-	.1	-	.1	-	.2	-	-	-	-	-	-
207	OTHER AND UNSPECIFIED LEUKEMIA	M	.5	.4	1.0	.2	.3	.4	.2	.5	.5	.5	.4	.7	.3	.2	-	.6
		F	.4	.4	.9	.1	.1	.3	.1	.4	.2	.5	.2	.4	-	.2	.3	-
208	POLCYTHAEMIA VERA	M	1.0	1.0	.8	2.0	.8	.9	.6	1.0	1.8	.5	1.1	.8	1.2	1.3	1.6	.7
		F	.9	.2	1.3	1.5	.7	1.4	.4	.2	.1	.3	.7	1.1	.5	1.6	1.5	1.8
209	MYEOFIBROSIS	M	.9	.7	1.1	.7	.4	1.6	.7	.5	.2	.8	.5	1.1	.3	1.0	.6	1.5
		F	1.0	.6	1.1	.5	.7	1.9	.9	.6	.3	.9	1.0	1.4	.7	1.3	.5	2.6
171	NOT INCLUDED ABOVE OF UTERINE CERVIX CARCINOMA IN SITU	F	65.0	61.1	50.2	65.4	79.1	68.0	75.5	59.5	66.1	54.0	103.4	109.8	99.9	71.2	73.3	70.0

CANCER INCIDENCE IN SWEDEN 1996

PART 1 (4)

Table 7 : Rates per 100.000 age adjusted to the world standard population, by site, sex and year of diagnosis

CODE ICD-7	SITE	SEX X	YEAR OF DIAGNOSIS																			
			1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
140- 209	ALL SITES	M	236.7	237.3	239.2	247.7	244.6	248.9	253.7	261.3	261.0	258.6	262.6	262.7	264.2	256.6	265.6	265.4	269.4	271.7	261.1	265.1
		F	227.1	226.5	232.3	230.2	228.8	230.8	234.7	235.8	234.3	238.9	245.8	243.9	244.6	255.8	248.0	250.3	248.8	257.3	254.5	256.0
140	LIP	M	2.5	2.5	2.6	2.5	2.4	2.6	2.3	2.2	2.1	2.0	1.9	1.6	1.6	1.6	1.7	1.7	1.5	1.4	1.3	1.6
		F	.2	.2	.2	.3	.3	.4	.4	.4	.5	.4	.3	.4	.4	.4	.4	.4	.4	.5	.5	.6
141	TONGUE	M	.9	.8	.8	1.0	1.0	.8	1.0	1.1	1.0	1.1	.9	1.0	1.1	.9	.9	1.1	1.2	1.3	1.0	1.3
		F	.6	.5	.5	.4	.4	.5	.5	.5	.6	.5	.4	.7	.5	.6	.7	.6	.6	.4	.8	
142	SALIVARY GLANDS	M	.9	.5	.7	.8	.7	.9	.5	.8	.6	.8	.6	.6	.5	.6	.7	.6	.5	.6	.7	.5
		F	.8	.6	.6	.6	.8	.7	.7	.8	.7	.7	.7	.6	.5	.5	.5	.7	.5	.5	.6	.5
143	FLOOR OF MOUTH	M	.2	.4	.3	.4	.5	.3	.4	.5	.7	.6	.6	.8	.5	.5	.5	.4	.7	.7	.4	.6
		F	.1	.1	.1	.1	.1	.1	.1	.1	.2	.2	.3	.1	.2	.1	.2	.1	.1	.1	.2	.2
144	MOUTH, OTHER PARTS AND UNSPECIFIED	M	.8	.9	1.2	1.2	1.0	1.0	.9	1.1	1.2	.9	1.0	.8	1.1	.9	1.1	1.1	.9	1.2	.8	.9
		F	.7	.5	.5	.6	.6	.5	.5	.5	.6	.6	.7	.6	.6	.6	.6	.8	.8	.8	.7	.7
145	MESOPHARYNX	M	.5	.5	.7	.7	.7	.7	.9	.6	.7	.7	.8	.7	.9	.9	1.0	.8	1.1	1.1	1.0	1.2
		F	.1	.3	.1	.2	.3	.3	.2	.5	.2	.3	.3	.4	.4	.3	.3	.4	.4	.3	.4	
146	NASOPHARYNX	M	.5	.5	.5	.5	.4	.6	.7	.6	.3	.6	.4	.2	.5	.5	.4	.3	.3	.3	.4	.4
		F	.2	.3	.3	.2	.3	.2	.2	.2	.2	.1	.2	.1	.1	.2	.1	.1	.1	.2	.1	.2
147	HYPOPHARYNX	M	.6	.8	.7	.9	.6	.8	.7	.9	.8	.7	.7	.1	.9	.7	.7	.7	.6	.7	.8	
		F	.2	.1	.2	.2	.2	.2	.1	.2	.1	.1	.2	.2	.1	.1	.1	.1	.2	.2	.2	
148	PHARYNX, PART UNSPECIFIED	M	-	-	-	-	-	-	.1	-	.1	-	-	-	-	-	.1	-	-	.1	.1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.1	-
150	OESOPHAGUS	M	2.9	2.9	2.9	3.2	3.0	3.2	3.2	3.2	3.2	3.3	3.2	3.0	3.1	2.9	3.2	3.0	3.0	2.9	2.9	3.3
		F	1.0	.8	.9	.9	.7	.8	.9	1.0	.8	.9	.9	1.1	.9	.9	1.0	1.1	1.2	1.0	.9	.8
151	STOMACH	M	15.5	15.6	15.9	14.9	14.5	14.4	14.0	13.0	13.4	11.9	11.6	11.2	11.5	10.5	10.7	10.0	9.4	9.1	8.3	8.4
		F	8.1	8.5	7.4	7.3	7.2	7.1	7.1	7.0	6.5	6.7	5.5	6.0	5.7	5.6	4.8	5.1	4.9	4.1	4.5	4.3
152	SMALL INTESTINE	M	1.2	1.0	.9	1.4	1.3	1.1	1.5	2.0	1.6	1.5	1.7	1.5	1.5	1.2	1.2	1.4	1.5	1.4	1.3	1.5
		F	.8	.8	.8	.8	.8	1.0	.8	1.0	.9	1.0	1.2	1.0	.8	1.0	1.0	.9	1.2	1.1	1.2	.8
153	COLON	M	16.4	16.3	17.5	16.4	17.1	17.1	16.8	18.0	18.7	17.6	17.3	17.6	17.2	17.0	18.4	18.9	17.8	18.0	18.0	17.5
		F	15.2	15.4	15.6	16.3	15.9	15.9	16.5	15.3	15.6	16.0	16.4	15.5	15.4	16.5	16.2	16.1	15.8	16.1	16.0	15.0
154	RECTUM AND ANUS	M	11.5	11.2	11.4	12.1	11.8	11.4	11.8	11.9	12.0	12.0	12.0	12.1	12.2	12.2	11.7	12.7	12.9	13.0	12.3	12.3
		F	6.8	7.0	8.0	8.2	7.9	8.0	8.3	8.8	8.5	8.3	8.3	7.7	8.4	8.2	8.5	8.9	8.5	8.4	8.2	8.3
155	BILIARY PASSAGES AND LIVER, PRIMARY	M	6.2	6.4	6.9	6.6	7.2	6.9	7.1	6.6	6.7	6.5	6.2	6.3	6.4	5.9	6.0	5.5	5.5	5.4	4.8	5.0
		F	7.2	7.1	6.9	7.0	6.5	6.8	7.4	6.6	6.7	6.5	6.6	6.5	6.2	5.7	5.7	5.6	5.3	5.3	4.0	4.3

CANCER INCIDENCE IN SWEDEN 1996

PART 2 (4)

Table 7 : Rates per 100.000 age adjusted to the world standard population, by site, sex and year of diagnosis

CODE ICD-7	SITE	SEX X	YEAR OF DIAGNOSIS																			
			1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
156	LIVER, NOT SPECIFIED AS PRIMARY	M	.7	.7	.8	.7	.7	.9	1.0	1.0	.9	1.1	1.1	1.0	.9	1.2	1.0	1.0	1.1	.9	1.0	
		F	.6	.6	.6	.6	.8	.7	.5	.6	.7	.7	.7	.8	.8	.9	.7	.7	.8	.7	.9	.7
157	PANCREAS	M	8.5	8.3	8.0	8.8	8.6	9.0	8.6	8.5	7.7	8.5	7.8	8.1	7.4	6.7	6.5	6.3	6.7	6.7	6.1	6.3
		F	5.9	5.9	5.9	6.1	6.4	6.5	6.1	6.2	6.1	6.0	6.5	6.0	6.0	5.3	5.4	6.0	5.4	5.3	4.8	
158	PERITONEUM	M	.1	-	-	.1	.1	.1	-	.2	.1	.1	.1	.1	.1	.1	-	.1	.1	.1	-	-
		F	-	.1	.1	-	.1	-	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2	.1	.1	.1
160	NOSE AND NASAL SINUSES	M	.5	.4	.4	.6	.4	.5	.5	.5	.6	.4	.6	.6	.5	.7	.7	.5	.4	.4	.4	.4
		F	.3	.3	.3	.3	.2	.2	.3	.3	.2	.2	.3	.3	.2	.3	.3	.2	.3	.3	.3	.3
161	LARYNX	M	2.9	3.3	2.7	2.4	2.8	2.8	2.9	2.6	3.1	2.5	2.3	2.9	3.0	2.1	2.5	2.3	2.2	2.3	2.0	2.4
		F	.3	.4	.3	.3	.4	.3	.3	.4	.3	.3	.4	.3	.4	.3	.4	.3	.4	.2	.2	.2
162	TRACHEA, BRONCHUS, LUNG AND PLEURA, PRIMARY	M	25.3	25.4	24.2	26.4	27.2	28.1	26.7	27.4	26.4	26.1	25.8	25.3	25.6	25.5	25.5	24.6	23.8	24.9	22.7	22.1
		F	6.3	6.5	7.0	8.3	8.2	8.9	9.2	9.2	9.7	9.9	11.0	10.4	10.4	11.0	12.2	11.9	12.6	13.5	13.4	13.3
163	LUNG, NOT SPECIFIED AS PRIMARY	M	1.3	1.9	1.7	1.6	1.0	1.1	1.3	1.5	1.1	1.2	.8	.8	.8	.9	.8	.7	.6	.5	.6	.6
		F	.4	.6	.8	.5	.5	.5	.6	.6	.7	.5	.3	.5	.4	.5	.5	.4	.2	.4	.4	.5
164	MEDIASTINUM	M	.1	.1	-	.1	.1	.1	-	-	.1	.1	.1	.1	-	.2	.1	.1	.1	.1	-	.1
		F	-	-	-	.1	-	-	-	.1	-	-	-	-	-	-	-	-	-	-	-	-
170	BREAST	M	.5	.3	.4	.4	.4	.4	.4	.4	.4	.3	.4	.5	.5	.3	.4	.4	.4	.4	.4	.4
		F	62.9	61.3	63.9	60.7	61.9	60.5	59.9	61.1	62.8	63.0	66.9	69.2	70.7	77.6	75.9	72.1	70.6	78.7	77.1	77.9
171	CERVIX UTERI	F	10.7	10.9	9.4	8.9	10.4	10.1	9.2	9.2	8.7	8.3	8.4	8.1	8.2	8.0	7.4	8.4	8.0	7.8	7.5	7.1
172	CORPUS UTERI	F	13.5	13.3	13.9	13.6	12.8	12.7	13.3	12.9	12.3	12.5	12.4	13.3	12.4	13.2	13.4	13.9	13.8	13.5	13.5	14.6
173	CHORIONEPITHELIOMA OF UTERUS	F	.1	.1	.1	.1	.1	.2	.1	.1	.1	.2	.2	.1	.1	.2	.1	.2	.1	.1	.1	.1
174	UTERUS, PART UNSPECIFIED	F	1.6	1.6	1.7	1.7	1.5	1.6	1.5	1.6	1.4	1.4	1.8	1.4	1.7	1.8	1.5	1.5	1.6	1.7	1.3	1.4
175	OVARY, TUBE AND BROAD LIGAMENT	F	15.5	14.4	16.6	15.2	15.2	15.4	15.2	14.8	14.1	14.1	15.2	13.7	13.4	13.4	13.2	12.6	13.2	13.1	12.9	12.1
176	OTHER FEMALE GENITAL ORGANS	F	2.0	1.8	1.9	1.7	1.8	1.8	1.8	1.9	1.9	1.8	1.9	1.8	1.6	1.6	2.0	1.7	2.0	1.6	1.8	2.2
177	PROSTATE	M	44.6	44.6	46.0	46.0	46.8	46.7	49.6	49.8	48.2	50.7	54.6	56.2	54.1	52.2	57.4	57.5	62.5	61.9	61.9	63.3
178	TESTIS	M	3.3	2.8	3.2	3.6	3.4	3.7	3.7	3.6	3.8	4.3	4.4	4.2	4.6	4.7	5.3	5.0	4.2	5.3	4.8	4.4
179	OTHER MALE GENITAL ORGANS	M	.7	.9	1.0	.8	.9	.8	.9	1.0	1.0	.8	.9	.7	.9	1.0	.9	.8	.9	.8	.8	.8
180	KIDNEY	M	10.9	10.6	10.7	11.4	10.7	11.1	10.8	11.3	11.5	10.1	10.6	9.7	9.9	9.4	9.2	9.5	9.5	9.3	8.4	8.0
		F	6.0	6.0	6.4	6.2	6.2	6.1	6.8	6.3	6.5	5.9	6.3	6.3	6.6	5.8	5.7	5.9	6.1	5.6	5.3	4.8

CANCER INCIDENCE IN SWEDEN 1996

PART 3 (4)

Table 7 : Rates per 100.000 age adjusted to the world standard population, by site, sex and year of diagnosis

CODE ICD-7	SITE	SEX X	YEAR OF DIAGNOSIS																			
			1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
181	URINARY ORGANS	M	16.0	15.6	14.8	16.1	16.6	16.8	16.1	16.9	18.8	17.2	19.3	18.6	18.5	18.1	18.6	18.8	19.3	19.5	17.6	18.0
		F	4.3	4.7	4.4	4.7	4.1	4.4	5.3	4.6	5.0	4.6	5.1	5.5	4.8	5.1	5.1	5.2	5.3	4.9	5.2	5.2
190	MALIGNANT MELANOMA OF SKIN	M	7.0	6.8	6.1	8.0	7.8	8.4	9.0	9.8	9.5	9.7	10.1	10.6	10.7	11.7	11.0	10.5	11.1	11.8	11.4	11.2
		F	7.8	8.9	8.1	9.0	7.5	8.8	8.1	9.7	9.8	10.3	10.3	9.5	10.8	13.3	10.6	10.4	11.0	12.1	11.6	11.2
191	SKIN (MELANOMA EXCLUDED)	M	7.7	7.9	7.9	8.5	8.4	7.9	8.7	10.1	10.2	10.5	11.8	11.3	12.7	12.5	13.2	14.6	13.5	14.5	14.3	15.5
		F	3.6	3.2	3.6	3.3	3.6	4.0	3.9	4.5	4.6	4.9	5.5	5.2	5.7	5.6	6.0	6.0	6.1	6.7	6.3	7.6
192	EYE	M	1.0	1.1	.8	.9	.7	1.0	.9	.9	.7	1.1	1.0	.8	.7	.9	.8	.9	.9	1.1	1.0	
		F	.8	.7	.5	.8	.8	.8	.6	.7	.7	.9	.9	1.0	.8	1.1	.8	.7	.8	.7	1.2	.9
193	NERVOUS SYSTEM	M	9.0	10.1	8.9	9.7	9.1	10.1	10.8	11.9	11.3	10.7	11.4	10.6	11.5	11.4	10.6	11.5	11.5	10.8	11.1	10.4
		F	8.8	9.8	9.8	9.5	9.3	10.1	10.3	11.2	11.0	11.7	11.0	11.9	11.3	11.0	9.6	11.5	10.9	11.3	11.7	11.1
194	THYROID GLAND	M	1.8	1.6	1.8	1.8	1.4	1.5	1.6	1.6	2.0	1.5	1.3	1.4	1.4	1.3	1.4	1.5	1.1	1.5	1.3	1.2
		F	3.9	3.9	4.4	4.4	4.5	4.3	3.8	4.0	3.8	3.8	3.8	3.4	3.6	3.9	3.3	3.9	3.3	3.3	4.0	3.5
195	ENDOCRINE GLANDS	M	3.0	3.2	2.9	2.8	3.4	3.6	3.7	4.0	3.7	3.8	3.5	3.7	4.0	3.4	4.0	3.7	3.9	3.9	3.8	3.9
		F	6.2	5.6	6.3	5.9	5.5	6.1	7.2	6.5	6.9	7.1	7.1	7.4	7.1	6.9	8.4	7.1	7.6	7.0	7.8	
196	BONE	M	1.0	.9	1.0	1.1	1.0	1.0	1.1	1.1	1.1	1.0	.7	.9	1.0	.8	1.3	.8	1.0	.7	1.0	.8
		F	.7	.8	.7	.7	.7	.6	.7	.7	.5	.8	.6	.5	.7	.7	.6	.7	.6	.5	.7	
197	CONNECTIVE TISSUE, MUSCLE	M	1.9	2.1	2.2	2.6	2.0	2.0	1.9	2.3	2.1	3.0	2.2	2.4	2.5	2.1	2.6	2.1	2.5	2.5	2.2	2.4
		F	1.8	1.9	2.0	1.8	1.7	1.6	2.0	2.1	1.9	2.2	2.1	1.8	1.9	2.1	1.5	2.3	2.0	2.2	1.9	2.0
199	OTHER AND UNSPECIFIED SITES	M	6.6	6.3	6.5	6.2	6.3	6.2	6.2	7.1	7.0	7.0	7.3	7.8	7.4	7.8	8.0	8.3	9.2	8.6	8.6	9.1
		F	6.0	6.0	6.3	6.0	6.2	6.4	6.3	6.4	6.1	7.0	7.4	6.6	7.4	7.0	7.7	8.0	8.2	8.5	8.6	9.8
200	MALIGNANT NON-HODGKIN LYMPHOM	M	6.9	6.7	7.7	7.4	7.5	7.5	8.5	8.8	9.1	9.0	9.3	9.4	9.8	10.5	10.2	10.6	9.8	10.0	9.8	10.4
		F	4.2	4.6	4.5	4.7	5.3	5.1	5.2	5.5	5.4	5.9	6.8	6.6	7.0	6.7	6.6	6.7	7.0	6.7	7.0	6.3
201	HODGKINS DISEASE	M	2.6	2.2	2.6	2.4	1.9	2.4	2.1	2.1	2.1	2.4	2.2	2.6	2.0	2.1	2.1	2.1	1.8	2.2	2.0	2.1
		F	1.5	1.4	1.4	1.7	1.5	1.3	1.7	1.5	1.5	1.7	1.6	1.5	1.5	1.3	1.7	1.7	1.8	1.4	1.4	1.9
202	RETICULOSIS AND RELATED FORMS	M	.2	.2	.3	.3	.4	.4	.3	.6	.7	.5	.9	.8	.9	.8	.9	.8	.8	.8	.9	.1
		F	.1	.2	.2	.2	.2	.1	.4	.3	.3	.6	.2	.3	.2	.3	.2	.2	.4	.4	.6	.3
203	MULTIPLE MYELOMA PLASMOCYTOMA	M	2.9	3.7	3.6	3.5	3.7	3.7	3.9	3.6	4.3	3.9	3.8	3.8	4.2	3.8	3.6	4.0	3.8	3.6	3.7	3.3
		F	2.5	2.3	2.5	2.4	2.3	2.4	2.8	2.7	2.3	2.5	2.6	2.4	2.5	2.3	2.7	2.2	2.4	2.2	2.4	2.7
204	LYMPHATIC LEUKEMIA	M	4.1	4.3	4.6	5.4	4.5	3.9	4.6	5.2	5.6	5.6	4.4	4.5	4.5	4.0	4.2	3.9	4.9	4.8	4.8	5.0
		F	2.4	2.8	2.5	3.6	3.1	2.7	2.7	3.0	3.1	3.2	2.6	3.1	2.5	2.7	2.3	2.4	2.7	2.9	3.6	3.6
205	MYELOID LEUKEMIA	M	3.1	3.0	3.5	3.4	2.9	3.2	3.4	2.6	2.7	3.4	3.1	3.1	3.1	3.0	3.1	3.1	3.0	2.8	2.5	3.1
		F	2.4	2.5	2.3	2.7	2.4	2.5	3.1	2.4	2.3	2.9	2.5	2.6	2.3	2.6	2.4	2.5	2.2	2.3	2.5	2.6

CANCER INCIDENCE IN SWEDEN 1996

PART 4 (4)

Table 7 : Rates per 100.000 age adjusted to the world standard population, by site, sex and year of diagnosis

CODE	ICD-7	SITE	SEX	YEAR OF DIAGNOSIS																			
				1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
	206	MONOCYTIC LEUKEMIA	M	.1	.2	.2	.2	.2	.2	.2	-	.1	.1	.1	.1	.2	.1	.1	.1	-	.1	.1	.1
			F	.1	.1	.2	.1	.2	.1	-	-	.1	.1	-	.1	.1	-	.1	-	.1	.1	.1	-
	207	OTHER AND UNSPECIFIED LEUKEMIA	M	.8	.7	.7	.7	.7	.7	.7	.7	.7	.7	.4	.4	.6	.3	.3	.4	.2	.3	.5	.3
			F	.9	.5	.6	.7	.3	.5	.3	.3	.3	.3	.3	.2	.3	.2	.4	.3	.2	.3	.3	.3
	208	POLYCYTHAEMIA VERA	M	.6	.9	.9	.8	.9	.9	1.0	1.2	1.1	.6	1.0	.9	.9	.8	.5	.5	.8	.7	.8	.6
			F	.9	.7	.8	.7	.9	.8	1.0	1.0	.9	.9	.8	.6	.6	.7	.5	.7	.6	.5	.5	.6
	209	MYELOFIBROSIS	M	.2	.2	.3	.2	.2	.2	.5	.3	.4	.3	.2	.2	.3	.2	.2	.2	.5	.6	.5	.5
			F	.1	.1	.2	.1	.2	.2	.3	.2	.2	.3	.2	.1	.2	.1	.1	.1	.4	.3	.5	.6
	204	LEUKEMIA, POLYCYTHAEMIA VERA	M	8.9	9.2	10.2	10.8	9.4	9.1	10.4	10.2	10.4	10.7	9.2	9.2	9.4	8.4	8.4	8.1	9.6	9.2	9.2	9.6
	209	MYELOFIBROSIS	F	6.6	6.6	6.5	7.9	7.0	6.9	7.3	6.9	6.8	7.7	6.4	6.8	6.0	6.4	5.7	6.1	6.2	6.4	7.4	7.6
	171	NOT INCLUDED ABOVE OF UTERINE CERVIX CARCINOMA IN SITU	F	93.2	88.4	92.3	89.9	95.4	93.7	90.6	91.7	87.6	82.2	83.6	83.0	73.8	70.7	73.3	63.6	57.7	61.8	61.2	63.0

CANCER INCIDENCE IN SWEDEN 1996

PART 1 (4)

Table 8 : Percentage of cytologically or histologically verified cases, by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS																	
			ALL AGES	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79		
140- 209	ALL SITES	M	98	94	95	100	100	100	100	99	100	99	99	100	99	99	99	98	97	97	
		F	97	92	100	100	97	99	99	99	100	99	99	99	99	98	98	98	97	95	
140	LIP	M	100	-	-	-	-	-	-	-	-	100	100	100	100	100	100	100	100	100	
		F	100	-	-	-	-	-	-	-	100	100	100	100	100	100	100	100	100	100	
141	TONGUE	M	100	-	-	-	-	-	100	100	100	100	100	100	100	100	100	100	100		
		F	100	-	-	-	-	-	100	100	100	100	100	100	100	100	100	100	100		
142	SALIVARY GLANDS	M	100	-	-	-	-	-	100	-	-	100	100	100	100	100	100	100	100	100	
		F	100	-	-	-	100	-	-	100	100	100	100	100	100	100	100	100	100	100	
143	FLOOR OF MOUTH	M	100	-	-	-	-	-	-	-	-	100	100	100	100	100	100	100	100	100	
		F	100	-	-	-	-	-	-	-	-	100	100	100	100	100	100	100	100	-	
144	MOUTH, OTHER PARTS AND UNSPECIFIED	M	100	-	-	-	-	-	100	-	100	100	100	100	100	100	100	100	100	100	
		F	100	-	-	-	-	-	-	100	100	100	100	100	100	100	100	100	100	100	
145	MESOPHARYNX	M	100	-	-	-	-	-	100	100	100	100	100	100	100	100	100	100	100	100	
		F	97	-	-	-	-	-	-	-	-	100	100	100	100	67	100	100	-	100	100
146	NASOPHARYNX	M	100	-	-	-	-	-	-	-	-	100	100	100	100	100	100	100	-	100	-
		F	100	100	-	-	-	-	100	-	-	100	100	100	100	-	100	100	100	100	100
147	HYPOPHARYNX	M	100	-	-	-	-	-	100	-	-	100	100	100	100	100	100	100	100	100	100
		F	90	-	-	-	-	-	100	-	-	-	-	-	-	100	100	67	100	100	-
148	PHARYNX, PART UNSPECIFIED	M	100	-	-	-	-	-	-	-	-	-	100	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
150	OESOPHAGUS	M	100	-	-	-	-	-	-	-	100	100	100	100	100	100	100	98	100	100	100
		F	99	-	-	-	-	-	-	-	100	100	100	100	100	100	100	100	100	100	94
151	STOMACH	M	98	-	-	-	-	-	-	100	100	100	100	100	100	100	100	98	97	98	98
		F	99	-	-	-	100	100	100	100	100	100	100	100	100	100	100	100	98	97	98
152	SMALL INTESTINE	M	100	-	-	-	-	100	100	-	100	100	100	100	100	100	100	100	100	100	100
		F	100	-	-	-	-	-	-	-	100	100	100	100	100	100	100	100	100	100	100
153	COLON	M	98	-	-	100	100	100	100	100	100	100	100	100	99	98	100	100	98	98	94
		F	97	-	-	100	100	100	100	100	80	100	100	97	100	96	98	99	99	97	89
154	RECTUM AND ANUS	M	99	-	-	-	100	100	-	100	100	100	100	100	100	99	99	100	100	97	96
		F	99	-	-	-	-	100	100	100	100	100	100	100	98	100	99	99	98	96	
155	BILIARY PASSAGES AND LIVER, PRIMARY	M	95	100	-	-	100	100	100	-	100	100	100	100	100	100	98	95	91	92	90
		F	90	-	-	-	-	-	-	100	100	100	100	100	100	95	100	93	95	76	82

CANCER INCIDENCE IN SWEDEN 1996

PART 2 (4)

Table 8 : Percentage of cytologically or histologically verified cases, by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS																	
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
156	LIVER, NOT SPECIFIED AS PRIMARY	M	78	-	-	-	-	-	-	-	-	100	-	100	100	86	100	72	71	58	71
		F	78	-	-	-	-	-	-	-	-	100	-	-	100	83	100	90	67	73	46
157	PANCREAS	M	86	-	-	-	-	-	100	100	100	100	94	90	94	89	89	81	72	57	
		F	78	-	-	-	100	-	100	100	100	100	100	92	91	86	90	74	60	58	
158	PERITONEUM	M	100	-	-	-	-	-	-	-	-	-	-	-	100	-	100	-	-	-	
		F	100	100	-	-	-	-	-	-	-	-	100	-	100	-	100	-	-	-	
160	NOSE AND NASAL SINUSES	M	100	-	-	-	-	100	-	-	100	-	100	100	100	100	100	100	100	100	100
		F	100	-	-	-	-	-	100	-	-	100	100	-	100	100	100	100	100	100	100
161	LARYNX	M	100	-	-	-	-	-	100	-	100	100	100	100	100	100	100	100	100	100	100
		F	100	-	-	-	-	-	-	-	100	-	-	100	-	100	100	100	100	100	100
162	TRACHEA, BRONCHUS, LUNG AND PLEURA, PRIMARY	M	98	-	-	-	-	100	-	100	100	100	100	99	99	99	99	99	97	94	87
		F	98	-	100	-	-	-	100	100	100	96	98	100	100	99	98	98	97	97	92
163	LUNG, NOT SPECIFIED AS PRIMARY	M	47	-	-	-	-	-	-	-	-	100	100	100	33	60	100	67	31	-	27
		F	46	-	-	-	-	-	-	-	-	100	100	33	67	33	67	78	45	11	33
164	MEDIASTINUM	M	100	100	-	-	-	100	-	-	-	-	-	-	-	-	-	-	-	100	-
		F	100	-	-	-	-	-	-	-	-	-	-	-	-	-	100	-	-	100	-
170	BREAST	M	100	-	-	-	-	-	-	100	100	100	100	100	100	100	100	100	100	100	100
		F	99	-	-	-	-	-	100	100	100	99	99	98	99	99	100	100	99	100	97
171	CERVIX UTERI	F	100	-	-	-	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
172	CORPUS UTERI	F	100	-	-	-	-	-	100	100	100	100	100	100	100	100	100	100	100	99	100
173	CHORIONEPITHELIOMA OF UTERUS	F	80	-	-	-	-	100	-	100	-	100	-	100	-	-	-	-	-	-	-
174	UTERUS, PART UNSPECIFIED	F	100	-	-	-	-	-	-	100	100	100	100	100	100	100	100	100	100	100	100
175	OVARY, TUBE AND BROAD LIGAMENT	F	99	-	100	100	100	100	100	100	100	100	100	100	100	100	99	100	99	96	94
176	OTHER FEMALE GENITAL ORGANS	F	100	-	-	-	-	-	100	100	100	100	100	100	100	100	100	100	100	100	98
177	PROSTATE	M	99	-	-	-	-	-	-	100	100	100	100	100	100	100	100	100	99	99	97
178	TESTIS	M	100	-	-	-	100	100	100	100	100	100	100	100	100	100	100	100	-	-	50
179	OTHER MALE GENITAL ORGANS	M	100	-	-	-	-	-	100	-	100	100	100	100	100	100	100	100	100	100	100
180	KIDNEY	M	92	100	-	-	-	-	100	100	100	100	100	100	98	98	94	94	87	82	82
		F	92	100	-	-	-	-	100	100	100	50	100	86	100	96	97	94	93	81	78

CANCER INCIDENCE IN SWEDEN 1996

PART 3 (4)

Table 8 : Percentage of cytologically or histologically verified cases, by site, sex and age at diagnosis

CANCER INCIDENCE IN SWEDEN 1996

PART 4 (4)

Table 8 : Percentage of cytologically or histologically verified cases, by site, sex and age at diagnosis

CANCER INCIDENCE IN SWEDEN 1996

PART 1 (4)

Table 9 : Percentage of cases found incidentally at autopsy, by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS																	
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
140- 209	ALL SITES	M	3	1	-	-	-	-	-	-	1	2	2	1	2	2	2	3	4	5	6
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	3	3	6
140	LIP	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	TONGUE	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
142	SALIVARY GLANDS	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
143	FLOOR OF MOUTH	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144	MOUTH, OTHER PARTS AND UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145	MESOPHARYNX	M	3	-	-	-	-	-	-	-	-	-	-	10	-	-	33	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
146	NASOPHARYNX	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
147	HYPOPHARYNX	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
148	PHARYNX, PART UNSPECIFIED	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150	OESOPHAGUS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	3	6	-	6	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	9	-	9	-	11	-
151	STOMACH	M	3	-	-	-	-	-	-	33	-	-	-	-	-	2	-	2	4	4	8
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	8	7	1	2	5	11
152	SMALL INTESTINE	M	10	-	-	-	-	-	-	-	-	-	-	-	-	6	18	15	18	20	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	8	-	29	6	33	-
153	COLON	M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	8	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	7	-
154	RECTUM AND ANUS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	9	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	-
155	BILIARY PASSAGES AND LIVER, PRIMARY	M	17	-	-	-	-	-	-	-	25	20	13	15	3	19	7	17	28	34	-
		F	16	-	-	-	-	-	-	-	12	6	14	-	7	10	21	12	12	34	-

CANCER INCIDENCE IN SWEDEN 1996

PART 2 (4)

Table 9 : Percentage of cases found incidentally at autopsy, by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS																
				00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	
156	LIVER, NOT SPECIFIED AS PRIMARY	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	14
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8	-	8
157	PANCREAS	M	11	-	-	-	-	-	-	-	-	7	3	7	9	8	9	17	17	21
		F	8	-	-	-	-	-	-	-	-	-	4	5	6	6	11	11	11	11
158	PERITONEUM	M	50	-	-	-	-	-	-	-	-	-	-	-	-	-	100	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160	NOSE AND NASAL SINUSES	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161	LARYNX	M	1	-	-	-	-	-	-	-	-	-	5	-	4	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162	TRACHEA, BRONCHUS, LUNG AND PLEURA, PRIMARY	M	6	-	-	-	-	-	-	-	-	3	2	1	3	4	4	10	11	25
		F	5	-	-	-	-	-	-	-	-	-	1	1	5	5	5	5	13	18
163	LUNG, NOT SPECIFIED AS PRIMARY	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	-	9
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164	MEDIASTINUM	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	BREAST	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
171	CERVIX UTERI	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-
172	CORPUS UTERI	F	1	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	-
173	CHORIONEPITHELIOMA OF UTERUS	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	UTERUS, PART UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
175	OVARY, TUBE AND BROAD LIGAMENT	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	14
176	OTHER FEMALE GENITAL ORGANS	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177	PROSTATE	M	3	-	-	-	-	-	-	50	-	4	1	1	1	2	2	3	4	5
178	TESTIS	M	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-
179	OTHER MALE GENITAL ORGANS	M	2	-	-	-	-	-	-	-	-	25	-	-	-	-	-	-	-	-
180	KIDNEY	M	10	-	-	-	-	-	-	-	33	3	9	-	4	2	6	18	14	50
		F	9	-	-	-	-	-	-	-	-	-	-	3	10	3	12	19	27	

CANCER INCIDENCE IN SWEDEN 1996

PART 3 (4)

Table 9 : Percentage of cases found incidentally at autopsy, by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL AGES	AGE AT DIAGNOSIS																	
			ALL AGES	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
181	URINARY ORGANS	M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	2	2
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1
190	MALIGNANT MELANOMA OF SKIN	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191	SKIN (MELANOMA EXCLUDED)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
192	EYE	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
193	NERVOUS SYSTEM	M	5	5	-	-	-	-	-	-	4	-	1	9	2	3	5	12	27	40	
		F	5	-	-	-	-	-	-	-	-	-	-	2	2	7	13	25	46		
194	THYROID GLAND	M	5	-	-	-	-	-	-	-	5	12	-	-	-	8	-	-	20	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	6	10	10	11	-	-
195	ENDOCRINE GLANDS	M	5	-	-	-	-	-	-	-	-	-	-	7	4	3	3	22	20	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	-	-	-
196	BONE	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	CONNECTIVE TISSUE, MUSCLE	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	6	10	
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	20	-	5	7	-	
199	OTHER AND UNSPECIFIED SITES	M	3	-	-	-	-	-	-	-	8	-	-	-	-	4	2	5	5	5	
		F	2	-	-	-	-	-	-	20	8	-	2	-	1	-	3	1	3	8	
200	MALIGNANT NON-HODGKIN LYMPHOM	M	4	-	-	-	-	-	-	-	5	9	1	-	6	4	3	4	7	9	
		F	2	-	-	-	-	-	-	-	-	-	-	-	3	-	4	2	6	-	
201	HODGKINS DISEASE	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	33	-	-
202	RETICULOSIS AND RELATED FORMS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
203	MULTIPLE MYELOMA PLASMOCYTOMA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	4	-	-	3	7	-	-
204	LYMPHATIC LEUKEMIA	M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	11	-	15	
		F	3	-	-	-	-	-	-	-	-	-	-	-	7	-	3	-	-	-	
205	MYELOID LEUKEMIA	M	1	-	-	-	-	-	-	-	-	5	-	-	-	-	4	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	5	-	5	-	-	

CANCER INCIDENCE IN SWEDEN 1996

PART 4 (4)

Table 9 : Percentage of cases found incidentally at autopsy, by site, sex and age at diagnosis

CODE ICD-7	SITE	SEX X	ALL	AGE AT DIAGNOSIS																
			AGES	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84
206	MONOCYTIC LEUKEMIA	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207	OTHER AND UNSPECIFIED LEUKEMIA	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67	20	-
208	POLYCYTHAEMIA VERA	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209	MYELOFIBROSIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	11	-

CANCER INCIDENCE IN SWEDEN 1996

PART 1 (4)

Table 10 : Percentage of cases found incidentally at autopsy, by site, sex and county, and the three big cities

COUNTIES											11 KRISTIANSTAD			15 ÄLVSborg			21 GÄVLEBORG 22 VÄSTERNORRLAND 23 JÄMTLAND 24 VÄSTERBOTTEN 25 NORRBOTTEN														
01 STOCKHOLM			06 JÖNKÖPING			12 MÅLMÖHUS			16 SKARABORG			17 VÄRMLAND			18 ÖREBRO			19 VÄSTMANLAND			20 KOPPARBERG										
0180 STOCKHOLM CITY			07 KRONOBERG			1280 MÅLMÖ CITY																									
03 UPPSALA			08 KALMAR			13 HALLAND			14 GÖTEBORG OCH BOHUS			1480 GÖTEBORG CITY																			
04 SÖDERMANLAND			09 GOTLAND			10 BLEKINGE			1480 GÖTEBORG CITY																						
CODE	ICD-7	SITE	X	SWEDEN	01	0180	03	04	05	06	07	08	09	10	11	12	1280	13	14	1480	15	16	17	18	19	20	21	22	23	24	25
140-	ALL SITES		M	3	5	7	2	6	3	2	4	2	2	7	4	4	6	2	3	3	2	2	3	2	2	2	2	2	2	2	
209			F	2	3	4	2	2	2	1	3	2	3	3	2	3	4	2	2	1	2	3	1	1	2	1	1	2	1		
140	LIP		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
141	TONGUE		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
142	SALIVARY GLANDS		M	3	-	-	-	-	-	-	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
143	FLOOR OF MOUTH		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
144	MOUTH, OTHER PARTS AND UNSPECIFIED		M	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
145	MESOPHARYNX		M	3	-	-	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50		
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
146	NASOPHARYNX		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
147	HYPOPHARYNX		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
			F	10	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
148	PHARYNX, PART UNSPECIFIED		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
150	OESOPHAGUS		M	2	3	3	-	-	11	-	-	-	-	-	-	4	-	-	-	-	10	-	-	9	-	-	-	-			
			F	5	7	9	-	-	-	33	-	-	-	-	8	-	33	8	-	-	-	-	-	-	-	-	-	-			
151	STOMACH		M	3	5	8	-	4	-	3	-	-	-	-	8	1	5	-	-	4	10	11	-	4	-	9	-	3			
			F	4	7	10	20	12	11	-	-	-	-	6	2	5	-	5	4	-	-	-	19	5	5	10	-	-			
152	SMALL INTESTINE		M	10	-	-	-	-	-	100	-	-	50	-	7	25	25	9	14	22	20	-	-	-	33	-	-	20			
			F	10	7	14	-	-	-	-	-	100	-	20	33	-	12	-	33	-	-	50	-	-	-	-	-				
153	COLON		M	2	2	2	2	2	-	3	-	-	3	6	5	8	2	1	1	5	4	3	-	2	2	-	4	5	-		
			F	3	5	8	2	-	5	5	2	-	6	5	3	5	5	1	-	5	-	-	-	2	-	3	-	-			

CANCER INCIDENCE IN SWEDEN 1996

PART 2 (4)

Table 10 : Percentage of cases found incidentally at autopsy, by site, sex and county, and the three big cities

		COUNTIES										11 KRISTIANSTAD				15 ÄLVSborg																
		01 STOCKHOLM					06 JÖNKÖPING					12 MÅLMÖHUS				16 SKARABORG				21 GÄVLEBORG												
		0180 STOCKHOLM CITY										1280 MÅLMÖ CITY				17 VÄRMLAND				22 VÄSTERNORRLAND												
		03 UPPSALA										08 KALMAR				13 HALLAND				23 JÄMTLAND												
		04 SÖDERMANLAND					09 GOTLAND					14 GÖTEBORG OCH BOHUS				19 VÄSTMANLAND				24 VÄSTERBOTTEN												
		05 ÖSTERGÖTLAND					10 BLEKINGE					1480 GÖTEBORG CITY				20 KOPPARBERG				25 NORRBOTTEN												
CODE ICD-7	SITE	SEX	SWEDEN	01	0180	03	04	05	06	07	08	09	10	11	12	1280	13	14	1480	15	16	17	18	19	20	21	22	23	24	25		
154	RECTUM AND ANUS	M		2	3	4	5	-	2	7	7	-	-	4	2	4	3	-	3	2	2	-	-	-	-	3	-	-	-	-		
		F		1	3	6	5	-	-	-	-	-	-	-	1	-	-	-	3	-	4	3	-	4	-	-	-	-	-			
155	BILIARY PASSAGES AND LIVER, PRIMARY	M		17	23	30	13	27	13	15	22	-	-	30	18	15	17	-	18	20	21	14	12	-	15	6	25	18	38	13	-	
		F		16	18	20	-	42	14	-	21	5	-	10	33	18	28	8	24	10	30	21	-	13	15	-	7	6	11	28	-	
156	LIVER, NOT SPECIFIED AS PRIMARY	M		2	17	25	-	-	-	-	-	-	-	-	-	-	-	-	11	17	-	-	-	-	-	-	-	-	-	-		
		F		4	-	-	-	50	-	-	-	100	-	-	-	-	-	-	-	-	-	-	-	-	-	50	-	-	-	-		
157	PANCREAS	M		11	15	19	-	14	3	-	6	-	57	14	6	4	15	13	11	16	8	6	-	-	15	5	15	14	-	16	25	
		F		8	9	10	6	7	5	-	18	14	29	-	17	10	-	10	7	11	7	13	-	15	5	-	7	-	-	-		
158	PERITONEUM	M		50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
160	NOSE AND NASAL SINUSES	M		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
161	LARYNX	M		1	-	-	-	-	-	12	-	-	-	-	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
162	TRACHEA, BRONCHUS, LUNG AND PLEURA, PRIMARY	M		6	9	10	6	5	4	12	6	4	-	3	6	7	6	2	6	8	4	5	-	3	5	5	8	8	-	7	2	
		F		5	7	11	3	5	6	-	-	-	-	11	7	3	4	8	5	7	3	12	3	2	4	3	-	-	4	8	-	
163	LUNG, NOT SPECIFIED AS PRIMARY	M		5	4	8	-	-	20	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	
		F		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
164	MEDIASTINUM	M		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
170	BREAST	M		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F		-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
171	CERVIX UTERI	F		-	1	-	-	-	-	-	-	-	-	-	-	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172	CORPUS UTERI	F		1	2	3	-	-	-	-	-	3	6	-	2	4	3	1	2	-	-	2	-	-	-	-	-	-	-	-	-	
173	CHORIONEPITHELIOMA OF UTERUS	F		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
174	UTERUS, PART UNSPECIFIED	F		1	6	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
175	OVARY, TUBE AND BROAD LIGAMENT	F		1	1	-	-	-	-	3	-	-	-	3	-	1	5	3	1	2	-	9	-	-	4	4	-	-	-	-	-	

CANCER INCIDENCE IN SWEDEN 1996

PART 3 (4)

Table 10 : Percentage of cases found incidentally at autopsy, by site, sex and county, and the three big cities

CODE ICD-7	SITE	SEX	SWEDEN	COUNTIES												11 KRISTIANSTAD				15 ÄLVSborg				21 GÄVLEBORG	22 VÄSTERNORRLAND	23 JÄMTLAND	24 VÄSTERBOTTEN	25 NORRBOTTEN		
				01	0180	03	04	05	06	07	08	09	10	11	12	1280	13	14	1480	15	16	17	18	19	20	21	22	23	24	25
176	OTHER FEMALE GENITAL ORGANS	F		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
177	PROSTATE	M		3	6	7	1	12	1	3	4	1	3	4	2	4	10	3	1	1	-	1	1	2	-	2	1	1		
178	TESTIS	M		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-		
179	OTHER MALE GENITAL ORGANS	M		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
180	KIDNEY	M		10	7	17	12	13	18	-	8	14	-	22	24	5	8	13	12	15	3	15	15	-	8	8	-	17	-	12
		F		9	13	15	7	5	6	12	17	17	-	-	13	24	9	8	9	15	-	15	12	8	6	-	-	9	20	-
181	URINARY ORGANS	M		2	3	4	-	4	-	-	6	5	-	4	2	3	7	-	3	5	-	-	-	-	2	-	-	-	-	
		F		1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	
190	MALIGNANT MELANOMA OF SKIN	M		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
191	SKIN (MELANOMA EXCLUDED)	M		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
192	EYE	M		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
193	NERVOUS SYSTEM	M		5	3	3	-	-	4	-	10	-	25	28	11	12	29	-	2	3	3	7	5	6	11	-	-	-	-	-
		F		5	8	8	6	-	-	4	8	8	-	17	5	15	18	-	3	5	9	14	-	-	-	-	-	-	-	
194	THYROID GLAND	M		5	-	-	-	20	-	-	-	-	-	-	-	11	-	-	10	14	-	25	-	-	-	-	-	-	-	
		F		3	3	-	-	-	-	-	-	-	-	-	25	-	6	25	-	-	-	10	-	-	-	-	20	-	14	-
195	ENDOCRINE GLANDS	M		5	4	13	-	-	7	-	33	-	-	25	12	4	8	10	4	8	6	17	-	-	-	-	-	-	-	5
		F		1	1	3	-	-	-	3	-	5	-	5	-	3	6	-	-	-	5	-	-	-	-	-	-	-	-	
196	BONE	M		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
197	CONNECTIVE TISSUE, MUSCLE	M		2	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	14	-	17	-	-	-	-	-	
		F		2	7	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-	-	-	-	
199	OTHER AND UNSPECIFIED SITES	M		3	7	9	-	-	5	4	-	4	20	-	-	3	4	4	-	-	3	-	3	-	9	-	-	-	-	
		F		2	5	6	-	7	-	-	3	8	-	-	-	2	8	-	1	2	4	-	5	-	-	-	4	-	4	5

CANCER INCIDENCE IN SWEDEN 1996

PART 4 (4)

Table 10 : Percentage of cases found incidentally at autopsy, by site, sex and county, and the three big cities

		SEX	CODE ICD-7	SITE	COUNTIES												11 KRISTIANSTAD				15 ÄLVSborg				21 GÄVLEBORG						
					01 STOCKHOLM	06 JÖNKÖPING	12 MÅLMÖHUS	16 SKARABORG	21 VÄSTERNORRLAND	22 VÄSTERNORRLAND	0180 STOCKHOLM CITY	07 KRONOBERG	1280 MÅLMÖ CITY	17 VÄRMLAND	18 ÖREBRO	19 VÄSTMANLAND	23 JÄMTLAND	24 VÄSTERBOTTEN	03 UPPSALA	08 KALMAR	13 HALLAND	14 GÖTEBORG OCH BOHUS	1980 GÖTEBORG CITY	20 KOPPARBERG	25 NORRBOTTEN						
200	MALIGNANT NON-HODGKIN LYMPHO	M			4	8	12	-	-	2	-	-	9	-	16	-	4	7	-	4	3	3	3	11	-	-	3	4	-	-	8
		F			2	-	-	-	-	3	7	-	-	-	-	-	7	3	-	4	4	3	-	-	4	-	-	-	-	-	
201	HODGKINS DISEASE	M			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F			3	20	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-		
202	RETICULOSIS AND RELATED FORMS	M			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
203	MULTIPLE MYELOMA	M			1	3	5	-	-	5	-	-	-	-	-	-	-	-	4	7	-	-	-	-	-	-	-	-	-		
	PLASMOCYTOMA	F			2	2	4	8	-	-	-	-	-	-	10	-	-	-	-	-	10	-	-	-	-	-	-	-	-	-	
204	LYMPHATIC LEUKEMIA	M			2	6	12	-	-	10	-	-	-	10	33	-	-	6	-	-	-	-	-	-	-	-	-	-	-		
		F			3	2	4	-	-	-	-	-	-	10	33	-	-	12	5	-	-	-	-	8	-	-	-	-	-		
205	MYELOID LEUKEMIA	M			1	5	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F			1	-	-	-	-	-	-	-	-	-	-	10	33	-	-	-	-	-	-	-	-	-	-	-	-		
206	MONOCYTIC LEUKEMIA	M			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
207	OTHER AND UNSPECIFIED LEUKEMIA	M			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F			13	40	50	-	-	-	-	-	-	-	-	100	100	-	-	-	-	-	-	-	-	-	-	-	-		
208	POLYCYTHAEMIA VERA	M			2	-	-	-	-	-	-	-	-	-	-	-	-	-	20	25	-	-	-	-	-	-	-	-	-		
		F			-	-	-	-	-	-	-	-	-	-	-	20	33	-	-	-	-	-	33	-	-	-	-	-	-		
209	MYELOFIBROSIS	M			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F			4	-	-	-	-	-	-	-	-	-	-	20	33	-	-	-	-	-	33	-	-	-	-	-	-		

APPENDIX 1

The major exceptions from the codes in the 7th WHO revision

(WHO/HS/Canc/24.1. Code for anatomical location).

Site 158 (peritoneum) only includes malignant mesotheliomas of peritoneum, while metastatic lesions are referred to site 199.3.

Site 159 (unspecified digestive organs) has not been used. Such cases are included in site 199.

Site 162.2 (pleura) only includes malignant mesotheliomas.

Site 164 (mediastinum). Thymomas are referred to site 195.2.

Site 172 (corpus uteri) only includes malignant epithelial tumors of the mucosa.

Site 173 only includes malignant chorionic lesions (invasive mole and choriocarcinoma).

Site 174 (uterus, unspecified) includes carcinomas growing in both corpus and cervix uteri (or carcinoma uteri NOS), and uterine sarcomas.

Site 180.1 and 181 include papillomas of the urinary tract.

Site 191. Basaliomas are excluded.

Site 193.0 and .1 include histologically benign tumors of the central nervous system and meninges.

Site 193.3 includes malignant tumors of peripheral nerves and the sympathetic nervous system, irrespective of possible organ connection.

Site 195 (other endocrine glands) includes all benign and malignant tumors, though adrenocortical adenomas have been included only if they have given endocrinological symptoms.

Site 197 includes soft tissue sarcomas without organ connection, and also retroperitoneal tumors (197.4).

Site 198 (lymph nodes) has not been used. Metastatic tumors have been referred to site 199.

Site groups 206-207 have been replaced by groups 200-209 according to the Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death (ICD-8). Thus, all malignant lymphomas have been coded here irrespective of possibly stated organ-location of the lesions. Consequently, only sarcomas of non-lymphomatous and non-neurogenic character are included in the various organ sites and site 197.

APPENDIX 2

Definitions of statistical terms

Age is defined as the date of diagnosis (year, month) minus the date of birth (year, month), the so-called exact age.

Those, in the age-group x to $x+4$ years are born during some of the years $t-5$, $t-4$, $t-3$, $t-2$, $t-1$ or t . Lexis diagram.

The age-specific incidence rate $\frac{d}{n} \frac{m}{x}^t$ for the diagnosis d in the age-group x to $x+n-1$ years during year t is given as

$$\frac{d}{n} \frac{m}{x}^t = \frac{\frac{d}{n} I_x^t}{\frac{n}{n} \hat{L}_x^t} = \frac{\frac{d}{n} I_x^t}{\frac{n}{n} P_x^t + \frac{n}{n} P_x^{t+1}} \quad \text{where}$$

$\frac{d}{n} I_x^t$ is the number of new cancer cases for the diagnosis d in the age-group x to $x+n-1$ years during year t ;

$\frac{n}{n} \hat{L}_x^t = \frac{\frac{n}{n} P_x^t + \frac{n}{n} P_x^{t+1}}{2}$ is the mean population of Sweden in the age-group x to $x+n-1$ years during year t ;

$\frac{n}{n} P_x^t$ is the population of Sweden at the beginning of year t in the age-group x to $x+n-1$ years;

$\frac{n}{n} P_x^{t+1}$ is the population of Sweden in the same age-group at the beginning of year $t+1$.

n is equal to 5 for all ages except for those older than 85 where it is an open interval (85+ or 85-ω).

The crude incidence rate $\frac{d}{n} \frac{m}{m}^t$ for the diagnosis d and year t is given as

$$\frac{d}{n} \frac{m}{m}^t = \frac{\frac{d}{n} I_x^t}{\frac{n}{n} \hat{L}_x^t} \quad \text{where}$$

$$\frac{d}{n} I_x^t = \sum_{x}^{\omega} \frac{d}{n} I_x^t ;$$

$$\frac{n}{n} \hat{L}_x^t$$

$$\frac{n}{n} \hat{L}_x^t = \sum_{x}^{\omega} \frac{n}{n} \hat{L}_x^t$$

APPENDIX 2

To be able to compare the cancer incidence in different years - and avoid the influence of differences in age distribution - direct standardization is used to provide **the standardized incidence rate** $\frac{d^{\wedge}t}{m}$.

$$\frac{d^{\wedge}t}{m} = \sum_{x}^{\omega} W_x \frac{d}{n} \frac{t}{m_x} \quad \text{where}$$

ω = maximum age

W_x is the percentage of the standard population for the age-group x to $x+n-1$ years.

The standard populations used in this publication are given below.
Age standardized rates for the counties are calculated with weights from the Swedish 1970 census as standard population.

Standard populations

Age	The Swedish 1970 census %	The world population * %
0- 4	6.9	12.0
5- 9	7.1	10.0
10-14	6.6	9.0
15-19	6.8	9.0
20-24	8.1	8.0
25-29	7.8	8.0
30-34	6.1	6.0
35-39	5.5	6.0
40-44	5.8	6.0
45-49	6.5	6.0
50-54	6.5	5.0
55-59	6.3	4.0
60-64	5.9	4.0
65-69	5.0	3.0
70-74	3.9	2.0
75-79	2.7	1.0
80-84	1.5	0.5
85+	0.9	0.5
Total	100.0	100.0

* Cancer Incidence in Five Continents, Volume IARC, Lyon 1997.

APPENDIX 2

The linear regression model is of the form $Y = e^{a + b x}$ or equivalent to $\ln Y = a + b x$, where

Y = estimated annual age standardized incidence rate per 100 000

x = calendar year minus the midpoint of the period

$$a = \overline{\ln y} = \frac{\sum \ln y}{n}$$

n = number of calendar years

y = observed annual age standardized incidence rates.

$$b = \frac{\sum x (\ln y - \overline{\ln y})}{\sum x^2}$$

The variance of the regression coefficient b is

$$s_b^2 = \frac{s^2}{\sum x^2} \quad \text{where}$$

s^2 , the variance around the regression line, is defined by the formula

$$s^2 = \frac{\sum (\ln y - \overline{\ln y})^2}{n - 2} - b \sum x (\ln y - \overline{\ln y})$$

The confidence interval $b \pm 3 s_b$ is given in **Table I** and corresponds approximately to the 98 per cent level according to the Student's t distribution with $n - 2$ degrees of freedom.

From the equation $\ln Y = a + b x$ follows that $Y = e^a \cdot e^{b x}$

where e^a represents the geometric mean of the annual standardized incidence rates and $100 b$ corresponds to the average annual percentage change.

APPENDIX 3

CANCER REPORT

SOSFS 1984:32

(Tumors due to be reported, see overleaf)

Hospital, department

Patient's unique identification
number (11 digits) with –
century digit as first

C Year Month Day Birth code

Name

Home address

County

Date of diagnosis*

Year Month Day

Further information (if any)

Diagnosis:**

State primary site and type of the tumor as specified as possible. For paired organs, state side Right Left
When primary site is unknown state the location where the tumor was found.

Basis of diagnosis:

1. Clinical examination
2. X-ray, scintigraphy, ultrasound, NMT, MR, DT
(or other external (non-invasive) method)
3. Biopsy or operation **with** HistoPathological Examination (HPE)
4. Autopsy **with** HPE
5. Cytological examination
6. Operation **without** HPE
7. Autopsy **without** HPE

Date of death

Year Month Day

Was the reported cancer incidentally found at autopsy
(unsuspected, unknown before death)?

yes No

Cytology / pathology department where diagnosis was made

Number and year of Cytology / pathology /autopsy report

Date Year Month Day

Signed

* Date of the earliest examination where cancer was found.

** If the patient has two or more primary tumors, use a separate form for each tumor.

Mail **Original** to
the Regional Cancer Registry
Address: see overleaf
Copy is kept by the reporting agent

APPENDIX 4

CANCER REPORT from cytologist / pathologist

SOSFS 1984:32

Institution /department

Patient's unique identification number (10 digits) _____ Sex

 Male Female

Name

Home address


Referral from (physician / hospital)		Department	Case record number
Date of examination of specimen	Specimen number	Type of specimen <input type="checkbox"/> Biopsy, tissue taken during surgery Autopsy Cytologic material <input type="checkbox"/> specimen	
Localization of primary tumour. For paired organs, state side			
Cytologic /Histopathologic diagnosis			
Metastasis demonstrated in			
Is the reported cancer morphologically established earlier? If "yes", state number of pathology report, department and year of diagnosis <input type="checkbox"/> Yes <input type="checkbox"/> No			
Date of death	Is the reported cancer the underlying cause of death? <input type="checkbox"/> Yes <input type="checkbox"/> No		Cancer first detected at autopsy <input type="checkbox"/> Yes <input type="checkbox"/> No
Date. Signature by reporting physician		Mail Original and copy 1 to the Regional Cancer Registry (address, see overleaf). Copy 2 is kept by the reporting agent	

APPENDIX 5

Map of Sweden

<i>County/Municipality</i>	<i>Medical region</i>
01 09 STOCKHOLM	
03 04 17 18 19 20 21 UPPSALA	
05 06 08 LINKÖPING	
07 10 11 12 LUND-MALMÖ	
13 (1315 1380 1381)	
13 (1382 1383 1384) GÖTEBORG	
14 15 16	
22 23 24 25 UMEÅ	

<i>Code</i>	<i>County</i>
01	Stockholm
03	Uppsala
04	Södermanland
05	Östergötland
06	Jönköping
07	Kronoberg
08	Kalmar
09	Gotland
10	Blekinge
11	Kristianstad
12	Malmöhus
13	Halland
14	Göteborg & Bohus
15	Älvborg
16	Skaraborg
17	Värmland
18	Örebro
19	Västmanland
20	Kopparberg
21	Gävleborg
22	Västernorrland
23	Jämtland
24	Västerbotten
25	Norrbotten



9 Coding according to ICD-O-2/ICD-10, and translation to earlier ICD versions

In general, coding of site has been done according to ICD-O-2. There are though a few exceptions where the ICD-10 codes have been applied. These sites are malignant melanoma of the skin, malignant lymphomas, and leukemias. An overview of the coding of site is given in **Table W1** as well as translations to other ICD versions. In **Table W2**, relevant morphology codes are included to properly identify malignant lymphomas, leukemias and related entities.

According to the rules for coding topography in the ICD-O-2 version, a tumor that "overlaps the boundaries of two or more subcategories and whose point of origin cannot be determinated should be classified to subcategory 8". The experience gathered in the Swedish Cancer Registry over a long period of time tells that such a situation is extremely rare and, for practical purposes, not applicable in practical coding. On the other hand, certain tumors appearing multifocally within a defined site are not uncommon. For this reason, subcategory "8" has been reserved for these situations.

In the new system, the side of a pair organ is coded separately, while earlier only breast was given a side code. The following sites orsubsites are now given side codes: C34 (Bronchus and lung), C384 (Pleura, NOS), C50 (Breast), C570 (Fallopian tube), C571 (Broad ligament), C572 (Round ligament), C62 (Testis), C630 (Epididymis), C631 (Spermatic cord), C64 (Kidney), C65 (Renal pelvis), C66 (Ureter), C69 (Eye and adnexa), and C74 (Adrenal gland).

Table W1. Translation of site codes from ICD-O-2/ICD-10 to ICD-7 and ICD-9

ICD-O-2/ ICD-10		ICD-7	ICD-9
C000	External upper lip	1400	1400
C001	External lower lip	1401	1401
C002	External lip, NOS	1409	1409
C003	Inner aspect of upper lip	1400	1403
C004	Inner aspect of lower lip	1401	1404
C005	Inner aspect of lip, NOS	1409	1405
C006	Commissure of lip	1409	1406
C008	Multifocal tumor of lip	1408	1408
C009	Lip, NOS	1409	1409
C019	Dorsal surface of base of tongue, posterior third of tongue	1410	1410
C020	Dorsal surface, anterior 2/3 of tongue	1417	1411
C021	Border and tip of tongue	1417	1412
C022	Ventral surface, anterior 2/3 of tongue	1417	1413
C023	Anterior 2/3 of tongue, NOS	1419	1414
C024	Lingual tonsil	1419	1419
C028	Multifocal tumor of tongue	1418	1418
C029	Tongue, NOS	1419	1419
C030	Upper gum	144	1430
C031	Lower gum	144	1431
C039	Gum, NOS	144	1439
C040	Anterior floor of mouth	143	1449
C041	Lateral floor of mouth	143	1449
C048	Multifocal tumor of floor of mouth	143	1449
C049	Floor of mouth, NOS	143	1449
C050	Hard palate mucosa	144	1452
C051	Soft palate mucosa	144	1453
C052	Uvula	144	1454
C058	Multifocal tumor of palate	144	1458
C059	Palate, NOS	144	1455
C060	Cheek mucosa	144	1450
C061	Vestibule of mouth	144	1459
C062	Retromolar area	144	1456
C068	Multifocal tumor of mouth	144	1458
C069	Mouth and minorsalivary gland, NOS	144	1459
C079	Parotid gland	1420	1420
C080	Submandibular, submaxillary gland	1426	1421
C081	Sublingual gland	1425	1422
C088	Overlapping lesion of majorsalivary glands	1428	1428
C089	Major salivary gland, NOS	1429	1429
C090	Tonsillar fossa	1450	1460
C091	Facial and glossopalatine tonsillar pillar	1457	1460
C098	Multifocal tumor of tonsil	1458	1468
C099	Palatine tonsil and tonsil, NOS	1459	1469
C100	Vallecula	1457	1469
C101	Anterior surface of epiglottis	1457	1469
C102	Lateral wall of oropharynx	1457	1469
C103	Posterior wall of oropharynx	1457	1469
C104	Branchial cleft	1457	1469
C108	Multifocal tumor of oropharynx	1458	1468
C109	Oropharynx, NOS	1459	1469
C110	Superior wall of nasopharynx	146	1479

Table W1. Translation of site codes from ICD-O-2/ICD-10 to ICD-7 and ICD-9

ICD-O-2/ ICD-10		ICD-7	ICD-9
C111	Posterior wall of nasopharynx	146	1479
C112	Lateral wall of nasopharynx	146	1479
C113	Anterior wall of nasopharynx	146	1479
C118	Multifocal tumor of nasopharynx	146	1479
C119	Nasopharynx, NOS	146	1479
C129	Sinus piriformis	147	1481
C130	Postcricoid region	147	1480
C131	Hypopharyngeal aspect of aryepiglottic fold	147	1489
C132	Posterior wall of hypopharynx	147	1489
C138	Multifocal tumor of hypopharynx	147	1488
C139	Hypopharynx, NOS	147	1489
C140	Pharynx, NOS	148	1499
C141	Laryngopharynx	148	1499
C142	Waldeyer's ring	148	1499
C148	Tumor of lip, oral cavity and pharynx, NOS	148	1499
C150	Cervical esophagus	1500	1503
C151	Thoracic esophagus	1500	1504
C152	Abdominal esophagus	1500	1505
C153	Upper third of esophagus	1500	1503
C154	Middle third of esophagus	1500	1504
C155	Lower third of esophagus	1500	1505
C158	Multifocal tumor of esophagus	1508	1508
C159	Esophagus, NOS	1509	1509
C160	Cardia, NOS	1511	1510
C161	Fundus of stomach	1510	1513
C162	Body of stomach	1510	1514
C163	Gastric antrum	1510	1511
C164	Pylorus	1510	1511
C165	Lesser curvature of stomach, NOS	1510	1514
C166	Greater curvature of stomach, NOS	1510	1514
C168	Multifocal tumor of stomach	1518	1518
C169	Stomach, NOS	1519	1519
C170	Duodenum	1520	1520
C171	Jejunum	1527	1521
C172	Ileum	1527	1522
C173	Meckel's diverticulum	1527	1522
C178	Multifocal tumor of small intestine	1528	1528
C179	Small intestine, NOS	1529	1529
C180	Ileocecal valve and junction	1530	1536
C180	Cecum	1530	1534
C181	Appendix	1534	1535
C182	Ascending colon	1530	1536
C183	Hepatic flexure of colon	1531	1530
C184	Transverse colon	1531	1531
C185	Splenic flexure of colon	1531	1537
C186	Descending colon	1532	1532
C187	Sigmoid colon	1533	1533
C188*	Familial polyposis /* Not conforming with ICD-O-2	1538	1538
C189	Colon, NOS	1539	1539
C199	Rectosigmoid junction	1540	1540
C209	Rectum, NOS (rectal ampulla)	1540	1541

Table W1. Translation of site codes from ICD-O-2/ICD-10 to ICD-7 and ICD-9

ICD-O-2/ ICD-10		ICD-7	ICD-9
C210	Anus, NOS	1541	1542
C211	Anal canal and sphincter	1541	1542
C212	Cloacogenic zone	1541	1542
C218	Multifocal tumor of rectum, anus and anal canal	1548	1548
C220	Liver	1550	1550
C221	Intrahepatic bile duct	1550	1551
C229	Liver, NOS	156	1552
C239	Gallbladder	1551	1560
C240	Extrahepatic bile ducts	1552	1561
C241	Ampulla of Vater	1553	1562
C248	Multifocal tumor of biliary tract	1558	1568
C249	Biliary tract, NOS	1559	1569
C250	Head of pancreas	157	1570
C251	Body of pancreas	157	1571
C252	Tail of pancreas	157	1572
C253	Pancreatic duct	157	1573
C254	Islets of Langerhans	1955	1574
C257	Other specified parts of pancreas	157	1579
C258	Multifocal tumor of pancreas	157	1578
C259	Pancreas, NOS	157	1579
C260	Intestinal tract, NOS	1539	1590
C268	Overlapping lesion of digestive system	1993	1599
C269	Gastrointestinal tract, NOS	1993	1599
C300	Nasal cavity	1600	1600
C301	Middle ear	1601	1601
C310	Maxillary sinus	1602	1602
C311	Ethmoid sinus	1607	1603
C312	Frontal sinus	1607	1604
C313	Sphenoid sinus	1607	1605
C318	Multifocal tumor of accessory sinuses	1608	1608
C319	Accessory sinus, NOS	1609	1609
C320	Glottis, vocal cords, NOS	161	1610
C321	Supraglottis (epiglottis)	161	1611
C322	Subglottis	161	1612
C323	Laryngeal cartilage	161	1613
C328	Multifocal tumor of larynx	161	1618
C329	Larynx, NOS	161	1619
C339	Trachea	1620	1620
C340	Main bronchus	1621	1622
C341	Upper lobe, lung	1621	1623
C342	Middle lobe, lung	1621	1624
C343	Lower lobe, lung	1621	1625
C348	Multifocal tumor of bronchus or lung	1621	1628
C349	Lung, NOS	1621	1629
C379	Thymus	1952	1640
C380	Heart, pericardium	1975	1641
C381	Anterior mediastinum	164	1649
C382	Anterior mediastinum	164	1649
C383	Mediastinum, NOS	164	1649
C384	Pleura, NOS	1622	1639
C390	Upper respiratory tract, NOS	1999	1659

Table W1. Translation of site codes from ICD-O-2/ICD-10 to ICD-7 and ICD-9

ICD-O-2/ ICD-10		ICD-7	ICD-9
C398	Malignant Tumor of lung or pleura, NOS	163	1659
C399	Ill-defined sites within respiratory system and other intrathoracic organs	1999	1659
C400	Long bones of upper limb, scapula and associated joints	1964	1704
C401	Short bones of upper limb and associated joints	1965	1705
C402	Long bones of lower limb and associated joints	1967	1707
C403	Short bones of lower limb and associated joints	1968	1708
C409	Bone and cartilage of limb, NOS	1969	1709
C410	Bones of skull and face and associated joints	1960	1700
C411	Mandible	1961	1701
C412	Vertebral column	1962	1702
C413	Rib, sternum, clavicle and associated joints	1963	1703
C414	Pelvic bones, sacrum, coccyx and associated joints	1966	1706
C419	Bone, cartilage, joint, NOS	1969	1709
C430	Malignant melanoma of lip	1903	1720
C431	Malignant melanoma of eyelid, including canthus	1901	1721
C432	Malignant melanoma of ear and external auricular canal	1902	1722
C433	Malignant melanoma of other and unspecified parts of face	1903	1723
C434	Malignant melanoma of scalp and neck	1904	1724
C435	Malignant melanoma of trunk, axilla, inguinal area, perineum	1905	1725
C436	Malignant melanoma of upper limb, including shoulder	1906	1726
C437	Malignant melanoma of lower limb including hip region	1907	1727
C438	Multifocal tumor of malignant melanoma of skin	1908	1728
C439	Malignant melanoma of skin, unspecified	1909	1729
C440	Skin of lip, NOS	1913	1730
C441	Skin of eyelid, canthus	1911	1731
C442	External ear, external auditory canal	1912	1732
C443	Skin of other and unspecified parts of face	1913	1733
C444	Skin of scalp and neck	1914	1734
C445	Skin of trunc, axilla, inguinal region, and perineum	1915	1735
C446	Skin of upper limb and shoulder	1916	1736
C447	Skin of lower limb and hip	1917	1737
C448	Multifocal tumor of skin	1918	1738
C449	Skin, NOS	1919	1739
C470	Peripheral nerves and autonomic nervous system of head, face and neck	1933	1710
C471	Peripheral nerves and autonomic nervous system of upper limb and shoulder	1933	1712
C472	Peripheral nerves and autonomic nervous system of lower limb and hip	1933	1713
C473	Peripheral nerves and autonomic nervous system of thorax	1933	1714
C474	Peripheral nerves and autonomic nervous system of abdomen	1933	1715
C475	Peripheral nerves and autonomic nervous system of pelvis	1933	1716
C476	Peripheral nerves and autonomic nervous system of trunk and back	1933	1717
C478	Multifocal tumor of peripheral nerves and autonomic nervous system	1938	1718
C479	Peripheral nerves and autonomic nervous system, NOS	1939	1719
C480	Retroperitoneum	1974	1580
C481	Specified parts of peritoneum	158	1588
C482	Peritoneum, NOS	158	1589
C490	Connective tissue of head, face, and neck	1970	1710
C491	Connective tissue of upper limb and shoulder	1972	1712
C492	Connective tissue of lower limb and hip (excl gluteal region)	1973	1713
C493	Connective tissue of thorax (excludes thymus, heart and mediastinum)	1977	1714
C494	Connective tissue of abdomen	1977	1715
C495	Connective tissue of pelvis	1977	1716

Table W1. Translation of site codes from ICD-O-2/ICD-10 to ICD-7 and ICD-9

ICD-O-2/ ICD-10		ICD-7	ICD-9
C496	Connective tissue of trunk and back	1971	1717
C498	Multifocal tumor of connective tissue	1978	1718
C499	Connective, subcutaneous and other soft tissue, NOS	1979	1719
C500	Nipple and areola	1701-2	1741-2
C501	Central portion of breast	1701-2	1741-2
C502	Upper-inner quadrant of breast	1701-2	1741-2
C503	Lower-inner quadrant of breast	1701-2	1741-2
C504	Upper-outer quadrant of breast	1701-2	1741-2
C505	Lower-outer quadrant of breast	1701-2	1741-2
C506	Axillary tail of breast	1701-2	1741-2
C508	Multifocal tumor of breast	1707-8	1743-4
C509	Breast, NOS	1701-2	1741-2
C510	Labium majus, Bartholin's gland	1767	1841
C511	Labium minus	1767	1842
C512	Clitoris	1767	1843
C518	Multifocal tumor of vulva	1768	1848
C519	Vulva, NOS	1760	1844
C529	Vagina, NOS	1761	1840
C530	Endocervix	171	1809
C531	Exocervix	171	1809
C539	Cervix uteri, NOS	171	1809
C540	Isthmus uteri	172	1821
C541	Endometrium	172	1820
C543	Fundus uteri	172	1820
C549	Corpus uteri	172	1820
C559	Sarcoma of uterus and uterus, NOS	174	1799
C569	Ovary	1750	1830
C570	Fallopian tube	1751	1832
C571	Broad ligament	1751	1833
C572	Round ligament	1751	1835
C573	Parametrium	1751	1834
C574	Uterine adnexa	1759	1839
C577	Other specified parts of female genital organs	1759	1839
C578	Overlapping lesion offemale genital organs	1758	1838
C579	Female genital organs, NOS	1769	1849
C589	Placenta	173	1819
C600	Prepuce	1790	1871
C601	Glans penis	1790	1872
C602	Body of penis	1790	1873
C608	Multifocal tumor of penis	1798	1878
C609	Penis, NOS, skin of penis	1790	1874
C619	Prostate gland	177	1859
C620	Undescended testis	178	1869
C621	Descended testis	178	1869
C629	Testis, NOS	178	1869
C630	Epididymis	1797	1875
C631	Spermatic cord, vas deferens	1797	1876
C632	Scrotum, NOS	1791	1877
C632	Skin of scrotum, melanoma	1905	1877
C632	Skin of scrotum, other tumors	1915	1877
C637	Other specified parts of male genital organs	1797	1879

Table W1. Translation of site codes from ICD-O-2/ICD-10 to ICD-7 and ICD-9

ICD-O-2/ ICD-10		ICD-7	ICD-9
C638	Multifocal tumor of male genital organs	1798	1878
C639	Male genital organs, NOS	1799	1879
C640	Kidney parenchyma	1800	1890
C649	Kidney, NOS	1809	1896
C659	Renal pelvis	1801	1891
C669	Ureter	1811	1892
C670	Trigone of bladder	1810	1889
C671	Dome of bladder	1810	1889
C672	Lateral wall of bladder	1810	1889
C673	Anterior wall of bladder	1810	1889
C674	Posterior wall of bladder	1810	1889
C675	Bladder neck, internal urethral orifice	1810	1889
C676	Ureteric orifice	1810	1889
C677	Urachus	1816	1887
C678	Multifocal tumor of bladder	1810	1888
C679	Bladder, NOS	1810	1889
C680	Urethra	1812	1893
C681	Paraurethral gland	1817	1894
C682	Other specified sites of the urinary organ	1817	1895
C688	Multifocal tumor of urinary organs	1818	1898
C689	Urinary system, NOS	1819	1899
C690	Conjunctiva	1923	1903
C691	Cornea, NOS	1927	1904
C692	Retina	1920	1905
C693	Choroid	1920	1906
C694	Ciliary body, eyeball	1920	1900
C695	Lacrimal duct and sac	1927	1907
C695	Lacrimal gland, sac and duct	1922	1902
C696	Orbit, NOS	1922	1901
C698	Multifocal tumor of eye and its adnexa	1928	1908
C699	Eye, NOS	1929	1909
C700	Cerebral meninges	1930	1921
C701	Spinal meninges	1931	1923
C709	Meninges, NOS	1939	1929
C710	Cerebrum, hypothalamus, basal ganglia	1930	1917
C711	Frontal lobe	1930	1911
C712	Temporal lobe	1930	1912
C713	Parietal lobe	1930	1913
C714	Occipital lobe	1930	1914
C715	Ventricle, NOS	1930	1915
C716	Cerebellum, NOS	1930	1916
C717	Brain stem, including fourth ventricle	1930	1917
C718	Multifocal tumor of brain	1930	1918
C718	Corpus callosum	1930	1917
C719	Brain, NOS	1930	1919
C720	Spinal cord	1931	1922
C721	Cauda equina	1931	1922
C722	Olfactory nerv	1930	1920
C723	Optic nerv	1921	1924
C724	Acoustic nerv	1930	1920
C725	Cranial nerve, NOS	1930	1920

Table W1. Translation of site codes from ICD-O-2/ICD-10 to ICD-7 and ICD-9

ICD-O-2/ ICD-10		ICD-7	ICD-9
C728	Multifocal tumor of brain and central nervous system	1938	1928
C729	Nervous system, NOS	1939	1929
C739	Thyroid gland	194	1939
C740	Cortex of adrenal gland	1950	1940
C741	Medulla of adrenal gland	1950	1940
C749	Adrenal gland, NOS	1950	1940
C750	Parathyroid gland	1951	1941
C751	Pituitary gland	1953	1943
C752	Craniopharyngeal duct	1930	1917
C753	Pineal gland	1930	1944
C754	Carotid body	1957	1945
C755	Aortic body and other paraganglia	1957	1946
C758	Multifocal tumor of endocrine glands	1958	1948
C759	Endocrine gland, NOS	1959	1949
C760	Head, face or neck, NOS	1991	1950
C761	Thorax, NOS	1992	1951
C762	Abdomen, NOS	1993	1952
C763	Pelvis, NOS	1994	1953
C764	Upper limb, NOS	1995	1954
C765	Lower limb, NOS	1995	1955
C767	Other ill-defined sites	1999	1959
C770	Lymph nodes of head, face and neck	1999	1960
C771	Intrathoracic lymph nodes	1999	1961
C772	Intra-abdominal lymph nodes	1999	1962
C773	Lymph nodes of axilla or arm	1999	1963
C774	Lymph nodes of inguinal region or leg	1999	1965
C775	Pelvic lymph nodes	1999	1966
C778	Lymph nodes of multiple regions	1999	1968
C779	Lymph node, NOS	1999	1969
C780	Secondary malignant neoplasm of lung	1999	1970
C781	Secondary malignant neoplasm of mediastinum	1999	1971
C782	Secondary malignant neoplasm of pleura	1999	1972
C783	Secondary malignant neoplasm of other and unspecified respiratory organs	1999	1973
C784	Secondary malignant neoplasm of small intestine	1999	1974
C785	Secondary malignant neoplasm of large intestine and rectum	1999	1975
C786	Secondary malignant neoplasm of retroperitoneum and peritoneum	1999	1976
C787	Secondary malignant neoplasm of liver	1999	1977
C788	Secondary malignant neoplasm of other and unspecified digestive organs	1999	1979
C790	Secondary malignant neoplasm of kidney and renal pelvis	1999	1980
C791	Secondary malignant neoplasm of bladder and other and unspecified urinary organs	1999	1981
C792	Secondary malignant neoplasm of skin	1999	1982
C793	Secondary malignant neoplasm of brain and cerebral meninges	1999	1983
C794	Secondary malignant neoplasm of other and unspecified parts of nervous system	1999	1984
C795	Secondary malignant neoplasm of bone and bone marrow	1999	1985
C796	Secondary malignant neoplasm of ovary	1999	1986
C797	Secondary malignant neoplasm of adrenal gland	1999	1989
C798	Secondary malignant neoplasm of other specified sites	1999	1989
C809	Unknown primary site	1999	1991
C809	Malignant neoplasm of multiple sites, NOS	1999	1990

**Table W2. Translation of site codes from ICD-O-2/ICD-10 to ICD-7 and ICD-9,
including relevant morphology codes**

ICD-O-2/ ICD-10 snomed		C24	ICD-7	ICD-9
C810	96573 Hodgkin's disease, lymphocytic predominance	326	201	2019
C810	96583 Hodgkin's disease, diffuse lympho-histiocytic type	326	201	2019
C810	96593 Hodgkin's disease, nodular lympho-histiocytic type	326	201	2019
C811	96533 Hodgkin's disease, nodular sclerosis, NOS	326	201	2019
C811	96643 Hodgkin's disease, nodular sclerosis, cellular phase	326	201	2019
C811	96653 Hodgkin's disease, nodular sclerosis, lymphocytic predominance	326	201	2019
C811	96663 Hodgkin's disease, nodular sclerosis, mixed cellularity	326	201	2019
C811	96673 Hodgkin's disease, nodular sclerosis, lymphocytic depletion type	326	201	2019
C812	96523 Hodgkin's disease, mixed cellularity	326	201	2019
C813	96533 Hodgkin's disease, lymphocytic depletion	326	201	2019
C813	96543 Hodgkin's disease, lymphocytic depletion, diffuse fibrosis	326	201	2019
C813	96553 Hodgkin's disease, lymphocytic depletion, reticular	326	201	2019
C817	96603 Hodgkin's paragranuloma	326	201	2019
C817	96613 Hodgkin's granuloma	326	201	2019
C817	96623 Hodgkin's sarcoma	326	201	2019
C819	96503 Hodgkin's disease, NOS	326	201	2019
C827	96143 Follicular and diffuse centroblastic-centrocytic non-Hodgkin'slymphoma	306	2001	2001
C827	96913 Nodular lympho-histiocytic mixednon-Hodgkin'slymphoma	306	2001	2001
C827	96923 Follicular centroblastic-centrocytic non-Hodgkin'slymphoma	306	2001	2001
C827	96933 Nodular lymphocytic well differentiatednon-Hodgkin'slymphoma	306	2001	2001
C827	96963 Nodular lymphocytic poorly differentiatednon-Hodgkin'slymphoma	306	2001	2001
C827	96973 Follicular centroblastic non-Hodgkin'slymphoma	306	2001	2001
C827	96983 Nodular histiocytic non-Hodgkin'slymphoma	306	2001	2001
C829	96903 Follicular non-Hodgkin'slymphoma, NOS	306	2001	2001
C834	96843 Diffuse immunoblastic non-Hodgkin'slymphoma (B-cell)	306	2001	2001
C835	96853 Diffuse lymphoblastic non-Hodgkin'slymphoma (B-cell)	306	2001	2001
C836	97143 Diffuse anaplastic non-Hodgkin'slarge cell (Ki-1+)lymphoma (B-cell)	306	2001	2001
C837	96873 Burkitt's lymphoma	306	2001	2001
C838	96703 Diffuse lymphocytic well differentiatednon-Hodgkin's lymphoma	306	2001	2001
C838	96713 Immunocytoma	306	2001	2001
C838	96723 Diffuse lymphocytic poorly differentiatednon-Hodgkin's lymphoma	306	2001	2001
C838	96743 Diffuse centrocytic non-Hodgkin'slymphoma	306	2001	2001
C838	96753 Diffuse mixed non-Hodgkin'slymphoma	306	2001	2001
C838	96763 Diffuse centroblastic-centrocytic non-Hodgkin'slymphoma	306	2001	2001
C838	96803 Diffuse histiocytic non-Hodgkin'slymphoma	306	2001	2001
C838	96833 Diffuse centroblastic non-Hodgkin'slymphoma	306	2001	2001
C838	96863 Diffuse undifferentiatednon-Hodgkin'slymphoma	306	2001	2001
C838	97113 Diffuse monocyteoid B-cellular non-Hodgkin'slymphoma	306	2001	2001
C840	97003 Mycosis fungoides	356	2022	2021
C841	97013 Sézary's disease	356	2022	2022
C842	97033 T-zone lymphoma	386	2021	2029
C843	97043 Lymphoepithelioid (Lennert's)lymphoma	386	2021	2029
C844	97023 Peripheral T-celllymphoma, NOS	386	2021	2029
C844	97053 Peripheral T-celllymphoma, angioimmunoblasticlymphoma	386	2021	2029
C844	97063 Peripheral T-cellpleomorphic, small celllymphoma	386	2021	2029
C844	97073 Peripheral T-celllymphoma, pleomorphic medium andlarge cell	386	2021	2029
C844	97123 Angloendotheliotropiclymphoma	386	2021	2029
C844	97133 Angiocentric T-celllymphoma	386	2021	2029
C845	96843 Immunoblastic T-celllymphoma	306	2001	2001
C845	96853 Lymphoblastic T-cell lymphoma	306	2001	2001

**Table W2. Translation of site codes from ICD-O-2/ICD-10 to ICD-7 and ICD-9,
including relevant morphology codes**

ICD-O-2/ ICD-10 snomed		C24	ICD-7	ICD-9
C845	97143 Anaplastic large cell (Ki-1+) T-cell lymphoma	306	2001	2001
C850	95923 Lymphosarcoma, NOS	306	2001	2001
C851	95903 B-cell lymphoma, NOS	306	2001	2001
C857	97093 Cutaneous lymphoma	356	2022	2029
C859	95903 Malignant lymphoma, NOS	396	2002	2028
C859	95903 T-cell lymphoma, NOS	306	2001	2001
C859	95913 Non-Hodgkin's lymphoma, NOS	306	2001	2001
C880	97613 Waldenström's macroglobulinemia	396	2003	2092
C881	97623 Alpha heavy chain disease	396	2002	2088
C882	97633 Gamma heavy chain disease	396	2002	2028
C883	97643 Immunoproliferative smallintestinal disease	396	2002	2008
C887	97651 Monoclonal gammopathy	391	2002	2008
C887	97661 Angiocentric immunoproliferative lesion	391	2002	2008
C887	97681 T-gamma lymphoproliferative disease	391	2002	2008
C889	97603 Malignant immunoproliferative disease, NOS	396	2002	2008
C900	80003 Multiple myeloma	996	203	2030
C900	97313 Malignant plasmacytoma, NOS	336	203	2030
C900	97323 Multiple myeloma	336	203	2030
C901	98303 Plasma cell leukemia	336	203	2031
C902	97313 Extramedullary plasmacytoma	336	203	2039
C910	98213 Acute lymphoblastic leukemia, NOS	206	2040	2040
C911	98233 Chronic lymphocytic leukemia	206	2041	2041
C912	98223 Subacute lymphoid leukemia	206	2049	2042
C913	98253 Prolymphocytic leukemia	206	2049	2049
C914	99403 Hairy cell leukemia	356	2024	2024
C915	98273 Adult T-cell leukemia/lymphoma	206	2049	2049
C917	98263 Burkitt's cell leukemia	206	2049	2049
C919	98203 Lymphoid leukemia, NOS	206	2049	2049
C920	98613 Acute myeloid leukemia (myeloblastic)	226	2050	2050
C921	98633 Chronic myeloid leukemia	226	2051	2051
C922	98623 Subacute myeloid leukemia	226	2059	2052
C923	99303 Myeloid sarcoma	226	2059	2053
C924	98663 Acute promyelocytic leukemia	296	2059	2059
C925	98673 Acute myelomonocytic leukemia	296	2059	2059
C927	98683 Chronic myelomonocytic leukemia	296	2059	2059
C929	98603 Myeloid leukemia, NOS	226	2059	2059
C930	98913 Acute monocytic leukemia	256	2060	2060
C931	98933 Chronic monocytic leukemia	256	2061	2061
C932	98923 Subacute monocytic leukemia	256	2069	2062
C937	98903 Other monocytic leukemia	256	2069	2069
C939	98903 Monocytic leukemia, NOS	256	2069	2069
C940	98403 Erythroleukemia	286	2072	2070
C940	98413 Acute erythremia	286	2072	2070
C941	98423 Chronic erythremia	286	2072	2070
C942	99103 Acute megakaryoblastic leukemia	296	2073	2072
C943	99003 Mast cell leukemia	296	2079	2089
C944	99313 Acute panmyelosis	216	209	2090
C945	99323 Acute myelofibrosis	216	209	2090
C947	98503 Lymphosarcoma cell leukemia	296	2070	2080
C950	98013 Acute leukemia, NOS	296	2070	2080

**Table W2. Translation of site codes from ICD-O-2/ICD-10 to ICD-7 and ICD-9,
including relevant morphology codes**

ICD-O-2/ ICD-10 snomed		C24	ICD-7	ICD-9
C951	98033 Chronic leukemia, NOS	296	2071	2081
C959	80003 Leukemia, NOS	996	2079	2089
C959	98003 Leukemia, NOS	296	2079	2089
C960	97223 Letterer-Siwe disease (Progressiv acute histiocytosis)	386	2021	2025
C961	97203 Malignant histiocytosis	386	2021	2029
C962	97403 Mast cell sarcoma	386	2021	2029
C962	97413 Malignant mastocytosis	386	2021	2029
C963	97233 True histiocytic lymphoma	316	2021	2029
C967	77260 Castleman's disease	381	2021	2029
C967	99711 Other specified primary neoplasm of lymphoid or hemopoietic tissue	381	2021	2029
C967	99713 Other specified primary malignantneoplasm of lymphoid or hemopoietic tissue	386	2021	2029
C969	99703 Primary malignantneoplasm of lymphoid or hemopoietic tissue	396	2002	2028
C969	99703 Malignant tumor oflymphoid or hemopoietic tissue	396	2002	2028
D45	99501 Polycythemia vera	276	208	2091
D460	99811 Refractory anemia without sideroblasts	223	2059	2059
D461	99821 Refractory anemia with sideroblasts	223	2059	2059
D462	99831 Refractory anemia with excess of blasts	223	2059	2059
D463	99841 Refractory anemia with excess of blasts with transformation	223	2059	2059
D467	99891 Myelodysplastic syndrome, NOS	223	2059	2059
D469	99891 Dysmyelopoetic syndrome, NOS, preleukemia	223	2059	2059
D470	97401 Mastocytoma, NOS	381	2021	2029
D471	99601 Chronic myeloproliferative disease, NOS	216	209	2090
D471	99611 Myelofibrosis or myelosclerosis	216	209	2090
D473	99621 Idiopathic thrombocythemia	293	2079	2089
D760	77860 Eosinophilic granuloma (Langerhans' cellhistiocytosis)	386	2021	2029
D760	77910 Histiocytosis X	386	2021	2029
D760	77920 Hand-Schüller-Christiandisease	386	2021	2029