



Statistics on breastfeeding 2019

Breastfeeding during the infant's first months continues to decrease slightly, while the proportion of infants who are breastfed at the age of six months has remained largely unchanged since 2010. However, it is becoming increasingly common for infants to be breastfed at the age of eight months. The regional differences in the proportion of breastfed are most pronounced among infants aged six months and above.

Breastfeeding of eight-months-old infants is increasing

In terms of the last thirty years, the proportion of infants in Sweden who are breastfed has been the highest during the period of 1995–2004 (Figure 1). At that time, about 83 percent of all infants were breastfed at four months of age and around 72 percent at six months of age. Thereafter, the proportion of breastfed infants decreased for a few years. Since 2010, the proportion of breastfed sixmonth-olds has remained stable around 63 percent. For infants younger than six months, the proportion has continued to decline slightly even in recent years.






On the other hand, breastfeeding of infants older than six months has increased slightly since 2010. Among eight-month-old infants, the proportion of breastfed has increased from 34 percent in 2010 to 49 percent in 2019. For twelve-month-

old infants, the proportion has increased from 16 percent to 28 percent during the same period. At that age, almost all infants who are breastfed also receive other types of food.

Exclusive breastfeeding of newborns is decreasing


The proportion of infants who are exclusively breastfed at one week of age has decreased gradually in the last twenty years. At the end of the 1990s, around 93 percent of infants where exclusively breastfed, and in 2019 the corresponding figure was 73 percent. During the same period, the proportion of infants who were partially breastfed increased, from five percent to 21 percent. Overall, the number of infants who are breastfed, either exclusively or partially, has decreased slightly during the period, from 98 percent in 1998 to 94 percent in 2019 (see figure 2).



There has been a similar reduction in exclusive breastfeeding among two-monthold infants in the last twenty years, while partial breastfeeding has increased. The proportion of infants who are exclusively breastfed at two months of age has decreased from 80 percent in 2000 to 61 percent 2019 while the proportion who are partially breastfed has increased from 12 percent to 22 percent during the same period. Also in this age group, the proportion of infants who were breastfed, exclusively or partially, has decreased slightly during the same period, from 92 percent in 2000 to 83 percent 2019. At the age of four months, 73 percent were exclusively or partially breastfed 2019, while the corresponding figure for six-month-olds was 63 percent.

Proportion of breastfed varies between counties

The differences between counties regarding breastfeeding are relatively small when it comes to the youngest infants. The proportion of infants who were breastfed at one week of age, exclusively of partially, varied in 2019 between 96 percent in the county of Gotland and 90 percent in the county of Uppsala. At six months of age, the differences between the counties were larger (figure 3). The county of Gotland again had the highest proportion of infants who were breastfed, 71 percent, compared to the county of Värmland where 56 percent of the infants were breastfed.



Definitions

Exclusively breastfed refers to infants who have been fed only breastmilk and vitamins (e.g. vitamin D) or medicines

Partially breastfed refers infants who, apart from breastmilk, have also received infant formula, formula or other food.

Breastfeeding refers to both infants who are exclusively breastfed and infants who are partially breastfed.

New definition from the year 2004

The current definition has been in effect since 2004 and is in accordance with the recommendations issued by the WHO. Before 2004, children who were given small samples of other food in addition to breast milk were also included in the category *exclusively breastfed*. Statistics concerning exclusive and partial breastfeeding are therefore not completely comparable to years before 2004

More information

You can find more tables, diagrams and other information in the Excel file: www.socialstyrelsen.se/en/statistics-and-data/statistics/

If you want to use our statistical database (in Swedish): https://sdb.socialstyrelsen.se/if_amn/

Contact information:

Petter Otterdal (questions regarding statistics) Phone: 075-247 30 00 Email: Petter.Otterdal@socialstyrelsen.se

Carl-Erik Flodmark (medical questions) Phone: 075-247 30 00 Email: Carl-Erik.Flodmark@socialstyrelsen.se